exp:exploremipsumfill

Source file: doc/eng-us/examples/commands/exploremipsumfill.md Last changed 2026-11-04
https://doc.exponential.earth/exphelp/viewer/examples/commands/exploremipsumfill.md

Fill a translation of objects in a test language (Lorem Ipsum, qlo-ZZ) with lorem ipsum text (dry run unless --apply).

Script `bin/php/exploremipsumfill.php`, code in `kernel/private/classes/commands/exploremipsumfill.php`. Run it from the installation root, as the user the web server runs as:

Shell

```
./console exp:exploremipsumfill --help
./console exp:loremipsum --help
php bin/php/exploremipsumfill.php --help
```

Help text

```
Fills the translation of objects in a test language with lorem ipsum text.

Text lines, text blocks, rich text and keywords get lorem ipsum; every other attribute keeps
the value of the language it is copied from. One published version per object. The language
must be a test language (TestLanguage=true in its share/locale file) and already added on
Setup > Languages; the command never adds one.
Without --apply nothing is written: the command prints what it would write. --dry-run means
the same as no flag; --apply together with --dry-run is a usage error (exit 2).

  php bin/php/exploremipsumfill.php <object id>[,...] [--apply]
  php bin/php/exploremipsumfill.php --subtree=<node id> [--limit=50] [--apply]
  ./console exp:loremipsum <object id> --language=qlo-ZZ --from=eng-GB --apply

Exit code: 0 done (or a dry run), 1 refused or failed, 2 usage error.
Guide: doc/eng-us/guides/test-language-lorem-ipsum.md
```

Options

Option	Value	Help
`--apply`		
`--dry-run`		
`--language`	required	the test language to fill (default:
`--from`	required	
`--subtree`	required	
`--limit`	required	

Read from the option definitions in the code (`startup()`, `getOptions()`, `options()` or `ezcConsoleOption`). Every script also takes the standard options of the script framework (`--help`, `--siteaccess`, `--debug`, `--quiet`, `--allow-root-user` ...).

Arguments: `[OBJECTS]`.

Related

- All console commands

Generated by `./console exp:help:examples` from `bin/php/exploremipsumfill.php`, `kernel/private/classes/commands/exploremipsumfill.php`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.