exp:ezexec

Source file: doc/eng-us/examples/commands/ezexec.md Last changed 2026-11-04
https://doc.exponential.earth/exphelp/viewer/examples/commands/ezexec.md

Run a PHP script with the Exponential bootstrap done: ezexec.php myscript.php.

Script `bin/php/ezexec.php`, code in `kernel/private/classes/commands/ezexec.php`. Run it from the installation root, as the user the web server runs as:

Shell

```
./console exp:ezexec --help
php bin/php/ezexec.php --help
```

Related

- All console commands

Generated by `./console exp:help:examples` from `bin/php/ezexec.php`, `kernel/private/classes/commands/ezexec.php`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.