exp:ezsqlinsertschema

Source file: doc/eng-us/examples/commands/ezsqlinsertschema.md Last changed 2026-11-04
https://doc.exponential.earth/exphelp/viewer/examples/commands/ezsqlinsertschema.md

Insert a database schema and data from a .dba file into a database (--type, --user).

Script `bin/php/ezsqlinsertschema.php`, code in `kernel/private/classes/commands/ezsqlinsertschema.php`. Run it from the installation root, as the user the web server runs as:

Shell

```
./console exp:ezsqlinsertschema --help
php bin/php/ezsqlinsertschema.php --help
```

Options

Option	Value	Help
`--type`	required	
`--user`	required	
`--host`	required	
`--password`	optional	
`--port`	required	
`--socket`	required	
`--table-type`	required	
`--table-charset`	required	
`--insert-types`	required	
`--allow-multi-insert`		
`--schema-file`	required	
`--clean-existing`		

Read from the option definitions in the code (`startup()`, `getOptions()`, `options()` or `ezcConsoleOption`). Every script also takes the standard options of the script framework (`--help`, `--siteaccess`, `--debug`, `--quiet`, `--allow-root-user` ...).

Arguments: `[filename][database]`.

Related

- All console commands

Generated by `./console exp:help:examples` from `bin/php/ezsqlinsertschema.php`, `kernel/private/classes/commands/ezsqlinsertschema.php`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.