exp:ezcontentcache

Source file: doc/eng-us/examples/commands/ezcontentcache.md Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/examples/commands/ezcontentcache.md

Clear content caches of given nodes or subtrees (--clear-node, --clear-subtree).

Script `bin/php/ezcontentcache.php`, code in `kernel/private/classes/commands/ezcontentcache.php`. Run it from the installation root, as the user the web server runs as:

Shell

```
./console exp:ezcontentcache --help
php bin/php/ezcontentcache.php --help
```

Options

Option	Value	Help
`--clear-node`	required	
`--clear-subtree`	required	

Read from the option definitions in the code (`startup()`, `getOptions()`, `options()` or `ezcConsoleOption`). Every script also takes the standard options of the script framework (`--help`, `--siteaccess`, `--debug`, `--quiet`, `--allow-root-user` ...).

Related

- All console commands

Generated by `./console exp:help:examples` from `bin/php/ezcontentcache.php`, `kernel/private/classes/commands/ezcontentcache.php`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.