Fetch functions of content

The fetch functions of the content module with their parameters.

Source file: doc/eng-us/examples/fetch-functions/content/README.md Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/examples/fetch-functions/content/README.md

Fetch functions of the content module

Defined in `kernel/content/function_definition.php`. A parameter marked * is required.

Function	Parameters
access	access, contentobject, contentclass_id, parent_contentclass_id, language
assigned_node_count	object_id*
assigned_nodes	object_id*, offset, limit, sort_field, sort_order
available_sort_fields	
bookmark_folders	
bookmark_rows	folder_id
bookmarks	offset, limit
calendar	parent_node_id*, offset, limit, depth, depth_operator, class_id, attribute_filter, extended_attribute_filter, class_filter_type, class_filter_array, group_by, main_node_only, ignore_visibility, limitation
can_instantiate_class_list	group_id, parent_node, filter_type, fetch_id, as_object, group_by_class_group
can_instantiate_classes	parent_node
class	class_id*
class_attribute	attribute_id*, version_id
class_attribute_list	class_id*, version_id
class_list	as_object, group_list, sorts, limit
collected_info_collection	collection_id, contentobject_id
collected_info_count	object_attribute_id, object_id, value, creator_id, user_identifier
collected_info_count_list	object_attribute_id*
collected_info_list	object_id, creator_id, user_identifier, limit, offset, sort_by
content_tree_menu_expiry	
contentobject_attributes	version, language_code
country_groups	repeat
country_list	filter, value
draft_count	

Function	Parameters
draft_version_list	offset, limit
filtered_search	offset
keyword	alphabet*, classid, offset, limit, owner, sort_by, parent_node_id, include_duplicates, strict_matching, depth
keyword_count	alphabet*, classid, owner, parent_node_id, include_duplicates, strict_matching, depth
language_states	object*
list	parent_node_id*, sort_by, only_translated, language, offset, limit, depth, depth_operator, class_id, attribute_filter, extended_attribute_filter, class_filter_type, class_filter_array, group_by, main_node_only, ignore_visibility, limitation, as_object, objectname_filter, load_data_map
list_count	parent_node_id*, only_translated, language, class_filter_type, class_filter_array, attribute_filter, depth, depth_operator, ignore_visibility, limitation, main_node_only, extended_attribute_filter, objectname_filter
locale	locale_code
locale_list	with_variations
navigation_part	identifier*
navigation_parts	
node	node_id, node_path, language_code, remote_id
non_translation_list	object_id, version
object	object_id, remote_id
object_by_attribute	identifier*
object_count_by_user_id	class_id, user_id, status
pending_count	
pending_list	offset, limit
prioritized_language_codes	
prioritized_languages	
recent	
related_objects	object_id*, attribute_identifier, all_relations, group_by_attribute, sort_by, limit, offset, as_object, load_data_map, ignore_visibility, related_class_identifiers
related_objects_count	object_id*, attribute_identifier, all_relations
related_objects_ids	object_id*, attribute_identifier, all_relations
reverse_related_objects	object_id*, attribute_identifier, all_relations, group_by_attribute, sort_by, ignore_visibility, limit, offset, as_object, load_data_map
reverse_related_objects_count	object_id*, attribute_identifier, all_relations, ignore_visibility
reverse_related_objects_ids	object_id*, attribute_identifier, all_relations

Function	Parameters
same_classattribute_node	classattribute_id, value, datatype*
search	text*, subtree_array, offset, limit, publish_timestamp, publish_date, section_id, class_id, class_attribute_id, ignore_visibility, limitation, sort_by
section_list	
site_data	name*
tipafriend_top_list	offset, limit, start_time, end_time, duration, ascending, extended
translation_list	
trash_count	objectname_filter, attribute_filter
trash_object_list	offset, limit, objectname_filter, attribute_filter, sort_by, as_object
tree	parent_node_id*, sort_by, only_translated, language, offset, limit, depth, depth_operator, class_id, attribute_filter, extended_attribute_filter, class_filter_type, class_filter_array, group_by, main_node_only, ignore_visibility, limitation, as_object, objectname_filter, load_data_map
tree_count	parent_node_id*, only_translated, language, class_filter_type, class_filter_array, attribute_filter, depth, depth_operator, ignore_visibility, limitation, main_node_only, extended_attribute_filter, objectname_filter
version	object_id, version_id
version_count	contentobject*
version_list	contentobject*, offset, limit, sorts
view_bookmark	uri*, path
view_top_list	class_id, section_id, offset, limit

- All examples

Generated by `./console exp:help:examples` from `kernel/content/function_definition.php`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.