image.ini [FileSettings]

The settings of [FileSettings] in image.ini: TemporaryDir, PublishedImages, VersionedImages, DirPermissions, ImagePermissions

Source file: doc/eng-us/examples/ini-settings/image/FileSettings.md Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/examples/ini-settings/image/FileSettings.md

The block `[FileSettings]` of `settings/image.ini`, with 5 setting(s).

Never edit `settings/image.ini` itself: an update replaces it. Put the settings you change in an override, which wins over the shipped file:

- `settings/override/image.ini.append.php` for every siteaccess,
- `settings/siteaccess/<siteaccess>/image.ini.append.php` for one siteaccess,
- `extension/<extension>/settings/image.ini.append.php` in an extension (read when the extension is active).

TemporaryDir

> Which subdirectory of var/cache to use for temporary image files.

Default: `imagetmp`.

INI

```ini
<?php /* #?ini charset="utf-8"?
# settings/override/image.ini.append.php
[FileSettings]
TemporaryDir=imagetmp
*/ ?>
```

PublishedImages

> Wich subdirectory of var/storage to use for publish images

Default: `images`.

INI

```ini
<?php /* #?ini charset="utf-8"?
# settings/override/image.ini.append.php
[FileSettings]
PublishedImages=images
*/ ?>
```

VersionedImages

> Wich subdirectory of var/storage to use for non-published (drafts, archived) images

Default: `images-versioned`.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/image.ini.append.php
[FileSettings]
VersionedImages=images-versioned
*/ ?>
```

DirPermissions

> Permission for new image directories, setting it to 0777 means that anyone can read and write the files and can be considered a security risk.
> It's preferred to use 0770 and make sure the web server has correct user/group access.

Default: `0777`.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/image.ini.append.php
[FileSettings]
DirPermissions=0777
*/ ?>
```

ImagePermissions

> Permission for new images and their variations. Empty: the same as every other stored file, site.ini [FileSettings] StorageFilePermissions. A value here applies to images only; 0666 means that anyone can read and write the files and can be considered a security risk.

Default: empty.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/image.ini.append.php
[FileSettings]
ImagePermissions=
*/ ?>
```

Related

- All blocks of image.ini
- All INI files
- The settings page

Generated by `./console exp:help:examples` from `settings/image.ini`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.