subitemscolumns.ini [Column_draftcount]

The settings of [Column_draftcount] in subitemscolumns.ini: Name, Group, Type, Class, Field, Align, Order, Description

Source file: `doc/eng-us/examples/ini-settings/subitemscolumns/Column_draftcount.md` Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/examples/ini-settings/subitemscolumns/Column_draftcount.md

The block `[Column_draftcount]` of `settings/subitemscolumns.ini`, with 8 setting(s).

Never edit `settings/subitemscolumns.ini` itself: an update replaces it. Put the settings you change in an override, which wins over the shipped file:

- `settings/override/subitemscolumns.ini.append.php` for every siteaccess,
- `settings/siteaccess/<siteaccess>/subitemscolumns.ini.append.php` for one siteaccess,
- `extension/<extension>/settings/subitemscolumns.ini.append.php` in an extension (read when the extension is active).

Name

Default: `Drafts`.

INI

```ini
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Name=Drafts
*/ ?>
```

Group

Default: `Version`.

INI

```ini
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Group=Version
*/ ?>
```

Type

Default: `number`.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Type=number
*/ ?>
```

Class

Default: `expSubitemsVersionColumn`.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Class=expSubitemsVersionColumn
*/ ?>
```

Field

Default: `draft_count`.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Field=draft_count
*/ ?>
```

Align

Default: `right`.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Align=right
*/ ?>
```

Order

Default: `410`.

INI

```
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Order=410
*/ ?>
```

Description

Default: `Open drafts that are not published yet.`.

INI

```ini
<?php /* #?ini charset="utf-8"?
# settings/override/subitemscolumns.ini.append.php
[Column_draftcount]
Description=Open drafts that are not published yet.
*/ ?>
```

Related

- All blocks of subitemscolumns.ini
- All INI files
- The settings page

Generated by `./console exp:help:examples` from `settings/subitemscolumns.ini`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.