# /role/view

The view role/view: its address, parameters and the policy functions it needs.

Source file: doc/eng-us/examples/module-views/role/view.md Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/examples/module-views/role/view.md

A view of the `role` module, defined in `kernel/role/module.php` and run by `kernel/role/view.php`.

## Address

```
/role/view/<RoleID>
```

Ordered parameters, in this order after the view name: `RoleID`.

## Who may open it

The view names no policy function, so the user needs a policy for the whole module: `role/*` (every function of the module) in one of the roles assigned to them.

## Details

| Key | Value |
|---|---|
| Navigation part | `ezusernavigationpart` |
| POST actions | BrowseActionName |

## Example

A link in a template (`ezurl` adds the siteaccess and quotes the address); the parameter values are placeholders:

**Template**

```
<a href={'/role/view/1'|ezurl}>role/view</a>
```

From PHP, the redirect a view gives after it has done its work:

**PHP**

```
return $Module->redirectTo( '/role/view/1' );
```

## Related

- All views of role
- The policies of role
- A custom module and view

Generated by `./console exp:help:examples` from `kernel/role/module.php`, `kernel/role/view.php`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

---

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.