ezmodule template operator

The ezmodule template operator: 1 parameter(s), registered by eZModuleOperator.

Source file: doc/eng-us/examples/template-operators/ezmodule.md Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/examples/template-operators/ezmodule.md

The ezmodule template operator

Registered in `kernel/common/eztemplateautoload.php` by the class `eZModuleOperator` (`kernel/common/ezmoduleoperator.php`).

Parameters

Parameter	Type	Required	Default
uri	string	no	false

Example

Built from the parameter list above; the values are placeholders (the operator's template hints decide whether it takes an input).

Template

```
{$value|ezmodule( 'uri' )}
```

In a shipped template

The first use in the templates of this installation, `design/admin/templates/class/view.tpl` line 41:

Template

```
{if ezmodule( 'scriptmonitor/view' )}<a href={concat( 'scriptmonitor/view/', $scheduled_script_id
 )|ezurl}>{'Background process monitor'|i18n( 'design/admin/class/view' )}</a>{/if}</p>
```

Related

- All template operators
- Templates and design
- A custom template operator

Generated by `./console exp:help:examples` from `kernel/common/eztemplateautoload.php` , `kernel/common/ezmoduleoperator.php`. Do not edit this page: change the source and generate again (how). Free documentation: GFDL 1.3 or later.

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.