Patterns in kernel/classes/requestlog

Every class, view, fetch function, operator and plugin point of kernel/classes/requestlog with its design patterns.

Source file: `doc/eng-us/standards/patterns/area-kernel-classes-requestlog.md` Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/standards/patterns/area-kernel-classes-requestlog.md

> **Note**
>
> This page is generated from the source code by `php bin/php/exppatterncatalogue.php --write`. Do not edit it by hand: change the code or the generator, then run the command again. How the patterns are recognized: the pattern catalogue.

Every class, interface and trait of `kernel/classes/requestlog` with the patterns it was recognized as, followed by the module views, policy functions, fetch functions, template operators, cronjobs, event hooks and INI plugin points of the area. All patterns.

Classes (1)

Class	Kind	Patterns	File	Description
expRequestLog	class	Utility (static helper)	kernel/classes/requestlog/exprequestlog.php:32	The request log: at most one line per web request for a page that does not exist (404.log), with the reason the kernel found, and the hand-over to th...

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.