INI plugin point (extension point)

A setting that names the class the kernel uses for a job, so an extension or a site can replace or add one without changing code. 1376 instances in Exponential.

Source file: `doc/eng-us/standards/patterns/ini-plugin-point.md` Last changed 2026-11-04
https://doc.exponential.earth/learninminutes/exphelp/viewer/standards/patterns/ini-plugin-point.md

> **Note**
>
> This page is generated from the source code by `php bin/php/exppatterncatalogue.php --write`. Do not edit it by hand: change the code or the generator, then run the command again. How the patterns are recognized: the pattern catalogue.

A setting that names the class the kernel uses for a job, so an extension or a site can replace or add one without changing code.

Group	Plugins
Instances	1376
Recognized by	A setting of a settings/*.ini file (or an extension's) whose value is the name of a class of the catalogue.
Extension point	Set the setting in an extension's settings/FILE.ini.append.php or in settings/override/.

Classes by area

extension/bccie (25)

All patterns of extension/bccie

Class	Kind	File	Description	Extension point
`bccieExportFormatOutputHandlerCP1252`	class extends bccieExportFormatOutputHandler	`extension/bccie/classes/exportFormatOutputHandlers/bccieExportFormatOutputHandlerCP1252.php:11`	–	extension/bccie/settings/cie.ini [CieSettings] ExportOutputFormatHandlers[cp1252]
`bccieExportFormatOutputHandlerUtf8`	class extends bccieExportFormatOutputHandler	`extension/bccie/classes/exportFormatOutputHandlers/bccieExportFormatOutputHandlerUtf8.php:11`	–	extension/bccie/settings/cie.ini [CieSettings] ExportOutputFormatHandlers[utf8]
`bccieExportFormatOutputHandlerUtf8Bom`	class extends bccieExportFormatOutputHandler	`extension/bccie/classes/exportFormatOutputHandlers/bccieExportFormatOutputHandlerUtf8Bom.php:11`	–	extension/bccie/settings/cie.ini [CieSettings] ExportOutputFormatHandlers[utf8bom]

Class	Kind	File	Description	Extension point
bccieExportFormatOutputHandlerUtf16Le	class extends bccieExportFormatOutputHandler	extension/bccie/classes/exportFormatOutputHandlers/bccieExportFormatOutputHandlerUtf16Le.php:11	–	extension/bccie/settings/cie.ini [CieSettings] ExportOutputFormatHandlers[utf16le]
eZBirthdayExportHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezbirthdayexporthandler.php:13	–	extension/bccie/settings/export.ini [ezbirthday] HandlerClass
eZBirthdayHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezbirthdayhandler.php:11	–	extension/bccie/settings/export.ini [ezbirthday] HandlerClass
eZBooleanHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezbooleanhandler.php:11	–	extension/bccie/settings/export.ini [ezboolean] HandlerClass
eZCountryHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezcountrtyhandler.php:11	–	extension/bccie/settings/export.ini [ezcountry] HandlerClass
eZDateHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezdatehandler.php:11	–	extension/bccie/settings/export.ini [ezdate] HandlerClass
eZDateTimeHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezdatetimehandler.php:11	–	extension/bccie/settings/export.ini [ezdatetime] HandlerClass
eZEmailHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezemailhandler.php:11	–	extension/bccie/settings/export.ini [ezemail] HandlerClass
ezenhancedobjectrelationHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezenhancedobjectrelationhandler.php:11	–	extension/bccie/settings/export.ini [ezenhancedobjectrelation] HandlerClass
eZFloatHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezfloathandler.php:11	–	extension/bccie/settings/export.ini [ezfloat] HandlerClass
eZIdentifierHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezidentifierhandler.php:11	–	extension/bccie/settings/export.ini [ezidentifier] HandlerClass
eZIntegerHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezintegerhandler.php:11	–	extension/bccie/settings/export.ini [ezinteger] HandlerClass
eZObjectRelationHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezobjectrelationhandler.php:11	–	extension/bccie/settings/export.ini [ezobjectrelation] HandlerClass

Class	Kind	File	Description	Extension point
eZOptionHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezoptionhandler.php:11	–	extension/bccie/settings/export.ini [ezoption] HandlerClass
eZSelectionHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezselectionhandler.php:11	–	extension/bccie/settings/export.ini [ezselection] HandlerClass
eZStringHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezstringhandler.php:11	–	extension/bccie/settings/export.ini [ezstring] HandlerClass
eZTextHandler	class extends BaseHandler	extension/bccie/classes/handlers/eztexthandler.php:11	–	extension/bccie/settings/export.ini [eztext] HandlerClass
eZTimeHandler	class extends BaseHandler	extension/bccie/classes/handlers/eztimehandler.php:11	–	extension/bccie/settings/export.ini [eztime] HandlerClass
eZURLHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezurlhandler.php:11	–	extension/bccie/settings/export.ini [ezurl] HandlerClass
eZXMLTextHandler	class extends BaseHandler	extension/bccie/classes/handlers/ezxmltexthandler.php:11	–	extension/bccie/settings/export.ini [ezxmltext] HandlerClass
OWEnhancedSelectionHandler	class extends BaseHandler	extension/bccie/classes/handlers/owenhancedselectionhandler.php:11	–	extension/bccie/settings/export.ini [owenhancedselection] HandlerClass
smileobjectrelationlistHandler	class extends BaseHandler	extension/bccie/classes/handlers/smileobjectrelationlisthandler.php:11	–	extension/bccie/settings/export.ini [smileobjectrelationlist] HandlerClass

extension/birthday (1)

All patterns of extension/birthday

Class	Kind	File	Description	Extension point
eZBirthdayCsvHandler	class extends XrowBaseHandler	extension/birthday/classes/parsers/ezbirthdaycsvhandler.php:29	CSV export handler for the ezbirthday datatype.	extension/birthday/settings/csv.ini [ezbirthday] HandlerClass

extension/cjw_newsletter (20)

All patterns of extension/cjw_newsletter

Class	Kind	File	Description	Extension point

Class	Kind	File	Description	Extension point
cjwNewsletterAuditBranch	class	extension/cjw_newsletter/classes/cjwnewsletteraditbranch.php:12	The newsletter's branch of the audit taxonomy, registered in settings/audit.ini.append.php ([AuditEventSettings] Branches[cjw_newsletter]).	extension/cjw_newsletter/settings/audit.ini [AuditEventSettings] Branches[cjw_newsletter]
CjwNewsletterDeliverabilityHooks	class	extension/cjw_newsletter/classes/deliverability/cjwnewsletterdeliverabilityhooks.php:25	The extension point handler of the area "deliverability" (cjw_newsletter.ini [ExtensionPointSettings] Handlers[]=CjwNewsletterDeliverabilityHooks, se...	extension/cjw_newsletter/settings/cjw_newsletter.ini [ExtensionPointSettings] Handlers[]
CjwNewsletterEditionFilter	class	extension/cjw_newsletter/extendedattributefilter/cjwnewsletteredition filter.php:32	This filter allowed, fetch all lists by a specific status status-variants: ->DRAFT ->PROCESS	extension/cjw_newsletter/settings/extendedattributefilter.ini [CjwNewsletterEditionFilter] ClassName
CjwNewsletterEditorialHooks	class	extension/cjw_newsletter/classes/editorial/cjwnewsletteredi torialhooks.php:20	The extension point handler of the area Editorial (registered in cjw_newsletter.ini [ExtensionPointSettings] Handlers[]): the recurring sends run at...	extension/cjw_newsletter/settings/cjw_newsletter.ini [ExtensionPointSettings] Handlers[]
CjwNewsletterFilterTypeEmail	class extends CjwNewsletterFilterType	extension/cjw_newsletter/classes/filtertypes/cjwnewsletterfiltertype email.php:19	Class description here	extension/cjw_newsletter/settings/cjw_newsletter.ini [NewsletterFilterSettings] AvailableFilterTypeClassArray[]
CjwNewsletterFilterTypeSalutation	class extends CjwNewsletterFilterType	extension/cjw_newsletter/classes/filtertypes/cjwnewsletterfiltertype salutation.php:19	Class description here	extension/cjw_newsletter/settings/cjw_newsletter.ini [NewsletterFilterSettings] AvailableFilterTypeClassArray[]
CjwNewsletterImportExportHooks	class	extension/cjw_newsletter/classes/importexport/cjwnewsletterimportexporthooks.php:18	The extension point handler of the area import/export and migration ([ExtensionPointSettings] Handlers[]).	extension/cjw_newsletter/settings/cjw_newsletter.ini [ExtensionPointSettings] Handlers[]

Class	Kind	File	Description	Extension point
CjwNewsletterListFilter	class	extension/cjw_newsletter/extendedattributefilter/cjwnewsletterlistfilter.php:29	This filter allowed, fetch all lists by a specific siteaccess reserved word "current_siteaccess" == take current siteaccess to match param siteaccess...	extension/cjw_newsletter/settings/extendedattributefilter.ini [CjwNewsletterListFilter] ClassName
CjwNewsletterMailCategoryHandler	class	extension/cjw_newsletter/classes/cjwnewslettermailcategoryhandler.php:20	The handler of the category "newsletter" of the e-mail preferences (Exponential 6.0.15 and later; settings/mailpreferences.ini.append.php of this ext...	extension/cjw_newsletter/settings/mailpreferences.ini [Category_newsletter] HandlerClass
CjwNewsletterMailin	class	extension/cjw_newsletter/classes/deliverability/cjwnewslettermailin.php:36	Subscribe and unsubscribe by e-mail (cjw_newsletter.ini [MailInSettings], the addresses in cjwnl_mailin_address, every message handled in cjwnl_maili...	extension/cjw_newsletter/settings/mailpreferences.ini [BounceSettings] MessageListeners[]
CjwNewsletterMailPreferences	class	extension/cjw_newsletter/classes/cjwnewslettermailpreferences.php:25	The bridge between the newsletter and the e-mail preferences of Exponential 6.0.15 and later (kernel/classes/mail preferences).	extension/cjw_newsletter/settings/mailpreferences.ini [SuppressionSettings] Listeners[]
CjwNewsletterRenderingHooks	class	extension/cjw_newsletter/classes/rendering/cjwnewsletterrenderinghooks.php:25	The extension point handler of the rendering (area N3, cjw_newsletter.ini [ExtensionPointSettings] Handlers[]).	extension/cjw_newsletter/settings/cjw_newsletter.ini [ExtensionPointSettings] Handlers[]
CjwNewsletterScheduleConditionNewArticles	class	extension/cjw_newsletter/classes/editorial/cjwnewsletterscheduleconditionnewarticles.php:18	The run goes ahead only when the article pool of the schedule has content published since its last send (the anonymous user's view of it), in either...	extension/cjw_newsletter/settings/cjw_newsletter.ini [ScheduleSettings] ConditionHandlers[]

Class	Kind	File	Description	Extension point
CjwNewsletterSmsCategoryHandler	class	extension/cjw_newsletter/classes/sms/cjwnewslettersmscategoryhandler.php:25	The handler of the kernel mail-preference category "sms" ([Category_sms] HandlerClass in settings/mailpreferences.ini.append.php of the extension).	extension/cjw_newsletter/settings/mailpreferences.ini [Category_sms] HandlerClass
CjwNewsletterSmsHooks	class	extension/cjw_newsletter/classes/sms/cjwnewslettersmshooks.php:27	The handler of area N5 (SMS) at the extension points (CjwNewsletterExtensionPoints), registered in cjw_newsletter.ini [ExtensionPointSettings] Handle...	extension/cjw_newsletter/settings/cjw_newsletter.ini [ExtensionPointSettings] Handlers[]
CjwNewsletterSmsTransportFile	class extends CjwNewsletterSmsTransportBase	extension/cjw_newsletter/classes/sms/cjwnewslettersmstransportfile.php:23	The simulated SMS sending: nothing leaves the server, every SMS is written as one JSON file -.sms.json (to, from, text, segments, time) into Dir.	extension/cjw_newsletter/settings/cjw_newsletter.ini [SmsTransport_file] Class
CjwNewsletterSmsTransportHttp	class extends CjwNewsletterSmsTransportBase	extension/cjw_newsletter/classes/sms/cjwnewslettersmstransporthttp.php:38	The generic SMS transport: one HTTP request per SMS to any provider API, mapped in the INI group.	extension/cjw_newsletter/settings/cjw_newsletter.ini [SmsTransport_http] Class
CjwNewsletterSmsTransportTwilio	class extends CjwNewsletterSmsTransportHttp	extension/cjw_newsletter/classes/sms/cjwnewslettersmstransporttwilio.php:29	A preset of the generic HTTP transport for APIs in the style of Twilio's Messages resource: a form POST to .../Accounts/{AccountSid}/Messages.json wi...	extension/cjw_newsletter/settings/cjw_newsletter.ini [SmsTransport_twilio] Class
CjwNewsletterStatisticsCategoryHandler	class	extension/cjw_newsletter/classes/statistics/cjwnewsletterstatisticscategoryhandler.php:23	The handler of the e-mail preference category "newsletter_statistics" (cjw_newsletter 4.2.0, area N4 Statistics): the consent to per-person counting...	extension/cjw_newsletter/settings/mailpreferences.ini [Category_newsletter_statistics] HandlerClass

Class	Kind	File	Description	Extension point
CjwNewsletterStatisticsHooks	class	extension/cjw_newsletter/classes/statistics/cjwnewsletterstatisticshooks.php:31	The extension point handler of area N4 Statistics ([ExtensionPointSettings] Handlers[]=CjwNewsletterStatisticsHooks).	extension/cjw_newsletter/settings/cjw_newsletter.ini [ExtensionPointSettings] Handlers[]

extension/cjw_themes_jumper (1)

All patterns of extension/cjw_themes_jumper

Class	Kind	File	Description	Extension point
cjwJumperImagineImageFactory	class extends eZImageFactory	extension/cjw_themes_jumper/classes/cjwjumperimagineimagefactory.php:10	Image handler factory of the converter cjwImagine (image.ini [cjwImagine] Handler=cjwJumperImagineImageFactory): produces cjwJumperImagineImageHandle...	extension/cjw_themes_jumper/settings/image.ini [cjwImagine] Handler

extension/cjw_tmv (1)

All patterns of extension/cjw_tmv

Class	Kind	File	Description	Extension point
cjwTmvEventsBlockHandler	class	extension/cjw_tmv/classes/cjwtmveventsblockhandler.php:11	The Layouts block "tmv_events" (v2: Cjw\TmvBundle TmvEventsHandler): the events of a tmv_container, with the filter toolbar (view type list), only th...	extension/cjw_tmv/settings/siteaccess/cjw_starter/explayouts.ini [BlockDefinition_tmv_events] Handler

extension/enhancedselection2 (1)

All patterns of extension/enhancedselection2

Class	Kind	File	Description	Extension point
ezfSolrDocumentFieldSckEnhancedSelection	class extends ezfSolrDocumentFieldBase	extension/enhancedselection2/classes/ezfsolrdocumentfieldsckenhancedselection.php:2	–	extension/enhancedselection2/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[sckenhancedselection]

extension/expai (49)

All patterns of extension/expai

Class	Kind	File	Description	Extension point
expAiAltTextFieldAction	class extends expAiPromptFieldAction	extension/expai/classes/alttext/expaialttextfieldaction.php:15	The field action "Write alt text" ([FieldAction_alt_text], doc/alt-text.md) of ezimage fields.	extension/expai/settings/expai.ini [FieldAction_alt_text] Handler
expAiAltTextJobHandler	class extends expQueueHandlerBase	extension/expai/classes/alttext/expaialttextjobhandler.php:19	The job type expai.alttext (expAiAltText::queue(), the "Missing alt text" report): asks a vision model for the alt text of one image and writes it in...	extension/expai/settings/expqueue.ini [JobType_expai.alttext] Handler
expAiAltTextServerFunctions	class extends expAiServerFunctions	extension/expai/classes/alttext/expaialttextserverfunctions.php:21	The ezjscore function of the "Write alt text" button (ezjscore.ini [ezjscServer_expaialttext]; the caller needs ezjscore/call with the function list...	extension/expai/settings/ezjscore.ini [ezjscServer_expaialttext] Class
expAiAuditBranch	class	extension/expai/classes/audit/expaiauditbranch.php:15	The audit taxonomy branch of Exponential Intelligence (audit.ini [AuditEventSettings] Branches[expai]): the names expAiAudit records, all into the ch...	extension/expai/settings/audit.ini [AuditEventSettings] Branches[expai]
expAiAuditSource	class extends expAuditSourceBase	extension/expai/classes/audit/expaiauditsource.php:18	The source of Exponential Intelligence in the audit console (audit.ini [AuditSourceSettings] Sources[expai], doc/audit-trail.md): the dashboard panel...	extension/expai/settings/audit.ini [AuditSourceSettings] Sources[expai]
expAiBatchApi	abstract class	extension/expai/classes/lanes/expaibatchapi.php:27	A provider's batch API: submit many requests at once, poll the batch, fetch the results, cancel, delete.	extension/expai/settings/rad.ini [Registry_expai_batch_apis] Implements

Class	Kind	File	Description	Extension point
expAiBatchPollHandler	class extends expQueueHandlerBase	extension/expai/classes/queue/expaibatchpollhandler.php:24	The job type expai.batch.poll (class system): asks the provider for the state of one batch every PollSeconds (deferred in between, without using up a...	extension/expai/settings/expqueue.ini [JobType_expai.batch.poll] Handler
expAiBatchSubmitHandler	class extends expQueueHandlerBase	extension/expai/classes/queue/expaibatchsubmithandler.php:20	The job type expai.batch.submit (class system): collects the waiting expai.request jobs of one model and batch lane, at most MaxRequestsPerBatch, sub...	extension/expai/settings/expqueue.ini [JobType_expai.batch.submit] Handler
expAiChainApplier	class	extension/expai/classes/chain/expaichainapplier.php:14	The applier "chain" of queued requests ([QueueSettings] Appliers[chain]): hands the stored answer of a chain step to expAiChainEngine::onAnswer(), wh...	extension/expai/settings/expai.ini [QueueSettings] Appliers[chain]
expAiChainTranslateSync	class	extension/expai/classes/chain/expaichaintranslatesync.php:20	The shipped translation hand-off of chains ([ChainSettings] TranslateHandler=expAiChainTranslateSync): the translate step hands the run's object to t...	extension/expai/settings/expai.ini [ChainSettings] TranslateHandler
expAiDraftRevertServerFunctions	class extends ezjscServerFunctions	extension/expai/classes/diff/expaidraftrevertserverfunctions.php:20	"What changed" of a draft written directly (ezjscore.ini [ezjscServer_expairevert], doc/review.md):	extension/expai/settings/ezjscore.ini [ezjscServer_expairevert] Class
expAiExchangeRatesHandler	class extends expQueueHandlerBase	extension/expai/classes/queue/expaiexchangerateshandler.php:15	The job type expai.exchange.rates (class system, no model call, #392): fetches the reference rates of the European Central Bank once a day (expAiExch...	extension/expai/settings/expqueue.ini [JobType_expai.exchange.rates] Handler

Class	Kind	File	Description	Extension point
expAiFieldAction	interface	extension/expai/classes/fieldactions/expaifieldaction.php:16	An action next to a field of the content edit form (write, rewrite, shorten, translate, suggest, ...).	extension/expai/settings/rad.ini [Registry_expai_field_actions] Entries[Handler]; extension/expai/settings/rad.ini [Registry_expai_presets] Entries[Handler]
expAiModelServerFunctions	class extends ezjscServerFunctions	extension/expai/classes/expaimodelserverfunctions.php:24	The ezjscore functions of the "Test prompt" and "Load model" actions of expai/models (ezjscore.ini [ezjscServer_expaimodel]; the caller needs ezjscor...	extension/expai/settings/ezjscore.ini [ezjscServer_expaimodel] Class
expAiModelTestHandler	class extends expQueueHandlerBase	extension/expai/classes/queue/expaimodeltesthandler.php:16	The job type expai.model.test: the "Test prompt" (action test) and "Load model" (action load) of expai/models, run by the worker as the user who clic...	extension/expai/settings/expqueue.ini [JobType_expai.model.test] Handler
expAiPlanItemApplier	class	extension/expai/classes/vector/expaiplanitemapplier.php:17	The applier vector_plan_item ([QueueSettings] Appliers[]): the answer of one item of an approved plan that ran on a batch lane (expAiPlanBatch) is st...	extension/expai/settings/expai.ini [QueueSettings] Appliers[vector_plan_item]
expAiPresetServerFunctions	class extends expAiServerFunctions	extension/expai/classes/fieldactions/expaipresetserverfunctions.php:21	The ezjscore function of the editor presets and the Improve menu (ezjscore.ini [ezjscServer_expaipreset]; the caller needs ezjscore/call with the fun...	extension/expai/settings/ezjscore.ini [ezjscServer_expaipreset] Class

Class	Kind	File	Description	Extension point
`expAiPromptFieldAction`	class	`extension/expai/classes/fieldactions/expaipromptfieldaction.php:15`	A field action driven by its INI section: [FieldAction_] Instruction is the task; the object, the field, its current value, the other fields and the…	extension/expai/settings/expai.ini [FieldAction_improve_casual] Handler; extension/expai/settings/expai.ini [FieldAction_improve_clarify] Handler; extension/expai/settings/expai.ini [FieldAction_improve_expand] Handler; extension/expai/settings/expai.ini [FieldAction_improve_formal] Handler; extension/expai/settings/expai.ini [FieldAction_improve_grammar] Handler; extension/expai/settings/expai.ini [FieldAction_improve_shorten] Handler; extension/expai/settings/expai.ini [FieldAction_improve_simplify] Handler; extension/expai/settings/expai.ini [FieldAction_preset_keywords] Handler; extension/expai/settings/expai.ini [FieldAction_preset_meta_description] Handler; extension/expai/settings/expai.ini [FieldAction_preset_summary] Handler; extension/expai/settings/expai.ini [FieldAction_preset_title] Handler; extension/expai/settings/expai.ini [FieldAction_rewrite] Handler; extension/expai/settings/expai.ini [FieldAction_shorten] Handler; extension/expai/settings/expai.ini [FieldAction_suggest] Handler; extension/expai/settings/expai.ini [FieldAction_translate] Handler; extension/expai/settings/expai.ini [FieldAction_write]

Class	Kind	File	Description	Extension point
expAiProvider	interface	extension/expai/classes/expaiprovider.php:16	A model backend of expai.	extension/expai/settings/rad.ini [Registry_expai_provider_types] Implements
expAiRequestApplier	interface	extension/expai/classes/queue/expairequestapplier.php:18	Applies the answer of a queued request (expai.request), e.g.	extension/expai/settings/rad.ini [Registry_expai_appliers] Entries[Appliers]
expAiRequestHandler	class extends expQueueHandlerBase	extension/expai/classes/queue/expairequesthandler.php:28	The job type expai.request: one call to a model on a lane (expAiQueue::request() queues it).	extension/expai/settings/expqueue.ini [JobType_expai.request] Handler
expAiRunWatch	class extends ezjscServerFunctions	extension/expai/classes/expairunwatch.php:20	"Watch this run" of the dashboard's "Start writing": the request opens the Intelligence tab of the chosen location, where it becomes a thread when th...	extension/expai/settings/ezjscore.ini [ezjscServer_expaiwatch] Class
expAiSegmenter	interface	extension/expai/classes/diff/expaisegmenter.php:28	Cuts the value of one datatype into blocks and sentences, and puts values together again (doc/diff.md).	extension/expai/settings/rad.ini [Registry_expai_segmenters] Entries[FallbackSegmenter]; extension/expai/settings/rad.ini [Registry_expai_segmenters] Entries[Segmenters]
expAiSegmenterGeneric	class extends expAiSegmenterBase	extension/expai/classes/diff/expaisegmentergeneric.php:15	The fallback for datatypes without a segmenter of their own: the value as a string (toString()) is one block, not split into sentences.	extension/expai/settings/expai.ini [DiffSettings] FallbackSegmenter
expAiSegmenterKeyword	class extends expAiSegmenterBase	extension/expai/classes/diff/expaisegmenterkeyword.php:14	ezkeyword: a set.	extension/expai/settings/expai.ini [DiffSettings] Segmenters[ezkeyword]

Class	Kind	File	Description	Extension point
expAiSegmenterRichText	class	extension/expai/classes/diff/expaisegmenterrichtext.php:28	Rich text (ezxmltext storage XML, or HTML): structure-aware blocks (doc/diff.md).	extension/expai/settings/expai.ini [DiffSettings] Segmenters[ezrichtext]; extension/expai/settings/expai.ini [DiffSettings] Segmenters[ezxmltext]
expAiSegmenterString	class extends expAiSegmenterBase	extension/expai/classes/diff/expaisegmenterstring.php:13	ezstring (and ezemail, ezisbn): the value is one block, split into sentences.	extension/expai/settings/expai.ini [DiffSettings] Segmenters[ezemail]; extension/expai/settings/expai.ini [DiffSettings] Segmenters[ezisbn]; extension/expai/settings/expai.ini [DiffSettings] Segmenters[ezstring]
expAiSegmenterText	class extends expAiSegmenterBase	extension/expai/classes/diff/expaisegmentertext.php:14	eztext: blocks are paragraphs (separated by blank lines), split into sentences.	extension/expai/settings/expai.ini [DiffSettings] Segmenters[eztext]
expAiServerFunctions	class extends ezjscServerFunctions	extension/expai/classes/expaiserverfunctions.php:24	The ezjscore server functions of expai (ezjscore.ini [ezjscServer_expai]):	extension/expai/settings/ezjscore.ini [ezjscServer_expai] Class
expAiThreadItemHandler	class extends expQueueHandlerBase	extension/expai/classes/vector/expaithreaditemhandler.php:22	The job type expai.thread.item: one item of an approved plan as a child run of the thread (doc/parallel-runs.md), side by side with the other items.	extension/expai/settings/expqueue.ini [JobType_expai.thread.item] Handler
expAiThreadTurnHandler	class extends expQueueHandlerBase	extension/expai/classes/vector/expaithreadturnhandler.php:23	The job type expai.thread.turn: one turn of a thread (the editor's message and every step until the model answers in words) run by the queue worker i…	extension/expai/settings/expqueue.ini [JobType_expai.thread.turn] Handler

Class	Kind	File	Description	Extension point
expAiTool	abstract class	extension/expai/classes/expaitool.php:16	A tool the assistant can call.	extension/expai/settings/rad.ini [Registry_expai_tools] Entries[Class]
expAiToolCreateDraft	class extends expAiTool	extension/expai/classes/tools/expaitoolcreatedraft.php:12	create_draft: a new object as a draft of the current user under a node (content/create of the user).	extension/expai/settings/expai.ini [Tool_create_draft] Class
expAiToolGetClassDefinition	class extends expAiTool	extension/expai/classes/tools/expaitoolgetclassdefinition.php:9	get_class_definition: the fields of a content class	extension/expai/settings/expai.ini [Tool_get_class_definition] Class
expAiToolGetNode	class extends expAiTool	extension/expai/classes/tools/expaitoolgetnode.php:9	get_node: a node and the fields of its object (current version), as the current user may read them	extension/expai/settings/expai.ini [Tool_get_node] Class
expAiToolGetTreeContext	class extends expAiTool	extension/expai/classes/tools/expaitoolgettreecontext.php:9	get_tree_context: where a node sits: its ancestors, its siblings and the number of its children	extension/expai/settings/expai.ini [Tool_get_tree_context] Class
expAiToolListChildren	class extends expAiTool	extension/expai/classes/tools/expaitoollistchildren.php:9	list_children: the children of a node the current user may read	extension/expai/settings/expai.ini [Tool_list_children] Class
expAiToolListCreatableClasses	class extends expAiTool	extension/expai/classes/tools/expaitoollistcreatableclasses.php:9	list_creatable_classes: the classes the current user may create under a node	extension/expai/settings/expai.ini [Tool_list_creatable_classes] Class
expAiToolProjectHistory	class extends expAiWebTool	extension/expai/classes/tools/expaitoolprojecthistory.php:13	project_history: recent commits (short hash, date, title; the author only with [HistorySettings] ShowAuthors) and release notes of the repositories o…	extension/expai/settings/expai.ini [Tool_project_history] Class
expAiToolSearchContent	class extends expAiTool	extension/expai/classes/tools/expaitoolsearchcontent.php:17	search_content: full-text search over the content, through the site's search engine (eZSearch: eZ Find's Solr when ezfind is active, else the kernel'…	extension/expai/settings/expai.ini [Tool_search_content] Class

Class	Kind	File	Description	Extension point
expAiToolUpdateDraft	class extends expAiTool	extension/expai/classes/tools/expaitoolupdatedraft.php:12	update_draft: writes fields into a draft of an existing object: the draft this conversation wrote for it when there is one, else a new version (conte…	extension/expai/settings/expai.ini [Tool_update_draft] Class
expAiToolWebFetch	class extends expAiWebTool	extension/expai/classes/tools/expaitoolwebfetch.php:13	web_fetch: reads one page of an allowlisted site ([WebSettings] AllowedDomains[]) as Markdown (title, headings, links with absolute URLs), cut to [We…	extension/expai/settings/expai.ini [Tool_web_fetch] Class
expAiToolWebSearch	class extends expAiWebTool	extension/expai/classes/tools/expaitoolwebsearch.php:14	web_search: a web search through the provider of [SearchSettings] Provider (Brave Search by default); results are title, URL and snippet.	extension/expai/settings/expai.ini [Tool_web_search] Class
expAiTranslationCheckHandler	class extends expQueueHandlerBase	extension/expai/classes/queue/expaitranslationcheckhandler.php:15	The job type expai.translation.check (class system, no model call): after a source-language version was published, decides for each translation of th…	extension/expai/settings/expqueue.ini [JobType_expai.translation.check] Handler
expAiTranslationSyncApplier	class	extension/expai/classes/diff/expaitranslationsyncapplier.php:15	The applier "translation_sync" (expai.ini [QueueSettings] Appliers[translation_sync]): writes the answer of a translation patch or full translation i…	extension/expai/settings/expai.ini [QueueSettings] Appliers[translation_sync]
expAiTranslationSyncServerFunctions	class extends ezjscServerFunctions	extension/expai/classes/diff/expaitranslationsyncserverfunctions.php:23	The ezjscore functions of the "Translations" section of the Intelligence tab (ezjscore.ini [ezjscServer_expaitranslation]; the caller needs ezjscore/…	extension/expai/settings/ezjscore.ini [ezjscServer_expaitranslation] Class

Class	Kind	File	Description	Extension point
expAiVectorServerFunctions	class extends ezjscServerFunctions	extension/expai/classes/vector/expaivectorserverfunctions.php:23	The ezjscore functions of threads, Vector and the keyboard (ezjscore.ini [ezjscServer_expaivector]; the caller needs ezjscore/call with the function...	extension/expai/settings/ezjscore.ini [ezjscServer_expaivector] Class
expAiWebSearchBrave	class extends expAiWebSearchProvider	extension/expai/classes/web/expaiwebsearchbrave.php:15	Brave Search API (web search): GET ?q=...&count=...	extension/expai/settings/expai.ini [SearchProvider_brave] Class
expAiWebSearchProvider	abstract class	extension/expai/classes/web/expaiwebsearchprovider.php:16	A web search service for web_search.	extension/expai/settings/rad.ini [Registry_expai_search_providers] Entries[Class]

extension/expchangeclass (1)

All patterns of extension/expchangeclass

Class	Kind	File	Description	Extension point
expChangeClassConverters	class	extension/expchangeclass/classes/converters.php:21	–	extension/expchangeclass/settings/changeclass.ini [ezobjectrelationlist] Class; extension/expchangeclass/settings/changeclass.ini [ezstring] Class; extension/expchangeclass/settings/changeclass.ini [eztext] Class

extension/explayouts (47)

All patterns of extension/explayouts

Class	Kind	File	Description	Extension point
expLayoutsAccordionBlockHandler	class	extension/explayouts/classes/explayoutsaccordionblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_accordion] Handler
expLayoutsAdminLeftMenuBlockHandler	class	extension/explayouts/classes/explayoutsadminleftmenublockhandler.php:7	The left menu block of the admin layouts.	extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_left_menu] Handler

Class	Kind	File	Description	Extension point
expLayoutsAdminPartBlockHandler	class	extension/explayouts/classes/explayoutsadminpartblockhandler.php:7	The handler of the admin blocks that take no parameter (design admin4l): the block shows one part of the admin page, drawn by its view template desig...	extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_bookmarks] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_breadcrumb] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_clear_cache] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_content_tree] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_current_user] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_debug_area] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_footer] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_logo] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_menu_button] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_module_result] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_admin_overlay] Handler;

Class	Kind	File	Description	Extension point
expLayoutsAjaxLoadMoreServer	class	extension/explayouts/classes/explayoutsajaxloadmoreserver.php:7	ezjscServer functions for loading paged collection blocks.	extension/explayouts/settings/ezjscore.ini [ezjscServer_expajaxloadmore] Class; extension/sevenx_themes_media/settings/siteaccess/site/ezjscore.ini [ezjscServer_expajaxloadmore] Class
expLayoutsAlertBlockHandler	class	extension/explayouts/classes/explayoutsalertblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_alert] Handler
expLayoutsBadgeBlockHandler	class	extension/explayouts/classes/explayoutsbadgeblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_badge] Handler
expLayoutsButtonBlockHandler	class	extension/explayouts/classes/explayoutsbuttonblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_button] Handler
expLayoutsCardBlockHandler	class	extension/explayouts/classes/explayoutscardblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_card] Handler
expLayoutsCarouselBlockHandler	class extends expLayoutsAbstractContentBlockHandler	extension/explayouts/classes/explayoutscarouselblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_carousel] Handler
expLayoutsChildrenQueryHandler	class	extension/explayouts/classes/explayoutschildrenqueryhandler.php:2	–	extension/explayouts/settings/explayouts.ini [QueryType_children] Handler

Class	Kind	File	Description	Extension point
expLayoutsComponentBlockHandler	class	extension/explayouts/classes/explayoutscomponentblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_about] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_hero] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_lead] Handler
expLayoutsContainerBlockHandler	class	extension/explayouts/classes/explayoutscontainerblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_column] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_four_columns] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_three_columns] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_two_columns] Handler
expLayoutsContentByTopicQueryHandler	class	extension/explayouts/classes/explayoutscontentbytopicqueryhandler.php:3	–	extension/explayouts/settings/explayouts.ini [QueryType_content_by_topic] Handler

Class	Kind	File	Description	Extension point
expLayoutsContentComponentBlockHandler	class	extension/explayouts/classes/explayoutscontentcomponentblockhandler.php:17	Handler for the content-backed component blocks (hero, features, about, logos, quote, lead).	extension/explayouts/settings/explayouts.ini [BlockDefinition_exp_component_about] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_exp_component_features] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_exp_component_hero] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_exp_component_lead] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_exp_component_logos] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_exp_component_quote] Handler
expLayoutsDebugBarPanel	class	extension/explayouts/classes/explayoutsdebugbarpanel.php:16	The Exp Layouts panel of the Exp Debug bar: which layout built the page, which rule chose it, its zones and blocks with links to edit them in the adm...	extension/explayouts/settings/debugbar.ini [Panel_explayouts] Class
expLayoutsDividerBlockHandler	class	extension/explayouts/classes/explayoutsdividerblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_divider] Handler
expLayoutsExponentialContentSearchQueryHandler	class	extension/explayouts/classes/explayoutsexponentialcontentsearchqueryhandler.php:3	–	extension/explayouts/settings/explayouts.ini [QueryType_exponential_content_search] Handler

Class	Kind	File	Description	Extension point
expLayoutsFeaturesBlockHandler	class extends expLayoutsComponentBlockHandler	extension/explayouts/classes/explayoutsfeaturesblockhandler.php:8	The features block: the fields of the other component blocks (title, text, image, link) and a list of features, one per line as "Title|Text", which t...	extension/explayouts/settings/explayouts.ini [BlockDefinition_features] Handler
expLayoutsFullViewBlockHandler	class	extension/explayouts/classes/explayoutsfullviewblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_full_view] Handler
expLayoutsGalleryBlockHandler	class	extension/explayouts/classes/explayoutsgalleryblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_gallery] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_grid_gallery] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_logos] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_slider] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_sushi_bar] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_thumb_gallery] Handler
expLayoutsGridBlockHandler	class extends expLayoutsAbstractContentBlockHandler	extension/explayouts/classes/explayoutsgridblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_grid] Handler
expLayoutsHtmlBlockHandler	class	extension/explayouts/classes/explayoutshtmlblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_html] Handler

Class	Kind	File	Description	Extension point
expLayoutsImageBlockHandler	class	extension/explayouts/classes/explayoutsimageblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_image] Handler
expLayoutsLatestQueryHandler	class	extension/explayouts/classes/explayoutslatestqueryhandler.php:2	–	extension/explayouts/settings/explayouts.ini [QueryType_latest] Handler
expLayoutsListBlockHandler	class extends expLayoutsAbstractContentBlockHandler	extension/explayouts/classes/explayoutslistblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_list] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_list_accordion] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_list_zigzag] Handler; extension/sevenx_themes_media/settings/explayouts.ini [BlockDefinition_product_highlight] Handler
expLayoutsManualQueryHandler	class	extension/explayouts/classes/explayoutsmanualqueryhandler.php:2	–	extension/explayouts/settings/explayouts.ini [QueryType_manual] Handler
expLayoutsMapBlockHandler	class	extension/explayouts/classes/explayoutsmapblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_map] Handler
expLayoutsMarkdownBlockHandler	class	extension/explayouts/classes/explayoutsmarkdownblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_markdown] Handler
expLayoutsParentQueryHandler	class	extension/explayouts/classes/explayoutsparentqueryhandler.php:2	–	extension/explayouts/settings/explayouts.ini [QueryType_parent] Handler

Class	Kind	File	Description	Extension point
expLayoutsProgressBlockHandler	class	extension/explayouts/classes/explayoutsprogressblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_progress] Handler
expLayoutsQuoteBlockHandler	class	extension/explayouts/classes/explayoutsquoteblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_quote] Handler
expLayoutsRandomQueryHandler	class	extension/explayouts/classes/explayoutsrandomqueryhandler.php:2	–	extension/explayouts/settings/explayouts.ini [QueryType_random] Handler
expLayoutsRelationListQueryHandler	class	extension/explayouts/classes/explayoutsrelationlistqueryhandler.php:3	–	extension/explayouts/settings/explayouts.ini [QueryType_exp_content_relation_list] Handler
expLayoutsReverseRelationListQueryHandler	class	extension/explayouts/classes/explayoutsreverserelationlistqueryhandler.php:3	–	extension/explayouts/settings/explayouts.ini [QueryType_exp_content_reverse_relation_list] Handler
expLayoutsReverseRelationProvider	class	extension/explayouts/classes/explayoutsreverserelationprovider.php:15	The Layouts blocks that name content a removal or a hide takes away, for the kernel's reverse relation check (content.ini [ReverseRelationSettings] P…	extension/explayouts/settings/content.ini [ReverseRelationSettings] ProviderClassList[]
expLayoutsRichTextBlockHandler	class	extension/explayouts/classes/explayoutsrichtextblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_rich_text] Handler
expLayoutsSiblingsQueryHandler	class	extension/explayouts/classes/explayoutssiblingsqueryhandler.php:2	–	extension/explayouts/settings/explayouts.ini [QueryType_siblings] Handler
expLayoutsSingleBlockHandler	class	extension/explayouts/classes/explayoutssingleblockhandler.php:3	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_single] Handler

Class	Kind	File	Description	Extension point
expLayoutsSpacerBlockHandler	class	extension/explayouts/classes/explayoutsspacerblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_spacer] Handler
expLayoutsSubtreeQueryHandler	class	extension/explayouts/classes/explayoutssubtreequeryhandler.php:2	–	extension/explayouts/settings/explayouts.ini [QueryType_subtree] Handler
expLayoutsTabsBlockHandler	class	extension/explayouts/classes/explayoutstabsblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_tabs] Handler
expLayoutsTagsQueryHandler	class	extension/explayouts/classes/explayoutstagsqueryhandler.php:3	–	extension/explayouts/settings/explayouts.ini [QueryType_exp_content_tags] Handler
expLayoutsTextBlockHandler	class	extension/explayouts/classes/explayoutstextblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_text] Handler
expLayoutsTitleBlockHandler	class	extension/explayouts/classes/explayoutstitleblockhandler.php:2	–	extension/cjw_themes_jumper/settings/siteaccess/cjw_starter/explayouts.ini [BlockDefinition_ezcontent_field] Handler; extension/explayouts/settings/explayouts.ini [BlockDefinition_title] Handler
expLayoutsTplBlockHandler	class	extension/explayouts/classes/explayoutstplblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_tpl_block] Handler
expLayoutsVideoBlockHandler	class	extension/explayouts/classes/explayoutsvideoblockhandler.php:2	–	extension/explayouts/settings/explayouts.ini [BlockDefinition_video] Handler
ExplBlockXHTMLXMLOutput	class extends eZXHTMLXMLOutput	extension/explayouts/classes/explblockxhtmlxmloutput.php:10	Rich text output handler that escapes the expl: marker sequence.	extension/explayouts/settings/ezxml.ini [OutputSettings] HandlerClass

extension/explayouts_content_browser_core (1)

All patterns of extension/explayouts_content_browser_core

Class	Kind	File	Description	Extension point
expLayoutsContentBrowserCoreSearchFilter	class	extension/explayouts_content_browser_core/classes/explayoutscontentbrowsercoresearchfilter.php:10	The extended attribute filter of the content browser's search (extendedattributefilter.ini [explayouts_content_browser_search]): each word must be in...	extension/explayouts_content_browser_core/settings/extendedattributefilter.ini [explayouts_content_browser_search] ClassName

extension/explayouts_core (1)

All patterns of extension/explayouts_core

Class	Kind	File	Description	Extension point
expLayoutsCoreAuditBranch	class	extension/explayouts_core/classes/explayoutscoreauditbranch.php:11	explayouts_core's branch of the audit taxonomy, registered in settings/audit.ini.append.php ([AuditEventSettings] Branches[explayouts_core]).	extension/explayouts_core/settings/audit.ini [AuditEventSettings] Branches[explayouts_core]

extension/expqueue (5)

All patterns of extension/expqueue

Class	Kind	File	Description	Extension point
expQueueAuditBranch	class	extension/expqueue/classes/expqueueauditbranch.php:15	The audit taxonomy branch of expqueue (registered in settings/audit.ini.append.php): system.queue., one event per operator action on the queue and pe...	extension/expqueue/settings/audit.ini [AuditEventSettings] Branches[expqueue]
expQueueFailHandler	class extends expQueueHandlerBase	extension/expqueue/classes/handlers/expqueuefailhandler.php:16	expqueue.fail: fails on purpose, to try retries, backoff, the dead letter and the rate-limit adaptation.	extension/expqueue/settings/expqueue.ini [JobType_expqueue.fail] Handler
expQueueHandler	interface	extension/expqueue/classes/expqueuehandler.php:27	A job handler: the code that runs the jobs of one type.	extension/expqueue/settings/rad.ini [Registry_expqueue_job_types] Entries[Handler]

Class	Kind	File	Description	Extension point
expQueueNoopHandler	class extends expQueueHandlerBase	extension/expqueue/classes/handlers/expqueuenoophandler.php:12	expqueue.noop: does nothing and is done.	extension/expqueue/settings/expqueue.ini [JobType_expqueue.noop] Handler
expQueueSleepHandler	class extends expQueueHandlerBase	extension/expqueue/classes/handlers/expqueuesleephandler.php:16	expqueue.sleep: waits, in steps, reporting progress and honouring a cancel between the steps.	extension/expqueue/settings/expqueue.ini [JobType_expqueue.sleep] Handler

extension/expservices (69)

All patterns of extension/expservices

Class	Kind	File	Description	Extension point
expAccountServices	class extends expUsersBase	extension/expservices/classes/users/expaccountservices.php:13	expaccount: the account flows of a person: registration and activation, forgotten password and reset, changing one's own password and e-mail, and the...	extension/expservices/settings/ezjscore.ini [ezjscServer_expaccount] Class
expAttributeServices	class extends expContentServiceBase	extension/expservices/classes/content/expattributeservices.php:14	Attribute services: ezjscore/call/expattribute::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expattribute] Class
expAuditServices	class extends expServiceBase	extension/expservices/classes/misc/expauditservices.php:12	ezjscore/call/expaudit:: - the audit system, read only (policy audit/read, narrowed to the channels of its Channel limitation): events, one event, re...	extension/expservices/settings/ezjscore.ini [ezjscServer_expaudit] Class
expBasketServices	class extends expServiceBase	extension/expservices/classes/commerce/expbasketservices.php:12	ezjscore/call/expbasket::: the basket of the current session and the checkout steps.	extension/expservices/settings/ezjscore.ini [ezjscServer_expbasket] Class
expBookmarkServices	class extends expUsersBase	extension/expservices/classes/users/expbookmarkservices.php:12	expbookmark: the bookmarks of the current user in their tree of virtual folders.	extension/expservices/settings/ezjscore.ini [ezjscServer_expbookmark] Class

Class	Kind	File	Description	Extension point
expCacheServices	class extends expServiceBase	extension/expservices/classes/expcacheservices.php:10	expcache: the caches (setup/managecache): what exists, their state, and clearing them.	extension/expservices/settings/ezjscore.ini [ezjscServer_expcache] Class
expClassGroupServices	class extends expContentServiceBase	extension/expservices/classes/content/expclassgroupservices.php:13	Class group services: ezjscore/call/expclassgroup::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expclassgroup] Class
expClassServices	class extends expContentServiceBase	extension/expservices/classes/content/expclassservices.php:15	Class services: ezjscore/call/expclass::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expclass] Class
expCollaborationServices	class extends expUsersBase	extension/expservices/classes/users/expcollaborationservices.php:12	expcollaboration: the collaboration items of the current user (approvals and other handler items), their messages, participants and groups, and the a...	extension/expservices/settings/ezjscore.ini [ezjscServer_expcollaboration] Class
expCommentServices	class extends expCommunityBase	extension/expservices/classes/community/expcommentservices.php:12	ezjscore/call/expcomment::: comments on any content (content objects of the comment class below the commented node) and the reviews of products (the...	extension/expservices/settings/ezjscore.ini [ezjscServer_expcomment] Class
expContentJobServices	class extends expContentServiceBase	extension/expservices/classes/content/expcontentjobservices.php:15	Content job services: ezjscore/call/expcontentjob::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expcontentjob] Class
expCronjobServices	class extends expServiceBase	extension/expservices/classes/expcronjobservices.php:10	expcronjob: the cronjob parts and scripts (setup/managecronjobs), read-only.	extension/expservices/settings/ezjscore.ini [ezjscServer_expcronjob] Class
expCurrencyServices	class extends expServiceBase	extension/expservices/classes/commerce/expcurrencyservices.php:11	ezjscore/call/expcurrency::: the currencies of the shop with their rates, conversion, the preferred currency of the user.	extension/expservices/settings/ezjscore.ini [ezjscServer_expcurrency] Class

Class	Kind	File	Description	Extension point
expDebugServices	class extends expServiceBase	extension/expservices/classes/expdebugservices.php:10	expdebug: the summary of the request's debug output (as the Exp Debug bar), settings read-only.	extension/expservices/settings/ezjscore.ini [ezjscServer_expdebug] Class
expDesignServices	class extends expServiceBase	extension/expservices/classes/misc/expdesignservices.php:12	ezjscore/call/expdesign:: - designs, templates and template overrides (read only, policy setup/administrate): which designs exist and are in use, the...	extension/expservices/settings/ezjscore.ini [ezjscServer_expdesign] Class
expDiscountServices	class extends expServiceBase	extension/expservices/classes/commerce/expdiscountservices.php:12	ezjscore/call/expdiscount::: discount groups (rules), their rules (percent with class, section or product limits) and the users and user groups that...	extension/expservices/settings/ezjscore.ini [ezjscServer_expdiscount] Class
expEditorServices	class extends expServiceBase	extension/expservices/classes/expeditorservices.php:12	expeditor: the online editor (ezoe) for remote clients: the registered editor engines, the engine of the current user, the file types the editor's up...	extension/expservices/settings/ezjscore.ini [ezjscServer_expeditor] Class
expExtensionServices	class extends expServiceBase	extension/expservices/classes/expextensionservices.php:10	expextension: the extensions of the installation, read-only.	extension/expservices/settings/ezjscore.ini [ezjscServer_expextension] Class
expFeedServices	class extends expServiceBase	extension/expservices/classes/community/expfeedservices.php:13	ezjscore/call/expfeed::: feeds.	extension/expservices/settings/ezjscore.ini [ezjscServer_expfeed] Class
expFileServices	class extends expAttrServiceBase	extension/expservices/classes/media/expfileservices.php:11	ezjscore/call/expfile:: - binary files: information, download URLs (content/download, which checks content/read itself), signed time limited links, l...	extension/expservices/settings/ezjscore.ini [ezjscServer_expfile] Class

Class	Kind	File	Description	Extension point
expForumServices	class extends expCommunityBase	extension/expservices/classes/community/expforumservices.php:12	ezjscore/call/expforum::: forums (content objects of the forum class, kept in forum containers).	extension/expservices/settings/ezjscore.ini [ezjscServer_expforum] Class
expImageServices	class extends expAttrServiceBase	extension/expservices/classes/media/expimageservices.php:11	ezjscore/call/expimage:: - images and their aliases (image.ini), per node and attribute.	extension/expservices/settings/ezjscore.ini [ezjscServer_expimage] Class
expInfoCollectionServices	class extends expServiceBase	extension/expservices/classes/community/expinfocollectionservices.php:13	ezjscore/call/expinfocollection::: collected forms (information collection): the forms that have collections, the collections and their values, expor...	extension/expservices/settings/ezjscore.ini [ezjscServer_expinfocollection] Class
expIniServices	class extends expServiceBase	extension/expservices/classes/expiniservices.php:11	expini: reads the settings (INI files), read-only; secrets are masked as exp:ini masks them.	extension/expservices/settings/ezjscore.ini [ezjscServer_expini] Class
expLanguageServices	class extends expServiceBase	extension/expservices/classes/misc/explanguageservices.php:12	ezjscore/call/explanguage:: - content languages, locales and translation files: the languages of the installation, the priority list of this siteacce...	extension/expservices/settings/ezjscore.ini [ezjscServer_explanguage] Class
expLayoutServices	class extends expServiceBase	extension/expservices/classes/misc/explayoutservices.php:12	ezjscore/call/explayout:: - the layouts of the explayouts extension: layouts, zones, blocks, rules, the layout resolved for a node, and drafts (creat...	extension/expservices/settings/ezjscore.ini [ezjscServer_explayout] Class
expLocationServices	class extends expContentServiceBase	extension/expservices/classes/content/explocationservices.php:13	Location services: ezjscore/call/explocation::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_explocation] Class
expMediaServices	class extends expAttrServiceBase	extension/expservices/classes/media/expmediaservices.php:11	ezjscore/call/expmedia:: - audio and video media files (the ezmedia datatype): player settings, file information, URLs, listings and statistics.	extension/expservices/settings/ezjscore.ini [ezjscServer_expmedia] Class

Class	Kind	File	Description	Extension point
expNewsletterServices	class extends expServiceBase	extension/expservices/classes/misc/expnewsletterservices.php:13	ezjscore/call/expnewsletter:: - the cjw_newsletter extension: lists, editions, subscriber counts, and a user's own subscriptions (subscribe and unsub...	extension/expservices/settings/ezjscore.ini [ezjscServer_expnewsletter] Class
expNodeServices	class extends expContentServiceBase	extension/expservices/classes/content/expnodeservices.php:15	Node services: ezjscore/call/expnode::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expnode] Class
expNotificationServices	class extends expUsersBase	extension/expservices/classes/users/expnotificationservices.php:12	expnotification: the notification subscriptions of the current user (subtree rules, the collaboration types, the digest settings) and the notificatio...	extension/expservices/settings/ezjscore.ini [ezjscServer_expnotification] Class
expObjectServices	class extends expContentServiceBase	extension/expservices/classes/content/expobjectservices.php:14	Object services: ezjscore/call/expobject::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expobject] Class
expOrderServices	class extends expServiceBase	extension/expservices/classes/commerce/exporderservices.php:12	ezjscore/call/exporder::: the orders.	extension/expservices/settings/ezjscore.ini [ezjscServer_exporder] Class
expPackageServices	class extends expServiceBase	extension/expservices/classes/exppackageservices.php:10	exppackage: the packages (package/list, package/read), read-only.	extension/expservices/settings/ezjscore.ini [ezjscServer_exppackage] Class
expPaymentServices	class extends expServiceBase	extension/expservices/classes/commerce/exppaymentservices.php:13	ezjscore/call/exppayment::: the payments of the shop: the payment objects the gateways create, their status by order, the gateways and payment workfl...	extension/expservices/settings/ezjscore.ini [ezjscServer_exppayment] Class

Class	Kind	File	Description	Extension point
expPdfServices	class extends expAttrServiceBase	extension/expservices/classes/misc/exppdfservices.php:12	ezjscore/call/exppdf:: - PDF output: whether a node can be exported (content/pdf policy), the link that produces the PDF of a node, and the PDF expor...	extension/expservices/settings/ezjscore.ini [ezjscServer_exppdf] Class
expPolicyServices	class extends expUsersBase	extension/expservices/classes/users/exppolicyservices.php:11	exppolicy: policies of roles and their limitations, and the modules and functions a policy can name.	extension/expservices/settings/ezjscore.ini [ezjscServer_exppolicy] Class
expPollServices	class extends expCommunityBase	extension/expservices/classes/community/exppollservices.php:12	ezjscore/call/exppoll:: polls (content objects of the poll class with an option attribute that collects information): list, results, vote.	extension/expservices/settings/ezjscore.ini [ezjscServer_exppoll] Class
expPreferencesServices	class extends expUsersBase	extension/expservices/classes/users/exppreferenceservices.php:11	exppreferences: the preferences of the current user (the key/value store the admin uses for the tree state, page sizes, ...).	extension/expservices/settings/ezjscore.ini [ezjscServer_exppreferences] Class
expProductServices	class extends expServiceBase	extension/expservices/classes/commerce/expproductservices.php:11	ezjscore/call/expproduct::: the products of the shop (content objects whose class has a price attribute): lists, search, one product with its prices...	extension/expservices/settings/ezjscore.ini [ezjscServer_expproduct] Class
expRadServices	class extends expServiceBase	extension/expservices/classes/expradservices.php:10	exprad: the extension point survey (setup/rad), summary level, read-only.	extension/expservices/settings/ezjscore.ini [ezjscServer_exprad] Class
expRelationServices	class extends expContentServiceBase	extension/expservices/classes/content/exprelationservices.php:13	Relation services: ezjscore/call/exprelation::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_exprelation] Class
expReplyServices	class extends expCommunityBase	extension/expservices/classes/community/expreplyservices.php:11	ezjscore/call/expreply::: the replies of a topic (content objects of the reply class below a topic).	extension/expservices/settings/ezjscore.ini [ezjscServer_expreply] Class

Class	Kind	File	Description	Extension point
expRoleServices	class extends expUsersBase	extension/expservices/classes/users/exproleservices.php:13	exprole: roles, their editing drafts and their assignments to users and groups.	extension/expservices/settings/ezjscore.ini [ezjscServer_exprole] Class
expSearchServices	class extends expContentServiceBase	extension/expservices/classes/content/expsearchservices.php:14	Search services: ezjscore/call/expsearch::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expsearch] Class
expSectionServices	class extends expContentServiceBase	extension/expservices/classes/content/expsectionservices.php:13	Section services: ezjscore/call/expsection::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expsection] Class
expServicesAuditBranch	class	extension/expservices/classes/expservicesauditbranch.php:10	The audit taxonomy branch of expservices: personal API tokens.	extension/expservices/settings/audit.ini [AuditEventSettings] Branches[expservices]
expServicesCatalog	class extends expServiceBase	extension/expservices/classes/expservicescatalog.php:12	ezjscore/call/expservices::catalog | schema:: | version | domains | service:::: The discovery of the API: built from the $services of every class reg...	extension/expservices/settings/ezjscore.ini [ezjscServer_expservices] Class
expSessionAdminServices	class extends expUsersBase	extension/expservices/classes/users/expsessionadminservices.php:12	expsessionadmin: the sessions of the installation.	extension/expservices/settings/ezjscore.ini [ezjscServer_expsessionadmin] Class
expSessionServices	class extends expServiceBase	extension/expservices/classes/expsessionservices.php:11	expsession: the session login of remote apps.	extension/expservices/settings/ezjscore.ini [ezjscServer_expsession] Class
expShippingServices	class extends expServiceBase	extension/expservices/classes/commerce/expshippingservices.php:11	ezjscore/call/expshipping::: what the shop knows about shipping: the handler, the simple shipping workflow cost, the shipping info of a basket or an...	extension/expservices/settings/ezjscore.ini [ezjscServer_expshipping] Class

Class	Kind	File	Description	Extension point
expSitemapServices	class extends expAttrServiceBase	extension/expservices/classes/misc/expsitemapservices.php:12	ezjscore/call/expsitemap:: - sitemap data: the entries of a subtree as a sitemap lists them (location, last modification, change frequency, priority)...	extension/expservices/settings/ezjscore.ini [ezjscServer_expsitemap] Class
expStateServices	class extends expContentServiceBase	extension/expservices/classes/content/expstateservices.php:14	Object state services: ezjscore/call/expstate::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expstate] Class
expStatsServices	class extends expAttrServiceBase	extension/expservices/classes/misc/expstatsservices.php:11	ezjscore/call/expstats:: - statistics: search phrases, content counts, growth, languages, users and sessions.	extension/expservices/settings/ezjscore.ini [ezjscServer_expstats] Class
expSubitemsServices	class extends expServiceBase	extension/expservices/classes/misc/expsubitemsservices.php:13	ezjscore/call/expsubitems:: - the subitems column catalogue and rows (the admin's "Table options"), reusing expSubitemsColumnRegistry, expSubitemsSer...	extension/expservices/settings/ezjscore.ini [ezjscServer_expsubitems_svc] Class
expSystemServices	class extends expServiceBase	extension/expservices/classes/expsystemservices.php:10	expsystem: what the installation is and runs on.	extension/expservices/settings/ezjscore.ini [ezjscServer_expsystem] Class
expTagsServices	class extends expAttrServiceBase	extension/expservices/classes/media/exptagsservices.php:13	ezjscore/call/exptags:: - the tag tree of the eztags extension: tree, search, children, synonyms, translations, related content, and writes (add, ren...	extension/expservices/settings/ezjscore.ini [ezjscServer_exptags] Class
expTopicServices	class extends expCommunityBase	extension/expservices/classes/community/exptopicservices.php:12	ezjscore/call/exptopic::: the topics of a forum (content objects of the topic class).	extension/expservices/settings/ezjscore.ini [ezjscServer_exptopic] Class
expTranslationServices	class extends expContentServiceBase	extension/expservices/classes/content/exptranslationservices.php:14	Translation services: ezjscore/call/exptranslation::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_exptranslation] Class

Class	Kind	File	Description	Extension point
expTrashServices	class extends expContentServiceBase	extension/expservices/classes/content/exptrashservices.php:13	Trash services: ezjscore/call/exptrash::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_exptrash] Class
expUrlAliasServices	class extends expContentServiceBase	extension/expservices/classes/content/expurlaliasservices.php:14	URL alias and wildcard services: ezjscore/call/expurlalias::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expurlalias] Class
expUrlServices	class extends expServiceBase	extension/expservices/classes/misc/expurlservices.php:12	ezjscore/call/expurl:: - the external links stored by URL attributes (ezurl): lists, search, validity, the objects that use a link, and a check of a...	extension/expservices/settings/ezjscore.ini [ezjscServer_expurl] Class
expUserGroupServices	class extends expUsersBase	extension/expservices/classes/users/expusergroupservices.php:10	expusergroup: the user group tree and its members.	extension/expservices/settings/ezjscore.ini [ezjscServer_expusergroup] Class
expUserServices	class extends expUsersBase	extension/expservices/classes/users/expuserservices.php:13	expuser: look up, list, search and administer users.	extension/expservices/settings/ezjscore.ini [ezjscServer_expuser] Class
expVatServices	class extends expServiceBase	extension/expservices/classes/commerce/expvatservices.php:13	ezjscore/call/expvat:: : VAT types, VAT charging rules by country and product category, the product categories the rules use, and the VAT of a product...	extension/expservices/settings/ezjscore.ini [ezjscServer_expvat] Class
expVelocityServices	class extends expServiceBase	extension/expservices/classes/expvelocityservices.php:10	expvelocity: the Velocity server's state, read-only (setup/system_info).	extension/expservices/settings/ezjscore.ini [ezjscServer_expvelocity] Class
expVersionServices	class extends expContentServiceBase	extension/expservices/classes/content/expversionservices.php:13	Version services: ezjscore/call/expversion::[::arg...]	extension/expservices/settings/ezjscore.ini [ezjscServer_expversion] Class

Class	Kind	File	Description	Extension point
expWishlistServices	class extends expServiceBase	extension/expservices/classes/commerce/expwishlistservices.php:11	ezjscore/call/expwishlist::: the wish list of the logged-in user, and for shop administrators the wish lists of all users.	extension/expservices/settings/ezjscore.ini [ezjscServer_expwishlist] Class
expWorkflowServices	class extends expServiceBase	extension/expservices/classes/expworkflowservices.php:10	expworkflow: workflows, their events, triggers and processes, read-only (setup/administrate).	extension/expservices/settings/ezjscore.ini [ezjscServer_expworkflow] Class

extension/expui (1)

All patterns of extension/expui

Class	Kind	File	Description	Extension point
expUIServerFunctions	class	extension/expui/classes/expuiserverfunctions.php:30	–	extension/expui/settings/ezjscore.ini [ezjscServer_exp] Class

extension/exp_oe_tiptap (3)

All patterns of extension/exp_oe_tiptap

Class	Kind	File	Description	Extension point
expOETiptapEngine	class extends expOEEditorEngineBase	extension/exp_oe_tiptap/classes/expoetiptapengine.php:16	Tiptap as an engine of ezoe's editor registry: registered by settings/ezoe.ini.append.php (ezoe.ini [EditorSettings] Engines[tiptap]=expOETiptapEngin…	extension/exp_oe_tiptap/settings/ezoe.ini [EditorSettings] Engines[tiptap]
expOETiptapServerFunctions	class extends ezjscServerFunctions	extension/exp_oe_tiptap/classes/expoetiptapserverfunctions.php:29	ezjscore server functions of the Tiptap editor (ezjscore.ini [ezjscServer_expoetiptap]).	extension/exp_oe_tiptap/settings/ezjscore.ini [ezjscServer_expoetiptap] Class
expOETiptapXMLInput	class extends eZOEXMLInput	extension/exp_oe_tiptap/classes/expoetiptapxmlinput.php:20	The ezxmltext input handler of exp_oe_tiptap: ezoe's eZOEXMLInput, kept for what 0.1.0 put in place.	extension/exp_oe_tiptap/settings/ezxml.ini [InputSettings] AliasClasses[eZSimplifiedXMLInput]

extension/ezautosave (1)

All patterns of extension/ezautosave

Class	Kind	File	Description	Extension point
ezjscServerFunctionsAutosave	class extends ezjscServerFunctions	extension/ezautosave/classes/ezjscserverfunctionsautosave.php:16	This class handles AJAX calls for the autosave feature	extension/ezautosave/settings/ezjscore.ini [ezjscServer_ezautosave] Class

extension/ezfind (6)

All patterns of extension/ezfind

Class	Kind	File	Description	Extension point
eZFindAllWordsExtendedAttributeFilter	class	extension/ezfind/classes/extendedattributefilters/ezfindallwordsextendedattributefilter.php:25	eZFindAllWordsExtendedAttributeFilter	extension/ezfind/settings/ezfind.ini [ExtendedAttributeFilters] FiltersList[ezfindallwords]
eZFindGeoDistExtendedAttributeFilter	class	extension/ezfind/classes/extendedattributefilters/ezfindgeodistextendedattributefilter.php:28	SolR Geodist extended attribute filter	extension/ezfind/settings/ezfind.ini [ExtendedAttributeFilters] FiltersList[geodist]
eZFindServerCallFunctions	class	extension/ezfind/classes/ezfindservercallfunctions.php:7	Implements methods called remotely by sending XHR calls	extension/ezfind/settings/ezjscore.ini [ezjscServer_ezfind] Class
ezfSolrDocumentFieldDummyExample	class extends ezfSolrDocumentFieldBase	extension/ezfind/classes/ezfsolrdocumentfielddummyexample.php:42	This class is provided as an example on how to write a datatype-specific indexing and querying handler.	extension/ezfind/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[dummy_example]
ezfSolrDocumentFieldObjectRelation	class extends ezfSolrDocumentFieldBase	extension/ezfind/classes/ezfsolrdocumentfieldobjectrelation.php:14	The ezfSolrDocumentFieldObjectRelation class handles indexing and querying for the ezobjectrelation and ezobjectrelationlist in eZFind.	extension/ezfind/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[ezobjectrelation]; extension/ezfind/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[ezobjectrelationlist]

Class	Kind	File	Description	Extension point
ezfSolrDocumentFieldXML	class extends ezfSolrDocumentFieldBase	extension/ezfind/classes/ezfsolrdocumentfieldxml.php:8	–	extension/ezfind/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[ezmatrix]; extension/ezfind/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[ezxmltext]

extension/ezflow (6)

All patterns of extension/ezflow

Class	Kind	File	Description	Extension point
eZFlowKeywordsFetch	class	extension/ezflow/classes/fetches/ezflowkeywordsfetch.php:28	–	extension/ezflow/settings/block.ini [Keyword] FetchClass
eZFlowLatestContent	class	extension/ezflow/classes/fetches/ezflowlatestcontent.php:28	–	extension/ezflow/settings/block.ini [LatestContent] FetchClass
eZFlowLatestObjects	class	extension/ezflow/classes/fetches/ezflowlatestobjects.php:28	–	extension/ezflow/settings/block.ini [Dynamic3Items] FetchClass
eZFlowMCFetch	class	extension/ezflow/classes/fetches/ezflowmcfetch.php:3	–	extension/ezflow/settings/block.ini [MultimediaCarousel] FetchClass
eZFlowServerCallFunctions	class	extension/ezflow/classes/ezflowservercallfunctions.php:7	Implements methods called remotely by sending XHR calls	extension/ezflow/settings/ezjscore.ini [ezjscServer_ezflow] Class
eZSquidCacheManager	class	extension/ezflow/classes/ezsquidcachemanager.php:30	–	extension/ezflow/settings/http.ini [HTTPCacheHandlers] Handlers[]

extension/ezgmaplocation (1)

All patterns of extension/ezgmaplocation

Class	Kind	File	Description	Extension point
ezgmlLocationFilter	class	extension/ezgmaplocation/classes/ezgmllocationfilter.php:32	–	extension/ezgmaplocation/settings/extendedattributefilter.ini [ezgmlLocationFilter] ClassName

extension/ezjscore (9)

All patterns of extension/ezjscore

Class	Kind	File	Description	Extension point
ezjscCacheManager	class	extension/ezjscore/classes/ezjsccachemanager.php:11	–	extension/ezjscore/settings/site.ini [Cache_ezjscore] class
ezjscCssOptimizer	class	extension/ezjscore/classes/ezjsccssoptimizer.php:32	–	extension/ezjscore/settings/ezjscore.ini [eZJSCore] CssOptimizer[]; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [eZJSCore] CssOptimizer[]; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [eZJSCore] CssOptimizer[]
ezjscJavascriptOptimizer	class	extension/ezjscore/classes/ezjscjavascriptoptimizer.php:32	–	extension/ezjscore/settings/ezjscore.ini [eZJSCore] JavaScriptOptimizer[]; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [eZJSCore] JavaScriptOptimizer[]; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [eZJSCore] JavaScriptOptimizer[]

Class	Kind	File	Description	Extension point
ezjscServerFunctionsAjaxUploader	class extends ezjscServerFunctions	extension/ezjscore/classes/ezjscserverfunctionsajaxuploader.php:20	This class handles AJAX calls for the ajax uploader component	extension/ezjscore/settings/ezjscore.ini [ezjscServer_ezajaxuploader] Class; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [ezjscServer_ezajaxuploader] Class; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [ezjscServer_ezajaxuploader] Class
ezjscServerFunctionsJs	class extends ezjscServerFunctions	extension/ezjscore/classes/ezjscserverfunctionsjs.php:36	–	extension/ezjscore/settings/ezjscore.ini [ezjscServer_ezjsc] Class; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [ezjscServer_ezjsc] Class; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [ezjscServer_ezjsc] Class
ezjscServerFunctionsNode	class extends ezjscServerFunctions	extension/ezjscore/classes/ezjscserverfunctionsnode.php:36	ezjscServerFunctionsNode class definition that provide node fetch functions	extension/ezjscore/settings/ezjscore.ini [ezjscServer_ezjscnode] Class; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [ezjscServer_ezjscnode] Class; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [ezjscServer_ezjscnode] Class

Class	Kind	File	Description	Extension point
ezjscServerFunctionsPublishingQueue	class extends ezjscServerFunctions	extension/ezjscore/classes/ezjscserverfunctionspublishingqueue.php:18	This class handles AJAX calls for the publishing queue system	extension/ezjscore/settings/ezjscore.ini [ezjscServer_ezpublishingqueue] Class; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [ezjscServer_ezpublishingqueue] Class; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [ezjscServer_ezpublishingqueue] Class
ezpRelationAjaxUploader	class extends ezpRelationListAjaxUploader	extension/ezjscore/classes/ajaxuploader/ezprelationajaxuploader.php:19	This class handles AJAX Upload for eZObjectRelation attributes	extension/ezjscore/settings/ezjscore.ini [AjaxUploader] AjaxUploadHandler[ezobjectrelation]; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [AjaxUploader] AjaxUploadHandler[ezobjectrelation]; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [AjaxUploader] AjaxUploadHandler[ezobjectrelation]
ezpRelationListAjaxUploader	class	extension/ezjscore/classes/ajaxuploader/ezprelationlistajaxuploader.php:19	This class handles AJAX Upload for eZObjectRelationList attributes	extension/ezjscore/settings/ezjscore.ini [AjaxUploader] AjaxUploadHandler[ezobjectrelationlist]; extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini [AjaxUploader] AjaxUploadHandler[ezobjectrelationlist]; extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini [AjaxUploader] AjaxUploadHandler[ezobjectrelationlist]

extension/ezodf (9)

All patterns of extension/ezodf

Class	Kind	File	Description	Extension point
expOdfImportDocumentFeedSource	class extends expOdfImportDocumentUrlsSource	extension/ezodf/classes/sqliimport/expodfimportdocumentfeedsource.php:18	"Documents of a feed" of 7x SQLI Import: an RSS or Atom feed whose items link to documents (enclosures, or links ending in a document extension: a pu...	extension/ezodf/settings/sqliimport.ini [Source_document_feed] Class
expOdfImportDocumentSource	class extends expImportJsonSource	extension/ezodf/classes/sqliimport/expodfimportdocumentsource.php:30	The document formats of 7x SQLI Import (sqliimport 2.x), declared by ezodf in its kernelservices.ini with the tag sqliimport.source; loaded only by s...	extension/ezodf/settings/sqliimport.ini [Source_documents] Class
expOdfImportDocumentUrlsSource	class extends expOdfImportDocumentSource	extension/ezodf/classes/sqliimport/expodfimportdocumenturlssource.php:16	"Documents from URLs" of 7x SQLI Import: a list of addresses of documents (one per line).	extension/ezodf/settings/sqliimport.ini [Source_document_urls] Class
expOdfImportGoogleDriveSource	class extends expOdfImportDocumentSource	extension/ezodf/classes/sqliimport/expodfimportgoogledrivesource.php:33	"Documents in a Google Drive folder" of 7x SQLI Import: the documents of a Drive folder (in My Drive or a shared drive) and of its sub folders down t...	extension/ezodf/settings/sqliimport.ini [Source_google_drive] Class

Class	Kind	File	Description	Extension point
expOdfImportMailboxDocumentsSource	class extends expOdfImportDocumentSource	extension/ezodf/classes/sqliimport/expodfimportmailboxdocumentssource.php:31	"Documents attached to e-mails (IMAP)" of 7x SQLI Import: the document attachments of the messages of an IMAP mailbox (a submissions address, a press...	extension/ezodf/settings/sqliimport.ini [Source_mailbox_documents] Class
expOdfImportOneDriveSource	class extends expOdfImportDocumentSource	extension/ezodf/classes/sqliimport/expodfimportonedrivesource.php:36	"Documents in a OneDrive or SharePoint folder" of 7x SQLI Import: the documents of a folder of a OneDrive for Business drive or a SharePoint document...	extension/ezodf/settings/sqliimport.ini [Source_onedrive] Class
expOdfImportWebdavSource	class extends expOdfImportDocumentSource	extension/ezodf/classes/sqliimport/expodfimportwebdavsource.php:33	"Documents in a WebDAV or Nextcloud folder" of 7x SQLI Import: the documents of a folder on a WebDAV server (Nextcloud, ownCloud, a SharePoint WebDAV...	extension/ezodf/settings/sqliimport.ini [Source_webdav] Class

Class	Kind	File	Description	Extension point
expOdfQueueHandler	class extends expQueueHandlerBase	extension/ezodf/classes/converter/expodfqueuehandler.php:14	The expqueue handler of ezodf's jobs (expqueue.ini [JobType_ezodf.*]); the work itself is in expOdfJobs::run().	extension/ezodf/settings/expqueue.ini [JobType_ezodf.export] Handler; extension/ezodf/settings/expqueue.ini [JobType_ezodf.import] Handler; extension/ezodf/settings/expqueue.ini [JobType_ezodf.install] Handler; extension/ezodf/settings/expqueue.ini [JobType_ezodf.server] Handler; extension/ezodf/settings/expqueue.ini [JobType_ezodf.test] Handler
eZRESTODFHandler	class extends eZRESTBaseHandler	extension/ezodf/classes/ezrestodfhandler.php:46	–	extension/ezodf/settings/ezrest.ini [RESTSettings] HandlerList[]

extension/ezoe (7)

All patterns of extension/ezoe

Class	Kind	File	Description	Extension point
expOEAuditBranch	class	extension/ezoe/classes/expoeauditbranch.php:11	The audit taxonomy branch of the online editor: the choice of the editor engine.	extension/ezoe/settings/audit.ini [AuditEventSettings] Branches[ezoe]
expOEEditorEngine	interface	extension/ezoe/classes/expoeeditorengine.php:21	An editor engine of the online editor: the thing that turns an ezxmltext attribute into an editor in the browser.	extension/ezoe/settings/rad.ini [Registry_ezoeengines] Entries[Engines]
expOETinyMCE3Engine	class extends expOEEditorEngineBase	extension/ezoe/classes/expoetinymce3engine.php:10	The default engine: eZ Online Editor on TinyMCE 3.5, rendered by ezxmltext_ezoe.tpl itself.	extension/ezoe/settings/ezoe.ini [EditorSettings] Engines[tinymce3]
expOETinyMCE8Engine	class extends expOEEditorEngineBase	extension/ezoe/classes/expoetinymce8engine.php:10	The opt-in engine: eZ Online Editor on TinyMCE 8 (GPL), rendered by ezxmltext_ezoe_tinymce8.tpl.	extension/ezoe/settings/ezoe.ini [EditorSettings] Engines[tinymce8]

Class	Kind	File	Description	Extension point
ezoeServerFunctions	class extends ezjscServerFunctions	extension/ezoe/classes/ezoeserverfunctions.php:35	–	extension/ezoe/settings/ezjscore.ini [ezjscServer_ezoe] Class
eZOEXMLInput	class extends eZXMLInputHandler	extension/ezoe/ezxmltext/handlers/input/ezoexmlinput.php:40	–	extension/ezoe/settings/ezxml.ini [InputSettings] AliasClasses[eZSimplifiedXMLInput]
GoogleSpell	class extends SpellChecker	extension/ezoe/modules/ezoe/classes/GoogleSpell.php:9	–	extension/ezoe/settings/ezoe.ini [SpellChecker] config[general.engine]

extension/ezoracle (2)

All patterns of extension/ezoracle

Class	Kind	File	Description	Extension point
eZOracleDB	class extends eZDBInterface	extension/ezoracle/ezdb/dbms-drivers/ezoracledb.php:50	\class eZOracleDB ezoracledb.php \ingroup eZDB \brief Provides Oracle database functions for eZDB subsystem	extension/ezoracle/settings/site.ini [DatabaseSettings] ImplementationAlias[ezoracle]; extension/ezoracle/settings/site.ini [DatabaseSettings] ImplementationAlias[oracle]
eZOracleSchema	class extends eZDBSchemaInterface	extension/ezoracle/ezdb/dbms-schema/ezoracleschema.php:39	–	extension/ezoracle/settings/dbschema.ini [SchemaSettings] SchemaHandlerClasses[oracle]

extension/ezownerchange (1)

All patterns of extension/ezownerchange

Class	Kind	File	Description	Extension point
expOwnerChangeAuditBranch	class	extension/ezownerchange/classes/expownerchangeauditbranch.php:12	ezownerchange's branch of the audit taxonomy, registered in settings/audit.ini.append.php ([AuditEventSettings] Branches[ezownerchange]).	extension/ezownerchange/settings/audit.ini [AuditEventSettings] Branches[ezownerchange]

extension/ezprestapi (1)

All patterns of extension/ezprestapi

Class	Kind	File	Description	Extension point
ezp7xRestApiProvider	class	extension/ezprestapi/classes/rest_provider.php:25	The routes of the ezp provider.	extension/ezprestapi/settings/rest.ini [ApiProvider] ProviderClass[ezp]; extension/ezprestapi/settings/rest.ini [ApiProvider] ProviderClass[ezpl]; extension/ezprestapiprovider/settings/rest.ini [ApiProvider] ProviderClass[ezp]; extension/ezprestapiprovider/settings/rest.ini [ApiProvider] ProviderClass[ezpl]

extension/ezstarrating (2)

All patterns of extension/ezstarrating

Class	Kind	File	Description	Extension point
ezsrRatingFilter	class	extension/ezstarrating/classes/ezsrratingfilter.php:32	–	extension/ezstarrating/settings/extendedattributefilter.ini [ezsrRatingFilter] ClassName
ezsrServerFunctions	class extends ezjscServerFunctions	extension/ezstarrating/classes/ezsrserverfunctions.php:36	–	extension/ezstarrating/settings/ezjscore.ini [ezjscServer_ezstarrating] Class

extension/eztags (5)

All patterns of extension/eztags

Class	Kind	File	Description	Extension point
ezfSolrDocumentFieldeZTags	class extends ezfSolrDocumentFieldBase	extension/eztags/classes/ezfsolrdocumentfieldeztags.php:7	ezfSolrDocumentFieldeZTags class implements custom indexing handler for eZ Find	extension/eztags/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[eztags]
ezjscTags	class extends ezjscServerFunctions	extension/eztags/classes/ezjsctags.php:6	ezjscTags class implements eZ JS Core server functions for eztags	extension/eztags/settings/ezjscore.ini [ezjscServer_ezjsctags] Class
ezjscTagsChildren	class extends ezjscServerFunctions	extension/eztags/classes/ezjsctagschildren.php:6	ezjscTagsChildren class implements eZ JS Core server functions for eztags children list	extension/eztags/settings/ezjscore.ini [ezjscServer_ezjsctagschildren] Class

Class	Kind	File	Description	Extension point
eZTagsAttributeFilter	class	extension/eztags/classes/eztagsattributefilter.php:6	eZTagsAttributeFilter class implements TagsAttributeFilter extended attribute	extension/eztags/settings/extendedattributefilter.ini [TagsAttributeAndFilter] ClassName; extension/eztags/settings/extendedattributefilter.ini [TagsAttributeAndMultipleFilter] ClassName; extension/eztags/settings/extendedattributefilter.ini [TagsAttributeFilter] ClassName
eZTagsTreeAttributeFilter	class	extension/eztags/classes/eztagstreeattributefilter.php:6	eZTagsTreeAttributeFilter class implements TagsTreeAttributeFilter extended attribute	extension/eztags/settings/extendedattributefilter.ini [TagsTreeAttributeFilter] ClassName

extension/ezurlmultisite (3)

All patterns of extension/ezurlmultisite

Class	Kind	File	Description	Extension point
eZURLMultisiteBinaryFileHandler	class	extension/ezurlmultisite/classes/ezurlmultisitebinaryfilehandler.php:3	–	extension/ezurlmultisite/settings/ezurlmultisite.ini [DataTypeSettings] HandlerList[ezbinaryfile]
eZURLMultisiteObjectRelationHandler	class	extension/ezurlmultisite/classes/ezurlmultisiteobjectrelationhandler.php:3	–	extension/ezurlmultisite/settings/ezurlmultisite.ini [DataTypeSettings] HandlerList[ezobjectrelation]
eZURLMultisiteURLHandler	class	extension/ezurlmultisite/classes/ezurlmultisiteurlhandler.php:3	–	extension/ezurlmultisite/settings/ezurlmultisite.ini [DataTypeSettings] HandlerList[ezstring]; extension/ezurlmultisite/settings/ezurlmultisite.ini [DataTypeSettings] HandlerList[ezurl]

extension/ezwt (1)

All patterns of extension/ezwt

Class	Kind	File	Description	Extension point

Class	Kind	File	Description	Extension point
ezwtServerCallFunctions	class	extension/ezwt/classes/ezwtservercallfunctions.php:15	Implements methods called remotely by sending XHR calls	extension/ezwt/settings/ezjscore.ini [ezjscServer_ezwt] Class

extension/git_manager (1)

All patterns of extension/git_manager

Class	Kind	File	Description	Extension point
gitManagerAuditBranch	class	extension/git_manager/classes/gitmanagerauditbranch.php:13	git_manager's branch of the audit taxonomy, registered in settings/audit.ini.append.php ([AuditEventSettings] Branches[git_manager]).	extension/git_manager/settings/audit.ini [AuditEventSettings] Branches[git_manager]

extension/sevenx_authentication_2fa (1)

All patterns of extension/sevenx_authentication_2fa

Class	Kind	File	Description	Extension point
sevenxAuthentication2faSignIn	class	extension/sevenx_authentication_2fa/classes/sevenxauthentication2fasignin.php:42	–	extension/sevenx_authentication_2fa/settings/site.ini [SignInSecondFactorSettings] Handlers[]

extension/sevenx_themes_media (1)

All patterns of extension/sevenx_themes_media

Class	Kind	File	Description	Extension point
sevenxThemesMediaXHTMLXMLOutput	class extends eZXHTMLXMLOutput	extension/sevenx_themes_media/classes/sevenxthemesmediaxhtmlxmloutput.php:11	Extends eZXHTMLXMLOutput to register the legacy XML tag names that the imported content uses (title, itemizedlist, listitem, orderedlist, literallayo…	extension/sevenx_themes_media/settings/ezxml.ini [OutputSettings] HandlerClass

extension/sqliimport (66)

All patterns of extension/sqliimport

Class	Kind	File	Description	Extension point
expImportAirtableSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportairtablesource.php:30	The records of an Airtable table through the Airtable Web API (v0): one record is one row of the table (of a view, of a formula's filter), its fields...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.airtable] Arguments[]
expImportArangoDbSource	class extends expImportHttpQuerySource	extension/sqliimport/classes/exp/sources/expimportarangodbsource.php:23	The results of an AQL query against ArangoDB, read through its HTTP cursor API.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.arangodb] Arguments[]
expImportArrowSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportarrowsource.php:19	Apache Arrow IPC files (.arrow), Feather version 2 files (.feather, the same format) and Arrow IPC streams (.arrows), as pandas, Polars, R and DuckDB...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.arrow] Arguments[]
expImportAuditBranch	class	extension/sqliimport/classes/exp/expimportauditbranch.php:15	The audit taxonomy branch of 7x SQLI Import (registered in settings/audit.ini.append.php): system.import., one event per run that starts, ends, fails...	extension/sqliimport/settings/audit.ini [AuditEventSettings] Branches[sqliimport]
expImportAvroSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportavrosource.php:18	Apache Avro object container files (.avro), as Kafka connectors, Hadoop and data pipelines write them: one record is one Avro record, nested records...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.avro] Arguments[]
expImportBaserowSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportbaserowsource.php:29	The rows of a Baserow table through its REST API (baserow.io or a self-hosted Baserow): one record is one row, its fields the table's fields by name...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.baserow] Arguments[]

Class	Kind	File	Description	Extension point
expImportBigQuerySource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportbigquerysource.php:33	The rows of a Google BigQuery query (GoogleSQL), read through the BigQuery REST API v2 with a service account (expImportGoogleAuth).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.bigquery] Arguments[]
expImportCassandraSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportcassandrasource.php:30	The rows of a CQL SELECT against Apache Cassandra or ScyllaDB.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.cassandra] Arguments[]
expImportCieSource	class extends expImportCsvSource	extension/sqliimport/classes/exp/sources/expimportciesource.php:17	The CSV export of CIE (bccie): the form submissions of an information collector, one row each.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.cie] Arguments[]
expImportClickHouseSource	class extends expImportHttpQuerySource	extension/sqliimport/classes/exp/sources/expimportclickhousesource.php:27	The rows of a SELECT against ClickHouse, read through its HTTP interface (port 8123, or 8443 with TLS) in the format JSONEachRow.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.clickhouse] Arguments[]
expImportCosmosDbSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportcosmosdbsource.php:31	The items of an Azure Cosmos DB container (the API for NoSQL, formerly the SQL API) that a query selects, read through the REST API.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.cosmosdb] Arguments[]
expImportCouchbaseSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportcouchbasesource.php:31	The results of a SQL++ (N1QL) query of Couchbase Server or Capella, read through the REST API of the Query service (/query/service, port 8093, with T…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.couchbase] Arguments[]

Class	Kind	File	Description	Extension point
expImportCouchDbSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportcouchdbsource.php:32	The documents of a CouchDB database (also PouchDB servers and IBM Cloudant, which speak the same API), read over HTTP: all documents (_all_docs), the...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.couchdb] Arguments[]
expImportCsvSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportcsvsource.php:16	CSV and TSV files, read as a stream: one record per line (a quoted field may span lines), keyed by the header line.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.csv] Arguments[]; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.tsv] Arguments[]
expImportDataTableFieldSource	class extends expImportDataTableFieldSourceBase	extension/sqliimport/classes/exp/expimportdatatablefieldsource.php:18	–	extension/sqliimport/settings/kernelservices.ini [Service_datatable.field_source.sqliimport] Class
expImportDataTableHandler	class	extension/sqliimport/classes/exp/handlers/expimportdatatablehandler.php:23	The target "A data table": each record becomes a row of a persistent class (a module's own table, Exponential 6.0.15, Setup › Data tables), written t...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.handler.datatable] Class
expImportDrupalSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportdrupalsource.php:23	Content of a Drupal site through its JSON:API (core module jsonapi, Drupal 8.7 and later).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.drupal] Arguments[]
expImportDuckDbSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportduckdbsource.php:33	The rows of a DuckDB query over files on the server: Parquet, CSV or JSON files (one or many, also a pattern such as data/*.parquet), or a DuckDB dat...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.duckdb] Arguments[]

Class	Kind	File	Description	Extension point
expImportDynamoDbSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportdynamodbsource.php:34	The items of an Amazon DynamoDB table or index, read through the DynamoDB HTTPS JSON API (protocol version 20120810) with AWS Signature Version 4 (ex...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.dynamodb] Arguments[]
expImportExponentialSiteSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportexponentialsitesource.php:26	Content of another Exponential site through its REST API (v1, the API of the mobile applications, served by the extension ezprestapi): the source rea...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.exponential_site] Arguments[]
expImportEzpkgSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportezpkgsource.php:26	A package of Exponential's package system (.ezpkg: a tar.gz with package.xml, ezcontentobject/contentobjects.xml and one XML file per content object,...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.ezpkg] Arguments[]
expImportFirebaseSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportfirebasesource.php:29	The children of a path of a Firebase Realtime Database, read through its REST API (GET .json).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.firebase_rtdb] Arguments[]
expImportFirestoreSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportfirestoresource.php:34	The documents of a Google Cloud Firestore collection (or collection group), read through the Firestore REST API v1 with a service account (expImportG...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.firestore] Arguments[]
expImportGoogleMerchantSource	class extends expImportXmlSource	extension/sqliimport/classes/exp/sources/expimportgooglemerchantsource.php:28	Google Merchant Center product feeds: RSS 2.0 (or Atom) with the g: namespace, as shops export their catalogue for Google Shopping and many price com...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.google_merchant] Arguments[]

Class	Kind	File	Description	Extension point
expImportGoogleSheetsSource	class extends expImportCsvSource	extension/sqliimport/classes/exp/sources/expimportgooglesheetssource.php:15	A Google Sheets spreadsheet by its address: the link of the sheet (shared so that anyone with the link can view) or its "Publish to the web" link.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.google_sheets] Arguments[]
expImportHubSpotSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimporthubspotsource.php:34	The objects of a HubSpot CRM object type through the CRM API v3: contacts, companies, deals, tickets, products, line items or a custom object (by its…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.hubspot] Arguments[]
expImportIcalSource	class extends expImportContentLineSource	extension/sqliimport/classes/exp/sources/expimporticalsource.php:29	iCalendar files (.ics, RFC 5545), as calendars, booking systems and event platforms publish them, from a file or an address.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.ical] Arguments[]
expImportImapSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportimapsource.php:22	The messages of an IMAP mailbox (a press inbox, a submissions address): one record is one message, with its message ID, sender, recipients, subject,…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.imap] Arguments[]
expImportInfluxDbSource	class extends expImportHttpQuerySource	extension/sqliimport/classes/exp/sources/expimportinfluxdbsource.php:29	The rows of a query against InfluxDB: Flux through the API of InfluxDB 2 and Cloud (POST /api/v2/query, the answer in annotated CSV), or InfluxQL thr…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.influxdb] Arguments[]

Class	Kind	File	Description	Extension point
`expImportJobHandler`	class extends expQueueHandlerBase	`extension/sqliimport/classes/exp/engine/expimportjobhandler.php:19`	The jobs of a run in the job queue (expqueue.ini [JobType_sqliimport.*]): sqliimport.run, sqliimport.chunk and sqliimport.finish (see expImportRunner…	extension/sqliimport/settings/expqueue.ini [JobType_sqliimport.chunk] Handler; extension/sqliimport/settings/expqueue.ini [JobType_sqliimport.finish] Handler; extension/sqliimport/settings/expqueue.ini [JobType_sqliimport.run] Handler
`expImportJoomlaSource`	class extends expImportAbstractSource	`extension/sqliimport/classes/exp/sources/expimportjoomlasource.php:22`	Joomla articles (com_content) exported as CSV (the columns of the content table: id, title, alias, introtext, fulltext, catid or category, state, cre…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.joomla] Arguments[]
`expImportJsonSource`	class extends expImportAbstractSource	`extension/sqliimport/classes/exp/sources/expimportjsonsource.php:15`	JSON and NDJSON files.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.json] Arguments[]; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.ndjson] Arguments[]
`expImportLdapSource`	class extends expImportJsonSource	`extension/sqliimport/classes/exp/sources/expimportldapsource.php:33`	The entries of an LDAP directory (OpenLDAP, Active Directory, 389 Directory Server …): one record is one entry of a search, its fields the DN (dn)…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.ldap] Arguments[]
`expImportMarkdownSource`	class extends expImportAbstractSource	`extension/sqliimport/classes/exp/sources/expimportmarkdownsource.php:29`	Markdown files with front matter, one file or a ZIP of a folder (a Jekyll or Hugo site, an Obsidian vault, a documentation folder).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.markdown] Arguments[]

Class	Kind	File	Description	Extension point
expImportMediaSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportmediasource.php:27	Media files: a ZIP of a folder (photos, documents, audio, video) or one file.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.media] Arguments[]
expImportMongoDbSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportmongodbsource.php:28	The documents of a MongoDB collection: one record is one document, its nested documents flattened into dotted fields (author.name) and its BSON value...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.mongodb] Arguments[]
expImportNeo4jSource	class extends expImportHttpQuerySource	extension/sqliimport/classes/exp/sources/expimportneo4jsource.php:33	The rows of a Cypher query against Neo4j or Memgraph.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.neo4j] Arguments[]
expImportNotionSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportnotionsource.php:32	The pages of a Notion database through the Notion API (version 2022-06-28): one record is one page (one row of the database), its fields the database...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.notion] Arguments[]
expImportOpmlSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportopmlsource.php:25	OPML files (outline lists; most often the list of feeds a feed reader exports).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.opml] Arguments[]
expImportRedisSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportredissource.php:26	The keys of a Redis database that match a pattern: one record is one key, with _key (its name), _type and _ttl, and its value by type: a hash's field...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.redis] Arguments[]
expImportRegistry	class	extension/sqliimport/classes/exp/engine/expimportregistry.php:23	The catalogue of a site: its sources, handlers and transforms.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.registry] Class

Class	Kind	File	Description	Extension point
expImportRestApiSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportrestapisource.php:37	The records of any JSON REST API, read page by page (rest_api): one record is one object of the list of an answer, at its top or at a record path (da…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.rest_api] Arguments[]
expImportRssSource	class extends expImportXmlSource	extension/sqliimport/classes/exp/sources/expimportrsssource.php:18	RSS 2.0 and Atom feeds, from a file or a URL (the engine downloads a URL into the run's snapshot first).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.exponential_rss] Arguments[]; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.podcast] Arguments[]; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.rss] Arguments[]; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.video_feed] Arguments[]
expImportSalesforceSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportsalesforcesource.php:37	The records of a SOQL query through the Salesforce REST API: one record is one row of the answer, relationship fields flattened to dotted names (Acco…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.salesforce] Arguments[]
expImportSearchSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportsearchsource.php:34	The documents of an Elasticsearch or OpenSearch index (or index pattern), read through the search API over HTTP.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.elasticsearch] Arguments[]

Class	Kind	File	Description	Extension point
expImportServerFunctions	class extends ezjscServerFunctions	extension/sqliimport/classes/exp/expimportserverfunctions.php:22	The ezjscore server functions of the Imports tab (ezjscore.ini [ezjscServer_sqliimport]), called by javascript/sqliimport_admin.js through Exp.io:	extension/sqliimport/settings/ezjscore.ini [ezjscServer_sqliimport] Class
expImportShopifyCsvSource	class extends expImportShopCsvSource	extension/sqliimport/classes/exp/sources/expimportshopifycsvsource.php:25	The product CSV export of Shopify (Products, Export).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.shopify] Arguments[]
expImportSitemapSource	class extends expImportCrawlSource	extension/sqliimport/classes/exp/sources/expimportsitemapsource.php:17	The sitemap crawl: the pages a site's sitemap lists (a sitemap, a sitemap index, or the Sitemap lines of robots.txt when a site's root is given), fil…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.sitemap] Arguments[]
expImportSnowflakeSource	class extends expImportHttpQuerySource	extension/sqliimport/classes/exp/sources/expimportsnowflakesource.php:26	The rows of a query against Snowflake, read through the SQL API v2 (POST /api/v2/statements) with key-pair authentication: a JWT signed with the user…	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.snowflake] Arguments[]

Class	Kind	File	Description	Extension point
expImportSourceEntry	class	extension/sqliimport/classes/exp/expimportsourceentry.php:37	One entry of the catalogue of formats: a source class, or one variant of it (TSV is the CSV source with a tab, NDJSON the JSON source with one object...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.airtable] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.arangodb] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.arrow] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.avro] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.baserow] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.bigquery] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.cassandra] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.cie] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.clickhouse] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.cosmosdb] Class; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.couchbase] Class; extension/sqliimport

Class	Kind	File	Description	Extension point
expImportSpreadsheetSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/eximportspreadsheetsource.php:16	Spreadsheets: Excel (XLSX) and OpenDocument (ODS) files, read without a library: both are ZIP files of XML, read as streams (ext-zip and XMLReader).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.spreadsheet] Arguments[]
expImportSqlSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/eximportsqlsource.php:36	The rows of an SQL query against a MySQL or MariaDB, PostgreSQL, SQLite, Oracle or SQL Server database, or against this site's own database when the...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.sql] Arguments[]
expImportSupabaseSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/eximportsupabasesource.php:34	The rows of a table or view of a Supabase project through its REST API (PostgREST), or of any other PostgREST server: one record is one row, its fiel...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.supabase] Arguments[]
expImportVcardSource	class extends expImportContentLineSource	extension/sqliimport/classes/exp/sources/eximportvcardsource.php:28	vCard files (.vcf; versions 4.0, 3.0 and, as far as it goes, 2.1), as address books and phones export contacts.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.vcard] Arguments[]
expImportWebPageSource	class extends expImportCrawlSource	extension/sqliimport/classes/exp/sources/eximportwebpagesource.php:17	The web page scraper: one page or a list of addresses, optionally an "item" selector that repeats on a page (a product of a list), so one page gives...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.webpage] Arguments[]
expImportWooCommerceCsvSource	class extends expImportShopCsvSource	extension/sqliimport/classes/exp/sources/eximportwoocommercecsvsource.php:30	The product CSV export of WooCommerce (Products, Export, with the English column names).	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.woocommerce] Arguments[]
expImportWxrSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/eximportwxrsource.php:29	WordPress export files (WXR, Tools › Export in WordPress): RSS 2.0 with the wp: namespace.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.wxr] Arguments[]

Class	Kind	File	Description	Extension point
expImportXmlSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportxmlsource.php:18	XML files, read as a stream with XMLReader: every element at the record path is one record, turned into an array (attributes as "@name", child elemen...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.xml] Arguments[]
expImportXrowextractSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportxrowextractsource.php:21	The export files of Export (xrowextract): a class export as CSV, JSON or XML, with or without its typed column manifest.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.xrowextract] Arguments[]
expImportYamlSource	class extends expImportAbstractSource	extension/sqliimport/classes/exp/sources/expimportyamlsource.php:16	YAML and TOML data files: a list of records at the top or at a record path (products, data.items), as static site generators, configuration-driven ca...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.toml] Arguments[]; extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.yaml] Arguments[]
expImportYouTubePageSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportyoutubepagesource.php:27	The videos listed on a youtube.com page (a channel's /videos page or a playlist page), read from the page's ytInitialData without an API key.	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.youtube_page] Arguments[]
expImportYouTubeSource	class extends expImportJsonSource	extension/sqliimport/classes/exp/sources/expimportyoutubesource.php:33	The videos of a YouTube channel, of a playlist or of a search through the YouTube Data API v3: one record is one video with its details (title, descr...	extension/sqliimport/settings/kernelservices.ini [Service_sqliimport.source.youtube] Arguments[]
SQLIBinaryFileDiffHandler	class	extension/sqliimport/classes/content/diffhandlers/sqlibinaryfilediffhandler.php:17	Diff handler for ezbinaryfile attributes.	extension/sqliimport/settings/sqliimport.ini [ContentSettings] DiffHandlerMap[ezbinaryfile]
SQLIDefaultDiffHandler	class	extension/sqliimport/classes/content/diffhandlers/sqlidefaultdiffhandler.php:18	Default diff handler for content fields.	extension/sqliimport/settings/sqliimport.ini [ContentSettings] DefaultDiffHandler

Class	Kind	File	Description	Extension point
SQLIImageDiffHandler	class	extension/sqliimport/classes/content/diffhandlers/sqliimagediffhandler.php:17	Diff handler for ezimage attributes.	extension/sqliimport/settings/sqliimport.ini [ContentSettings] DiffHandlerMap[ezimage]
SQLIRSSImportHandler	class extends SQLIImportAbstractHandler	extension/sqliimport/classes/sourcehandlers/sqlirssimporthandler.php:12	–	extension/sqliimport/settings/sqliimport.ini [rssimporthandler-HandlerSettings] ClassName

extension/xrowextract (30)

All patterns of extension/xrowextract

Class	Kind	File	Description	Extension point
XrowExtractHasChildrenFilter	class	extension/xrowextract/classes/xrowextracthaschildrenfilter.php:11	Extended attribute filter "XrowExtractHasChildren": only objects whose node has at least one child (leaf content otherwise).	extension/xrowextract/settings/extendedattributefilter.ini [XrowExtractHasChildren] ClassName
XrowExtractRelationFilter	class	extension/xrowextract/classes/xrowextractrelationfilter.php:17	Extended attribute filter "XrowExtractRelation": only objects that relate to a given object (relation_type ignored — any relation counts, including o...	extension/xrowextract/settings/extendedattributefilter.ini [XrowExtractRelation] ClassName
XrowExtractTranslationFilter	class	extension/xrowextract/classes/xrowextracttranslationfilter.php:24	Extended attribute filter "XrowExtractTranslation": only objects that have a translation in the given language.	extension/xrowextract/settings/extendedattributefilter.ini [XrowExtractTranslation] ClassName
XrowExtractUserStatusFilter	class	extension/xrowextract/classes/xrowextractuserstatusfilter.php:12	Extended attribute filter "XrowExtractUserStatus": only user objects that are enabled, or only ones that are disabled, via the standard `ezuser_setti...	extension/xrowextract/settings/extendedattributefilter.ini [XrowExtractUserStatus] ClassName
XroweZBinaryfileExportHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezbinaryfilehandler.php:2	–	extension/xrowextract/settings/csv.ini [ezbinaryfile] HandlerClass

Class	Kind	File	Description	Extension point
XroweZBooleanHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezbooleanhandler.php:2	–	extension/xrowextract/settings/csv.ini [ezboolean] HandlerClass
XroweZDateHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezdatehandler.php:2	–	extension/xrowextract/settings/csv.ini [ezdate] HandlerClass
XroweZDateTimeHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezdatetimehandler.php:2	–	extension/xrowextract/settings/csv.ini [ezdatetime] HandlerClass
XroweZEmailHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezemailhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezemail] HandlerClass
XroweZenhancedobjectrelationHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezenhancedobjectrelationhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezenhancedobjectrelation] HandlerClass
XroweZEnumHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezenumhandler.php:2	–	extension/xrowextract/settings/csv.ini [ezenum] HandlerClass
XroweZFloatHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezfloathandler.php:3	–	extension/xrowextract/settings/csv.ini [ezfloat] HandlerClass
XroweZIdentifierHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezidentifierhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezidentifier] HandlerClass
XroweZImageExportHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezimagehandler.php:2	–	extension/xrowextract/settings/csv.ini [ezimage] HandlerClass
XroweZIntegerHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezintegerhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezinteger] HandlerClass
XroweZKeywordHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezkeywordhandler.php:2	–	extension/xrowextract/settings/csv.ini [ezkeyword] HandlerClass; extension/xrowextract/settings/csv.ini [eztags] HandlerClass

Class	Kind	File	Description	Extension point
XroweZMatrixExportHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezmatrixhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezmatrix] HandlerClass
XroweZMediaExportHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezmediahandler.php:2	–	extension/xrowextract/settings/csv.ini [ezmedia] HandlerClass
XroweZObjectRelationHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezobjectrelationhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezobjectrelation] HandlerClass
XroweZObjectRelationListHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezobjectrelationlisthandler.php:3	–	extension/xrowextract/settings/csv.ini [ezobjectrelationlist] HandlerClass
XroweZPriceHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezpricehandler.php:3	–	extension/xrowextract/settings/csv.ini [ezprice] HandlerClass
XroweZSelectionHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezselectionhandler.php:2	–	extension/xrowextract/settings/csv.ini [ezcountry] HandlerClass; extension/xrowextract/settings/csv.ini [ezselection] HandlerClass
XroweZStringHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezstringhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezenhancedselection] HandlerClass; extension/xrowextract/settings/csv.ini [ezstring] HandlerClass
XroweZTextHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xroweztexthandler.php:3	–	extension/xrowextract/settings/csv.ini [eztext] HandlerClass
XroweZTimeHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xroweztimehandler.php:2	–	extension/xrowextract/settings/csv.ini [eztime] HandlerClass
XroweZURLHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezurlhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezurl] HandlerClass

Class	Kind	File	Description	Extension point
XroweZUserHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezuserhandler.php:3	–	extension/xrowextract/settings/csv.ini [ezuser] HandlerClass
XroweZXMLTextHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowezxmltexthandler.php:2	–	extension/xrowextract/settings/csv.ini [ezxmltext] HandlerClass
XrowhmregexplineHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowhmregexplinehandler.php:3	–	extension/xrowextract/settings/csv.ini [hmregexpline] HandlerClass
XrowxrowmetadataHandler	class extends XrowBaseHandler	extension/xrowextract/classes/parsers/xrowxrowmetadatahandler.php:7	xrowmetadata (SEO and sitemap meta data): the title by default.	extension/xrowextract/settings/csv.ini [xrowmetadata] HandlerClass

extension/xrowmetadata (1)

All patterns of extension/xrowmetadata

Class	Kind	File	Description	Extension point
ezfSolrDocumentFieldxrowMetadata	class extends ezfSolrDocumentFieldBase	extension/xrowmetadata/classes/ezfSolrDocumentFieldxrowMetadata.php:3	–	extension/xrowmetadata/settings/ezfind.ini [SolrFieldMapSettings] CustomMap[xrowmetadata]

kernel/classes (14)

All patterns of kernel/classes

Class	Kind	File	Description	Extension point
expKernelExtensionOverrideList	class	kernel/classes/expkernelextensionoverridelist.php:21	The service "extensions.overrides": what the two extension activation passes of the web kernel (eZExtension::activateExtensions() 'default' and 'acce...	settings/kernelservices.ini [Service_extensions.overrides] Class
eZContentBrowseBookmark	class extends eZPersistentObject	kernel/classes/ezcontentbrowsebookmark.php:35	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentClass	class extends eZPersistentObject	kernel/classes/ezcontentclass.php:20	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]

Class	Kind	File	Description	Extension point
eZContentClassAttribute	class extends eZPersistentObject	kernel/classes/ezcontentclassattribute.php:19	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentClassEditHandler	class	kernel/classes/ezcontentclasseditHandler.php:15	Handler for content class editing.	settings/site.ini [ContentSettings] ContentClassEditHandler
eZContentLanguage	class extends eZPersistentObject	kernel/classes/ezcontentlanguage.php:12	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentObject	class extends eZPersistentObject	kernel/classes/ezcontentobject.php:17	Encapsulates data about and methods to work with content objects	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentObjectAttribute	class extends eZPersistentObject	kernel/classes/ezcontentobjectattribute.php:20	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentObjectTreeNode	class extends eZPersistentObject	kernel/classes/ezcontentobjecttreenode.php:17	Encapsulates data about and methods to work with content objects inside the content object tree	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentObjectVersion	class extends eZPersistentObject	kernel/classes/ezcontentobjectversion.php:19	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZInformationCollectionAttribute	class extends eZPersistentObject	kernel/classes/ezinformationcollectionattribute.php:19	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZNodeAssignment	class extends eZPersistentObject	kernel/classes/eznodeassignment.php:17	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZStaticCache	class	kernel/classes/ezstaticcache.php:30	The eZStaticCache class manages the static cache system.	settings/site.ini [ContentSettings] StaticCacheHandler
eZWorkflow	class extends eZPersistentObject	kernel/classes/ezworkflow.php:18	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]

kernel/classes/audit (12)

All patterns of kernel/classes/audit

Class	Kind	File	Description	Extension point
expAuditBzip2Format	class extends expAuditFormatBase	kernel/classes/audit/format/expauditbzip2format.php:11	The bzip2 archive format (PHP extension bz2): .jsonl.bz2.	settings/audit.ini [AuditArchiveSettings] FormatHandlers[bzip2]
expAuditGzipFormat	class extends expAuditFormatBase	kernel/classes/audit/format/expauditgzipformat.php:11	The gzip archive format (zlib, always available): .jsonl.gz.	settings/audit.ini [AuditArchiveSettings] FormatHandlers[gzip]
expAuditMailSink	class extends expAuditSinkBase	kernel/classes/audit/sinks/expauditmailsink.php:23	The e-mail sink (doc/eng-us/bc/6.0/audit.md, "E-mail"): events at MinSeverity (critical) or matching Events[] are mailed through eZMail, one mail per...	settings/audit.ini [AuditSinkSettings] SinkClasses[mail]
expAuditMatchRule	class extends expAuditAlertRuleBase	kernel/classes/audit/alerts/expauditmatchrule.php:20	The alert rule class "match" (RuleClasses[match]=expAuditMatchRule): fires for every record matching Event (and, with Policies[], only when the role...	settings/audit.ini [AuditAlertSettings] RuleClasses[match]
expAuditScheduleRule	class extends expAuditAlertRuleBase	kernel/classes/audit/alerts/expauditschedulerule.php:15	The alert rule class "schedule" (RuleClasses[schedule]=expAuditScheduleRule): fires for records matching Event that happen outside business hours ([A...	settings/audit.ini [AuditAlertSettings] RuleClasses[schedule]
expAuditSource	interface	kernel/classes/audit/console/expauditsource.php:23	An optional source of the audit console: an extension that writes its own events (usually into a channel of its own) and tells the console's views ho...	settings/rad.ini [Registry_auditsources] Entries[Sources]
expAuditSyslogSink	class extends expAuditSinkBase	kernel/classes/audit/sinks/expauditsyslogsink.php:36	The syslog / journald sink (doc/eng-us/bc/6.0/audit.md, "Sinks", "syslog / journald"): one RFC 5424 message per record,	settings/audit.ini [AuditSinkSettings] SinkClasses[syslog]

Class	Kind	File	Description	Extension point
expAuditThresholdRule	class extends expAuditAlertRuleBase	kernel/classes/audit/alerts/expauditthresholdrule.php:16	The alert rule class "threshold" (RuleClasses[threshold]=expAuditThresholdRule): fires when Threshold events matching Event fall within Window second...	settings/audit.ini [AuditAlertSettings] RuleClasses[threshold]
expAuditWebhookSink	class extends expAuditSinkBase	kernel/classes/audit/sinks/expauditwebhooksink.php:20	The webhook sink (doc/eng-us/bc/6.0/audit.md, "Webhook"): POSTs batches of records as JSON,	settings/audit.ini [AuditSinkSettings] SinkClasses[webhook]
expAuditXzFormat	class extends expAuditFormatBase	kernel/classes/audit/format/expauditxzformat.php:11	The xz archive format: .jsonl.xz, through the xz binary (no PHP extension is commonly available).	settings/audit.ini [AuditArchiveSettings] FormatHandlers[xz]
expAuditZipFormat	class extends expAuditFormatBase	kernel/classes/audit/format/expauditzipformat.php:12	The zip archive format (PHP extension zip): .jsonl.zip, one archive per live file holding that one file, so a single file can be restored.	settings/audit.ini [AuditArchiveSettings] FormatHandlers[zip]
expAuditZstdFormat	class extends expAuditFormatBase	kernel/classes/audit/format/expauditzstdformat.php:11	The zstd archive format: .jsonl.zst, through the PHP extension zstd when it is loaded, else the zstd binary.	settings/audit.ini [AuditArchiveSettings] FormatHandlers[zstd]

kernel/classes/binaryhandlers (1)

All patterns of kernel/classes/binaryhandlers

Class	Kind	File	Description	Extension point
eZFilePassthroughHandler	class extends eZBinaryFileHandler	kernel/classes/binaryhandlers/ezfilepassthrough/ezfilepassthroughhandler.php:18	–	settings/file.ini [BinaryFileSettings] Handler

kernel/classes/clusterfilehandlers (1)

All patterns of kernel/classes/clusterfilehandlers

Class	Kind	File	Description	Extension point
eZFSFileHandler	class	kernel/classes/clusterfilehandlers/ezfsfilehandler.php:12	–	settings/file.ini [ClusteringSettings] FileHandler

kernel/classes/contentcheck (2)

All patterns of kernel/classes/contentcheck

Class	Kind	File	Description	Extension point
expContentCheckFileImage	class	kernel/classes/contentcheck/expcontentcheckfileimage.php:13	The files of an image field (ezimage): the original and the aliases its stored XML names (doc/eng-us/features/6.0/content-checks.md, "Missing files").	settings/contentcheck.ini [MissingFileSettings] Handlers[ezimage]
expContentCheckFileTable	class	kernel/classes/contentcheck/expcontentcheckfiletable.php:16	The file of a field whose datatype keeps it in a table with the columns of ezbinaryfile: contentobject_attribute_id, version, filename, original_file...	settings/contentcheck.ini [MissingFileSettings] Handlers[ezbinaryfile]; settings/contentcheck.ini [MissingFileSettings] Handlers[ezmedia]

kernel/classes/contentjob (13)

All patterns of kernel/classes/contentjob

Class	Kind	File	Description	Extension point
expContentJobAddLocation	class extends expContentJobBatchType	kernel/classes/contentjob/expcontentjobaddlocation.php:22	The content job 'addlocation': gives the objects of many selected nodes a new location under one target node, per object through the kernel's own ope...	settings/content.ini [ContentJobSettings] JobTypes[addlocation]
expContentJobAuditExport	class	kernel/classes/contentjob/expcontentjobauditexport.php:28	The content job 'auditexport': the export of the audit console (audit/export) in the background, for a filter too large for a download in the browser...	settings/content.ini [ContentJobSettings] JobTypes[auditexport]
expContentJobCopySubtree	class	kernel/classes/contentjob/expcontentjobcopysubtree.php:34	The content job 'copy': copies a subtree under a new parent in batches, level by level from the top, with the semantics of content/copysubtree and bi...	settings/content.ini [ContentJobSettings] JobTypes[copy]

Class	Kind	File	Description	Extension point
expContentJobHelpManuals	class	kernel/classes/contentjob/expcontentjobhelpmanuals.php:27	The content job 'helpmanuals': builds the help's manuals from the Markdown help in the background (doc/eng-us/features/6.0/help-content.md, "Manuals...	settings/content.ini[ContentJobSettings] JobTypes[helpmanuals]
expContentJobHideSubtree	class extends expContentJobBatchType	kernel/classes/contentjob/expcontentjobhidesubtree.php:25	The content job 'hide' (and, through expContentJobRevealSubtree, 'reveal'): hides or reveals a node and its subtree with the semantics of eZContentOb...	settings/content.ini[ContentJobSettings] JobTypes[hide]
expContentJobMoveSubtree	class extends expContentJobBatchType	kernel/classes/contentjob/expcontentjobmovesubtree.php:24	The content job 'move': moves a subtree under a new parent.	settings/content.ini[ContentJobSettings] JobTypes[move]
expContentJobPackageInstall	class	kernel/classes/contentjob/expcontentjobpackageinstall.php:26	The content job 'packageinstall': installs a package of the package repository in the background, as the user who asked for it, with the choices made...	settings/content.ini[ContentJobSettings] JobTypes[packageinstall]
expContentJobRemoveLocation	class extends expContentJobBatchType	kernel/classes/contentjob/expcontentjobremovelocation.php:23	The content job 'removelocation': removes many selected locations (nodes), keeping their objects, through the kernel's own operation, as content/acti...	settings/content.ini[ContentJobSettings] JobTypes[removelocation]
expContentJobRemoveSubtree	class	kernel/classes/contentjob/expcontentjobremovesubtree.php:33	The content job 'remove': removes one or more subtrees in batches, deepest nodes first (leaves before their parents), each batch through the kernel's...	settings/content.ini[ContentJobSettings] JobTypes[remove]

Class	Kind	File	Description	Extension point
expContentJobRevealSubtree	class extends expContentJobHideSubtree	kernel/classes/contentjob/expcontentjobrevealsubtree.php:16	The content job 'reveal': reveals a hidden node and its subtree with the semantics of eZContentObjectTreeNode::unhideSubTree() (a node hidden on its...	settings/content.ini [ContentJobSettings] JobTypes[reveal]
expContentJobSectionSubtree	class extends expContentJobBatchType	kernel/classes/contentjob/expcontentjobsectionsubtree.php:29	The content job 'section': assigns a section to every object of a subtree, with the semantics of eZContentObjectTreeNode::assignSectionToSubTree() (e...	settings/content.ini [ContentJobSettings] JobTypes[section]
expContentJobStateSubtree	class extends expContentJobBatchType	kernel/classes/contentjob/expcontentjobstatesubtree.php:22	The content job 'state': sets an object state (of one state group) on every object of a subtree, per object through the kernel's own operation, as co...	settings/content.ini [ContentJobSettings] JobTypes[state]
expContentJobTransfer	class	kernel/classes/contentjob/expcontentjobtransfer.php:25	The content job 'transfer': one background run of an import or export tool (Export, CIE ...) when the installation has no job queue (expKernelTransfe...	settings/content.ini [ContentJobSettings] JobTypes[transfer]

kernel/classes/datatypes (6)

All patterns of kernel/classes/datatypes

Class	Kind	File	Description	Extension point
eZImageFile	class extends eZPersistentObject	kernel/classes/datatypes/ezimage/ezimagefile.php:19	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZPDFXMLOutput	class extends eZXHTMLXMLOutput	kernel/classes/datatypes/ezxmltext/handlers/output/ezpdfxmloutput.php:12	–	settings/ezxml.ini [OutputSettings] AliasClasses[ezpdf]

Class	Kind	File	Description	Extension point
eZSimplifiedXMLInput	class extends eZXMLInputHandler	kernel/classes/datatypes/ezxmltext/handlers/input/ezsimplifiedxmlinput.php:12	–	settings/ezxml.ini [InputSettings] HandlerClass
eZURL	class extends eZPersistentObject	kernel/classes/datatypes/ezurl/ezurl.php:23	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZUser	class extends eZPersistentObject	kernel/classes/datatypes/ezuser/ezuser.php:21	–	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZXHTMLXMLOutput	class extends eZXMLOutputHandler	kernel/classes/datatypes/ezxmltext/handlers/output/ezxhtmlxmloutput.php:12	–	settings/ezxml.ini [OutputSettings] HandlerClass

kernel/classes/debugbar (1)

All patterns of kernel/classes/debugbar

Class	Kind	File	Description	Extension point
expDebugBarServerFunctions	class extends ezjscServerFunctions	kernel/classes/debugbar/expdebugbarserverfunctions.php:28	The ezjscore server functions of the Exp Debug bar, registered as [ezjscServer_expdebugbar] in extension/ezjscore/settings/ezjscore.ini:	extension/ezjscore/settings/ezjscore.ini [ezjscServer_expdebugbar] Class

kernel/classes/help (3)

All patterns of kernel/classes/help

Class	Kind	File	Description	Extension point
expHelpContentProvider	class	kernel/classes/help/content/exphelpcontentprovider.php:19	Help maintained as content, delivered into the help system (exphelp): the topics the current user may see, rendered with the help's Markdown renderer...	settings/exphelp.ini [ContextHelp] Providers[]
expHelpContentRepository	class	kernel/classes/help/content/exphelpcontentrepository.php:15	Reads help maintained as content out of the database into plain arrays (the shapes expHelpContentValidator describes), without any permission filter:...	settings/site.ini [Cache_exphelpcontent] class; settings/site.ini [Cache_exphelpcontent] purgeClass

Class	Kind	File	Description	Extension point
expHelpRestProvider	class	kernel/classes/help/content/rest/exphelprestprovider.php:21	The REST routes of context help (doc/eng-us/features/6.0/help-content.md, "Context help by help_id"; the plan's delivery path 2: "internal topics wit...	settings/rest.ini [ApiProvider] ProviderClass[help]

kernel/classes/ini (15)

All patterns of kernel/classes/ini

Class	Kind	File	Description	Extension point
expIniActionActions	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionactions.php:14	exp:ini actions: the actions of the command, the built-in ones and those extensions register in ini.ini [IniCommandSettings] Actions[], with their al...	settings/ini.ini [IniCommandSettings] Actions[actions]
expIniActionAdd	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionadd.php:14	exp:ini add: appends a value to an array (Variable[]=value) in one scope's file, creating the file and the block when they are missing (unless --no-c...	settings/ini.ini [IniCommandSettings] Actions[add]
expIniActionClear	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionclear.php:13	exp:ini clear: writes the array reset line Variable[] in one scope's file, so the values the files loaded before it give are dropped and only what fo...	settings/ini.ini [IniCommandSettings] Actions[clear]
expIniActionCopy	class extends expIniActionBase	kernel/classes/ini/actions/expiniactioncopy.php:15	exp:ini copy: copies a setting from one scope's file to another's: a plain variable or a hash entry is set to the same value, a whole array is writte...	settings/ini.ini [IniCommandSettings] Actions[copy]

Class	Kind	File	Description	Extension point
expIniActionGet	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionget.php:14	exp:ini get: the value in effect (every file merged in load order, for the current siteaccess or the one of -s) or, with a scope, the value that scop...	settings/ini.ini [IniCommandSettings] Actions[get]
expIniActionList	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionlist.php:14	exp:ini list: the blocks of an INI file, or the variables of one block, in effect (every file merged, for the current siteaccess) or as one scope's f...	settings/ini.ini [IniCommandSettings] Actions[list]
expIniActionMove	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionmove.php:16	exp:ini move: moves one block (with its comments and blank lines, in order) or every block of a file from one scope to another, typically from settin...	settings/ini.ini [IniCommandSettings] Actions[move]
expIniActionMoveAll	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionmoveall.php:15	exp:ini move-all: moves every INI file of a scope (or those --files names) into another scope, block by block, one transaction per file as exp:ini mo...	settings/ini.ini [IniCommandSettings] Actions[move-all]
expIniActionRem	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionrem.php:14	exp:ini rem (alias remove): removes a variable from one scope's file, or one value of an array, or one entry of a hash.	settings/ini.ini [IniCommandSettings] Actions[rem]
expIniActionScopes	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionscopes.php:14	exp:ini scopes: the scopes this installation has (global, default, every siteaccess, every extension and the extension siteaccess directories, and th...	settings/ini.ini [IniCommandSettings] Actions[scopes]
expIniActionSet	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionset.php:14	exp:ini set: sets a plain variable (Variable=value) or a hash entry (Variable[key]=value) in one scope's file, creating the file and the block when t...	settings/ini.ini [IniCommandSettings] Actions[set]

Class	Kind	File	Description	Extension point
expIniActionToggle	class extends expIniActionBase	kernel/classes/ini/actions/expiniactiontoggle.php:14	exp:ini toggle: flips a switch in one scope's file the way the setting writes it: enableddisabled, truefalse, yesno, onoff, 10 (the case is kept).	settings/ini.ini [IniCommandSettings] Actions[toggle]
expIniActionWhere	class extends expIniActionBase	kernel/classes/ini/actions/expiniactionwhere.php:14	exp:ini where: every file that sets a variable, in the order eZINI loads them (the last one wins for a plain value, arrays add up unless a file reset...	settings/ini.ini [IniCommandSettings] Actions[where]
expIniCoreScopeProvider	class	kernel/classes/ini/expinicorescopeprovider.php:16	global (settings/override), default (settings/, the shipped defaults, not writable by policy) and one scope per siteaccess: every directory in settin...	settings/ini.ini [IniCommandSettings] ScopeProviders[]
expIniExtensionScopeProvider	class	kernel/classes/ini/expiniextensionscopeprovider.php:14	extension: for every directory in extension/ (active or not; the label says which) and extension::siteaccess: for every extension//settings/siteacces...	settings/ini.ini [IniCommandSettings] ScopeProviders[]

kernel/classes/mailpreferences (1)

All patterns of kernel/classes/mailpreferences

Class	Kind	File	Description	Extension point
expMailPreferencesService	class	kernel/classes/mailpreferences/expmailpreferencesservice.php:18	The flows around the preferences: the double opt-in mail and its confirmation, the one-click unsubscribe, "send me a link" for people without login,...	settings/mailpreferences.ini [GateSettings] EssentialSenders[]

kernel/classes/notification (1)

All patterns of kernel/classes/notification

Class	Kind	File	Description	Extension point
expNotificationMailCategoryHandler	class	kernel/classes/notification/expnotificationmailcategoryhandler.php:25	The categories "content" and "collaboration" of the e-mail preferences read the notification system's own data, so nothing has to be migrated and the...	settings/mailpreferences.ini [Category_collaboration] HandlerClass; settings/mailpreferences.ini [Category_content] HandlerClass

kernel/classes/packagecreators (4)

All patterns of kernel/classes/packagecreators

Class	Kind	File	Description	Extension point
eZContentClassPackageCreator	class extends eZPackageCreationHandler	kernel/classes/packagecreators/ezcontentclass/ezcontentclasspackagecreator.php:19	–	settings/package.ini [CreationSettings] HandlerAlias[ezcontentclass]
eZContentObjectPackageCreator	class extends eZPackageCreationHandler	kernel/classes/packagecreators/ezcontentobject/ezcontentobjectpackagecreator.php:18	–	settings/package.ini [CreationSettings] HandlerAlias[ezcontentobject]
eZExtensionPackageCreator	class extends eZPackageCreationHandler	kernel/classes/packagecreators/ezextension/ezextensionpackagecreator.php:19	–	settings/package.ini [CreationSettings] HandlerAlias[ezextension]
eZStylePackageCreator	class extends eZPackageCreationHandler	kernel/classes/packagecreators/ezstyle/ezstylepackagecreator.php:21	–	settings/package.ini [CreationSettings] HandlerAlias[ezstyle]

kernel/classes/packagehandlers (7)

All patterns of kernel/classes/packagehandlers

Class	Kind	File	Description	Extension point
eZContentClassPackageHandler	class extends eZPackageHandler	kernel/classes/packagehandlers/ezcontentclass/ezcontentclasspackagehandler.php:18	–	settings/package.ini [PackageSettings] HandlerAlias[ezcontentclass]

Class	Kind	File	Description	Extension point
eZContentObjectPackageHandler	class extends eZPackageHandler	kernel/classes/packagehandlers/ezcontentobject/ezcontentobjectpackagehandler.php:18	–	settings/package.ini [PackageSettings] HandlerAlias[ezcontentobject]
eZDBPackageHandler	class extends eZPackageHandler	kernel/classes/packagehandlers/ezdb/ezdbpackagehandler.php:18	–	settings/package.ini [PackageSettings] HandlerAlias[ezsql]
eZExtensionPackageHandler	class extends eZPackageHandler	kernel/classes/packagehandlers/ezextension/ezextensionpackagehandler.php:18	–	settings/package.ini [PackageSettings] HandlerAlias[ezextension]
eZFilePackageHandler	class extends eZPackageHandler	kernel/classes/packagehandlers/ezfile/ezfilepackagehandler.php:18	–	settings/package.ini [PackageSettings] HandlerAlias[ezdesign]; settings/package.ini [PackageSettings] HandlerAlias[ezfile]; settings/package.ini [PackageSettings] HandlerAlias[ezini]; settings/package.ini [PackageSettings] HandlerAlias[eztemplate]; settings/package.ini [PackageSettings] HandlerAlias[ezthumbnail]
eZINIAddonPackageHandler	class extends eZPackageHandler	kernel/classes/packagehandlers/eziniaddon/eziniaddonpackagehandler.php:18	–	settings/package.ini [PackageSettings] HandlerAlias[eziniaddon]
eZInstallScriptPackageHandler	class extends eZPackageHandler	kernel/classes/packagehandlers/ezinstallscript/ezinstallscriptpackagehandler.php:19	–	settings/package.ini [PackageSettings] HandlerAlias[ezinstallscript]

kernel/classes/packageinstallers (2)

All patterns of kernel/classes/packageinstallers

Class	Kind	File	Description	Extension point
eZContentObjectPackageInstaller	class extends eZPackageInstallationHandler	kernel/classes/packageinstallers/ezcontentobject/ezcontentobjectpackageinstaller.php:18	–	settings/package.ini [InstallerSettings] HandlerAlias[ezcontentobject]

Class	Kind	File	Description	Extension point
eZInstallScriptPackageInstaller	class extends eZPackageInstallationHandler	kernel/classes/packageinstallers/ezinstallscript/ezinstallscriptpackageinstaller.php:17	–	settings/package.ini [InstallerSettings] HandlerAlias[ezinstallscript]

kernel/classes/reauth (1)

All patterns of kernel/classes/reauth

Class	Kind	File	Description	Extension point
expReauthTotpCode	class	kernel/classes/reauth/expreauthtotpcode.php:19	"Verify it's you" with the code of an authenticator app set up in sevenx_authentication_2fa (when that extension is active): the account's TOTP secre...	settings/site.ini [ReauthSettings] CodeHandlers[]

kernel/classes/subitems (12)

All patterns of kernel/classes/subitems

Class	Kind	File	Description	Extension point
expSubitemsDateColumn	class extends expSubitemsFieldColumn	kernel/classes/subitems/columns/expsubitemsdatecolumn.php:16	Subitems list columns about when things happened, in the forms the built-in Published and Modified columns do not show: relative ("3 days ago"), in d...	settings/subitemscolumns.ini [Column_dayssincemodified] Class; settings/subitemscolumns.ini [Column_dayssincepublished] Class; settings/subitemscolumns.ini [Column_modifiedage] Class; settings/subitemscolumns.ini [Column_modifiediso] Class; settings/subitemscolumns.ini [Column_publishedage] Class; settings/subitemscolumns.ini [Column_publishediso] Class

Class	Kind	File	Description	Extension point
expSubitemsMediaColumn	class extends expSubitemsFieldColumn	kernel/classes/subitems/columns/expsubitemsmediacolumn.php:20	Subitems list columns about the images and files of the content object.	settings/subitemscolumns.ini [Column_filedownloads] Class; settings/subitemscolumns.ini [Column_filemime] Class; settings/subitemscolumns.ini [Column_filename] Class; settings/subitemscolumns.ini [Column_filesize] Class; settings/subitemscolumns.ini [Column_hasimage] Class; settings/subitemscolumns.ini [Column_imagealt] Class; settings/subitemscolumns.ini [Column_imagecount] Class; settings/subitemscolumns.ini [Column_imagedimensions] Class; settings/subitemscolumns.ini [Column_imageheight] Class; settings/subitemscolumns.ini [Column_imagemime] Class; settings/subitemscolumns.ini [Column_imagesize] Class; settings/subitemscolumns.ini [Column_imagewidth] Class

Class	Kind	File	Description	Extension point
expSubitemsNodeColumn	class extends expSubitemsFieldColumn	kernel/classes/subitems/columns/expsubitemsnodecolumn.php:18	Subitems list columns read from the location (the ezcontentobject_tree row) and its children.	settings/subitemscolumns.ini [Column_childclasses] Class; settings/subitemscolumns.ini [Column_childrencount] Class; settings/subitemscolumns.ini [Column_childsortfield] Class; settings/subitemscolumns.ini [Column_childsortorder] Class; settings/subitemscolumns.ini [Column_depth] Class; settings/subitemscolumns.ini [Column_hidden] Class; settings/subitemscolumns.ini [Column_invisible] Class; settings/subitemscolumns.ini [Column_iscontainer] Class; settings/subitemscolumns.ini [Column_ismain] Class; settings/subitemscolumns.ini [Column_mainnodeid] Class; settings/subitemscolumns.ini [Column_modifiedsubnode] Class; settings/subitemscolumns.ini [Column_newestchild] Class; settings/subitemscolumns.ini [Column_newestchildname] Class; settings/subitemscolumns.ini [Column_parentname] Class; settings/subitemscolumns.ini [Column_parentnodeid] Class; settings/subitemscolumns.ini [Column_pathidentification] Class;

Class	Kind	File	Description	Extension point
`expSubitemsObjectColumn`	class extends expSubitemsFieldColumn	`kernel/classes/subitems/columns/expsubitemsobjectcolumn.php:18`	Subitems list columns read from the content object: class, section, owner, languages, states and the size of its main text.	settings/subitemscolumns.ini [Column_alwaysavailable] Class; settings/subitemscolumns.ini [Column_attributecount] Class; settings/subitemscolumns.ini [Column_classgroups] Class; settings/subitemscolumns.ini [Column_classid] Class; settings/subitemscolumns.ini [Column_classidentifier] Class; settings/subitemscolumns.ini [Column_initiallanguage] Class; settings/subitemscolumns.ini [Column_languagecodes] Class; settings/subitemscolumns.ini [Column_languagecount] Class; settings/subitemscolumns.ini [Column_languagemask] Class; settings/subitemscolumns.ini [Column_locked] Class; settings/subitemscolumns.ini [Column_missingtranslations] Class; settings/subitemscolumns.ini [Column_namelength] Class; settings/subitemscolumns.ini [Column_owner] Class; settings/subitemscolumns.ini [Column_ownerid] Class; settings/subitemscolumns.ini [Column_sectionid] Class; settings/subitemscolumns.ini [Column_sectionidentifier] Class;

Class	Kind	File	Description	Extension point
expSubitemsPermissionColumn	class extends expSubitemsFieldColumn	kernel/classes/subitems/columns/expsubitemspermissioncolumn.php:18	Subitems list columns that tell what the current user may do with each item, and technical facts about it.	settings/subitemscolumns.ini [Column_cancreate] Class; settings/subitemscolumns.ini [Column_canedit] Class; settings/subitemscolumns.ini [Column_canhide] Class; settings/subitemscolumns.ini [Column_canmove] Class; settings/subitemscolumns.ini [Column_canremove] Class; settings/subitemscolumns.ini [Column_cantranslate] Class; settings/subitemscolumns.ini [Column_searchwords] Class
expSubitemsReadingTimeColumn	class extends expSubitemsColumn	kernel/classes/subitems/columns/expsubitemsreadingtimecolumn.php:14	The "Reading time" column of the admin subitems list: the minutes a reader needs for the item's main text, at WordsPerMinute= words a minute (default...	settings/subitemscolumns.ini [Column_readingtime] Class

Class	Kind	File	Description	Extension point
expSubitemsRelationColumn	class extends expSubitemsFieldColumn	kernel/classes/subitems/columns/expsubitemsrelationcolumn.php:20	Subitems list columns about what the object is related to, and what relates to it: object relations, tags (eztags) and ratings (ezstarrating).	settings/subitemscolumns.ini [Column_rating] Class; settings/subitemscolumns.ini [Column_ratingcount] Class; settings/subitemscolumns.ini [Column_relatedcount] Class; settings/subitemscolumns.ini [Column_relatednames] Class; settings/subitemscolumns.ini [Column_reverserelatedcount] Class; settings/subitemscolumns.ini [Column_reverserelatednames] Class; settings/subitemscolumns.ini [Column_tagcount] Class; settings/subitemscolumns.ini [Column_tags] Class
expSubitemsSEOColumn	class extends expSubitemsFieldColumn	kernel/classes/subitems/columns/expsubitemsseocolumn.php:32	Subitems list columns for search engines and visitors: the page title in the browser, its length, and the meta title, description and keywords an xro...	settings/subitemscolumns.ini [Column_metadescription] Class; settings/subitemscolumns.ini [Column_metakeywords] Class; settings/subitemscolumns.ini [Column_metatitle] Class; settings/subitemscolumns.ini [Column_pagetitle] Class; settings/subitemscolumns.ini [Column_titlelength] Class

Class	Kind	File	Description	Extension point
`expSubitemsServerFunctions`	class extends ezjscServerFunctions	`kernel/classes/subitems/expsubitemsserverfunctions.php:24`	The ezjscore server functions of the admin subitems list ("Table options"), registered as [ezjscServer_expsubitems] in extension/ezjscore/settings/ez...	extension/ezjscore/settings/ezjscore.ini [ezjscServer_expsubitems] Class

Class	Kind	File	Description	Extension point
`expSubitemsURLColumn`	class extends expSubitemsFieldColumn	`kernel/classes/subitems/columns/expsubitemsurlcolumn.php:20`	Subitems list columns about the addresses of a node: its URL alias, its system URL, the address visitors use on the public site, custom and historic…	settings/subitemscolumns.ini [Column_aliascount] Class; settings/subitemscolumns.ini [Column_allaliases] Class; settings/subitemscolumns.ini [Column_customaliascount] Class; settings/subitemscolumns.ini [Column_customaliases] Class; settings/subitemscolumns.ini [Column_historycount] Class; settings/subitemscolumns.ini [Column_locationcount] Class; settings/subitemscolumns.ini [Column_mainlocation] Class; settings/subitemscolumns.ini [Column_otherlocations] Class; settings/subitemscolumns.ini [Column_publicpath] Class; settings/subitemscolumns.ini [Column_publicurl] Class; settings/subitemscolumns.ini [Column_systemurl] Class; settings/subitemscolumns.ini [Column_urlalias] Class; settings/subitemscolumns.ini [Column_urlslug] Class

Class	Kind	File	Description	Extension point
`expSubitemsUserColumn`	class extends expSubitemsFieldColumn	`kernel/classes/subitems/columns/expsubitemsusercolumn.php:19`	Subitems list columns for user accounts: the rows below a user group.	settings/subitemscolumns.ini [Column_useremail] Class; settings/subitemscolumns.ini [Column_userenabled] Class; settings/subitemscolumns.ini [Column_userfailedlogins] Class; settings/subitemscolumns.ini [Column_userlastvisit] Class; settings/subitemscolumns.ini [Column_userlocked] Class; settings/subitemscolumns.ini [Column_userlogin] Class; settings/subitemscolumns.ini [Column_userlogincount] Class; settings/subitemscolumns.ini [Column_userrolecount] Class; settings/subitemscolumns.ini [Column_userroles] Class

Class	Kind	File	Description	Extension point
expSubitemsVersionColumn	class extends expSubitemsFieldColumn	kernel/classes/subitems/columns/expsubitemsversioncolumn.php:17	Subitems list columns about the versions of the content object.	settings/subitemscolumns.ini [Column_archivedcount] Class; settings/subitemscolumns.ini [Column_contributors] Class; settings/subitemscolumns.ini [Column_draftauthors] Class; settings/subitemscolumns.ini [Column_draftcount] Class; settings/subitemscolumns.ini [Column_initialcreator] Class; settings/subitemscolumns.ini [Column_latestdraft] Class; settings/subitemscolumns.ini [Column_pendingcount] Class; settings/subitemscolumns.ini [Column_rejectedcount] Class; settings/subitemscolumns.ini [Column_version] Class; settings/subitemscolumns.ini [Column_versioncount] Class; settings/subitemscolumns.ini [Column_versioncreated] Class; settings/subitemscolumns.ini [Column_workflowprocesses] Class

kernel/classes/syscard (16)

All patterns of kernel/classes/syscard

Class	Kind	File	Description	Extension point

Class	Kind	File	Description	Extension point
expSysCardAboutProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardaboutprovider.php:19	The project information of exp:about: what Exponential is, the Foundation and 7x, Velocity, the license, the links, how to contribute, the partner pr...	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardCacheProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardcacheprovider.php:15	The caches: which are on (view cache, template compilation, the static cache), and for exp:info the size of the cache directory and of each cache in...	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardComposerProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardcomposerprovider.php:16	Composer: how many packages vendor/ has (vendor/composer/installed.json) and, when the ezupdate extension is active, how many of them do not agree be...	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardCronProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardcronprovider.php:14	The cronjobs: when one last ran (the newest cronjob log or Setup › Cronjobs run) and, for exp:info, every part of cronjob.ini with its scripts.	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardDatabaseProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscarddatabaseprovider.php:15	The database: its type, the server's version (when syscard.ini [Database] AskVersion=enabled: one connection, one question) and the host it is on.	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardExponentialProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardexponentialprovider.php:14	Exponential itself: the version and its line, and, for a git checkout, the branch and the commit.	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardExtensionsProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardextensionsprovider.php:14	exp:info: every active extension with its version, from its extension.xml or ezinfo.php, then its composer.json (the same sources as the about page).	settings/syscard.ini [Providers] ProviderClasses[]

Class	Kind	File	Description	Extension point
expSysCardHelpProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardhelpprovider.php:15	The help: how many pages it serves, its languages, and whether its index is current (an index older than the pages is a hint: ./console exp:help inde…	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardHostProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardhostprovider.php:14	The machine: operating system, kernel, host name, uptime, load, CPU, memory, the disk of the installation (exp:info: every local disk), the shell and…	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardPhpProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardphpprovider.php:17	PHP: version and SAPI, how long the branch has security support (syscard.ini [Php] SecuritySupportEnds[]), OPcache and its JIT, the extensions that m…	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardQueueProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardqueueprovider.php:14	exp:info: the job queue of the expqueue extension, when it is active: its service, how many workers are alive and the last action on it (expQueueServ…	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardSettingsProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardsettingsprovider.php:15	exp:info: the INI settings of an allowlist (syscard.ini [Inventory] Settings[]=//).	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardSiteAccessProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardsiteaccessprovider.php:14	exp:info: how a request finds its siteaccess (site.ini [SiteAccessSettings] MatchOrder: uri, host, port ...) and, for each siteaccess of AvailableSit…	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardSiteProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardsiteprovider.php:14	The site: the siteaccesses and the default one, the active extensions, demo mode, debug output and the mail transport (its type only: file, sendmail,…	settings/syscard.ini [Providers] ProviderClasses[]

Class	Kind	File	Description	Extension point
expSysCardVelocityProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardvelocityprovider.php:17	Exponential Velocity, the application server of 6.0.15: its version, whether it runs, the live and configured workers, the ports and TLS, the environ…	settings/syscard.ini [Providers] ProviderClasses[]
expSysCardWebServerProvider	class extends expSysCardBaseProvider	kernel/classes/syscard/providers/expsyscardwebserverprovider.php:15	The other web servers on the machine: Apache, nginx, Caddy, FrankenPHP, and PHP-FPM with its masters (one per PHP version) and pool workers (exp:info…	settings/syscard.ini [Providers] ProviderClasses[]

kernel/classes/transfer (3)

All patterns of kernel/classes/transfer

Class	Kind	File	Description	Extension point
expKernelTransferQueueHandler	class extends expQueueHandlerBase	kernel/classes/transfer/expkerneltransferqueuehandler.php:37	The expqueue handler of transfer runs (expKernelTransferRunner, doc/eng-us/features/6.0/transfer-runs.md).	extension/bccie/settings/expqueue.ini [JobType_bccie.export] Handler; extension/xrowextract/settings/expqueue.ini [JobType_xrowextract.run] Handler
expKernelTransferRegistry	class	kernel/classes/transfer/expkerneltransferregistry.php:30	The transfer registry: every import and export tool of the installation, as each declares itself in kernelservices.ini (a [Service_transfer.] block t…	settings/kernelservices.ini [Service_transfer.registry] Class

Class	Kind	File	Description	Extension point
expKernelTransferTool	class	kernel/classes/transfer/expkerneltransfertool.php:49	One import or export tool of the transfer registry (expKernelTransferRegistry), as it declares itself in a [Service_transfer.] block of kernelservice...	extension/bccie/settings/kernelservices.ini [Service_transfer.bccie] Class; extension/cjw_newsletter/settings/kernelservices.ini [Service_transfer.newsletter] Class; extension/ezodf/settings/kernelservices.ini [Service_transfer.ezodf] Class; extension/sqliimport/settings/kernelservices.ini [Service_transfer.sqliimport] Class; extension/syndication/settings/kernelservices.ini [Service_transfer.syndication] Class; extension/xrowextract/settings/kernelservices.ini [Service_transfer.xrowextract] Class; settings/kernelservices.ini [Service_transfer.audit] Class; settings/kernelservices.ini [Service_transfer.datatable] Class; settings/kernelservices.ini [Service_transfer.infocollector] Class; settings/kernelservices.ini [Service_transfer.package] Class; settings/kernelservices.ini [Service_transfer.pdf] Class; settings/kernelservices.ini [Service_transfer.rss_export] Class; settings/kernelservices.ini [Service_transfer.rss_import] Class

kernel/classes/uiswitch (2)

All patterns of kernel/classes/uiswitch

Class	Kind	File	Description	Extension point
expUISwitchDesignProvider	class extends expUISwitchProvider	kernel/classes/uiswitch/expuiswitchdesignprovider.php:25	The design of the administration interface (the "UI chrome"): admin4l, admin4, the classic admin design, AdminUI or another installed administration...	settings/uiswitch.ini [UISwitch_design] Class
expUISwitchLanguageProvider	class extends expUISwitchProvider	kernel/classes/uiswitch/expuiswitchlanguageprovider.php:27	The display language of the administration interface: what site.ini [RegionalSettings] Locale of the siteaccess sets (the translations of the interfa...	settings/uiswitch.ini [UISwitch_language] Class

kernel/modules (1)

All patterns of kernel/modules

Class	Kind	File	Description	Extension point
eZSearchEngine	class	kernel/search/plugins/ezsearchengine/ezsearchengine.php:18	–	settings/site.ini [SearchSettings] SearchEngine

kernel/private (16)

All patterns of kernel/private

Class	Kind	File	Description	Extension point
eZContentObjectState	class extends eZPersistentObject	kernel/private/classes/ezcontentobjectstate.php:18	Class representing a content object state	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentObjectStateGroup	class extends eZPersistentObject	kernel/private/classes/ezcontentobjectstategroup.php:18	Class respresenting a content object state group	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]

Class	Kind	File	Description	Extension point
eZContentObjectStateGroupLanguage	class extends eZPersistentObject	kernel/private/classes/ezcontentobjectstategrouplanguage.php:21	This class takes care of the localization of a content object state group.	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
eZContentObjectStateLanguage	class extends eZPersistentObject	kernel/private/classes/ezcontentobjectstatelanguage.php:21	This class takes care of the localization of a content object state.	extension/AdminAid/settings/aid.ini [SearchDatabase] ClassList[]
ezpAttributeOperatorHTMLFormatter	class extends ezpAttributeOperatorFormatter	kernel/private/eztemplate/ezpattributeoperatorhtmlformatter.php:12	–	settings/template.ini [AttributeOperator] OutputFormatter[html]
ezpAttributeOperatorTextFormatter	class extends ezpAttributeOperatorFormatter	kernel/private/eztemplate/ezpattributeoperatortextformatter.php:12	–	settings/template.ini [AttributeOperator] OutputFormatter[text]
ezpContentPublishingQueue	class	kernel/private/classes/ezpcontentpublishingqueue.php:19	This class manages the content publishing queue.	settings/content.ini [PublishingSettings] AsynchronousPublishingQueueReader
ezpContentXHTMLRenderer	class extends ezpRestContentRendererInterface	kernel/private/rest/classes/renderers/xhtml_content_renderer.php:12	–	settings/rest.ini [OutputSettings] RendererClass[xhtml]
ezpLanguageSwitcher	class	kernel/private/classes/ezplanguageswitcher.php:18	Utility class for transforming URLs between siteaccesses.	settings/site.ini [RegionalSettings] LanguageSwitcherClass
ezpMobileDeviceRegexpFilter	class	kernel/private/classes/ezpmobiledeviceregexpfilter.php:15	Default implementation of mobile device detect interface.	settings/site.ini [SiteAccessSettings] MobileDeviceFilterClass
ezpMultivariateTestHandler	class	kernel/private/classes/ezpmultivariatetesthandler.php:12	–	settings/content.ini [TestingSettings] MultivariateTestingHandlerClass
ezpRestAuthProvider	class	kernel/private/rest/classes/auth/auth_provider.php:11	–	settings/rest.ini [ApiProvider] ProviderClass[auth]

Class	Kind	File	Description	Extension point
ezpRestDefaultRegexpPrefixFilter	class extends ezpRestPrefixFilterInterface	kernel/private/rest/classes/default_regexp_prefix_filter.php:15	Default implementation of prefix filter interface.	settings/rest.ini [System] PrefixFilterClass
ezpRestIniRouteFilter	class extends ezpRestRouteFilterInterface	kernel/private/rest/classes/auth/ini_route_security.php:12	–	settings/rest.ini [RouteSettings] RouteSettingImpl
ezpRestOauthAuthenticationStyle	class extends ezpRestAuthenticationStyle	kernel/private/rest/classes/auth/styles/oauth.php:12	–	settings/rest.ini [Authentication] AuthenticationStyle
ezpRestRoutesCacheClear	class	kernel/private/rest/classes/cache/clear_routes.php:15	Clear cache handler.	settings/site.ini [Cache_restRoutes] class; settings/site.ini [Cache_restRoutes] purgeClass

kernel/private/classes/clusterfilehandlers (2)

All patterns of kernel/private/classes/clusterfilehandlers

Class	Kind	File	Description	Extension point
eZDFSFileHandlerDFSBackend	class	kernel/private/classes/clusterfilehandlers/dfsbackends/dfs.php:12	–	settings/file.ini [eZDFSClusteringSettings] DFSBackend
eZDFSFileHandlerMySQLiBackend	class	kernel/private/classes/clusterfilehandlers/dfsbackends/mysqli.php:50	–	settings/file.ini [eZDFSClusteringSettings] DBBackend

kernel/private/classes/urlaliasfilters (1)

All patterns of kernel/private/classes/urlaliasfilters

Class	Kind	File	Description	Extension point
eZURLAliasFilterAppendNodeID	class extends eZURLAliasFilter	kernel/private/classes/urlaliasfilters/ezurlaliasfilterappendnodeid.php:18	This class is an URL alias filter to be run with the eZURLAliasFilter system	settings/site.ini [URLTranslator] FilterClasses[]

lib/ezdb (5)

All patterns of lib/ezdb

Class	Kind	File	Description	Extension point

Class	Kind	File	Description	Extension point
expMongoDB	class extends eZDBInterface	lib/ezdb/classes/expmongodb.php:18	–	settings/site.ini [DatabaseSettings] ImplementationAlias[mongodb]
eZDBInterface	class	lib/ezdb/classes/ezdbinterface.php:21	The eZDBInterface defines the interface for all database implementations	settings/kernelservices.ini [Service_db] Class
eZMySQLiDB	class extends eZDBInterface	lib/ezdb/classes/ezmysqlidb.php:22	–	settings/site.ini [DatabaseSettings] ImplementationAlias[ezmysql]; settings/site.ini [DatabaseSettings] ImplementationAlias[ezmysqli]; settings/site.ini [DatabaseSettings] ImplementationAlias[mysql]; settings/site.ini [DatabaseSettings] ImplementationAlias[mysqli]
eZPostgreSQLDB	class extends eZDBInterface	lib/ezdb/classes/ezpostgresqldb.php:23	–	settings/site.ini [DatabaseSettings] ImplementationAlias[ezpostgresql]; settings/site.ini [DatabaseSettings] ImplementationAlias[pgsql]; settings/site.ini [DatabaseSettings] ImplementationAlias[postgresql]
eZSQLite3DB	class extends eZDBInterface	lib/ezdb/classes/ezsqlite3db.php:3	–	settings/site.ini [DatabaseSettings] ImplementationAlias[sqlite3]

lib/ezdbschema (4)

All patterns of lib/ezdbschema

Class	Kind	File	Description	Extension point
expMongoSchema	class extends eZDBSchemaInterface	lib/ezdbschema/classes/expmongoschema.php:11	MongoDB schema handler for eZDbSchema.	settings/dbschema.ini [SchemaSettings] SchemaHandlerClasses[mongo]

Class	Kind	File	Description	Extension point
eZMysqlSchema	class extends eZDBSchemaInterface	lib/ezdbschema/classes/ezmysqlschema.php:19	–	settings/dbschema.ini [SchemaSettings] SchemaHandlerClasses[mysql]; settings/dbschema.ini [SchemaSettings] SchemaHandlerClasses[mysqli]
eZPgsqlSchema	class extends eZDBSchemaInterface	lib/ezdbschema/classes/ezpgsqlschema.php:19	–	settings/dbschema.ini [SchemaSettings] SchemaHandlerClasses[postgresql]
eZSQLiteSchema	class extends eZDBSchemaInterface	lib/ezdbschema/classes/ezsqliteschema.php:3	–	settings/dbschema.ini [SchemaSettings] SchemaHandlerClasses[sqlite3]; settings/dbschema.ini [SchemaSettings] SchemaHandlerClasses[sqlite]

lib/ezimage (2)

All patterns of lib/ezimage

Class	Kind	File	Description	Extension point
eZImageGDFactory	class extends eZImageFactory	lib/ezimage/classes/ezimagegdfactory.php:12	–	settings/image.ini [GD] Handler
eZImageShellFactory	class extends eZImageFactory	lib/ezimage/classes/ezimageshellfactory.php:12	–	settings/image.ini [ImageMagick] Handler

lib/ezmath (1)

All patterns of lib/ezmath

Class	Kind	File	Description	Extension point
eZPHPMath	class	lib/ezmath/classes/mathhandlers/ezphpmath.php:17	–	settings/shop.ini [MathSettings] MathHandler

lib/ezutils (5)

All patterns of lib/ezutils

Class	Kind	File	Description	Extension point
eZFileTransport	class extends eZMailTransport	lib/ezutils/classes/ezfiletransport.php:18	–	settings/site.ini [MailSettings] TransportAlias[file]
eZHTTPTool	class	lib/ezutils/classes/ezhttptool.php:25	–	settings/kernelservices.ini [Service_http] Class

Class	Kind	File	Description	Extension point
eZINI	class	lib/ezutils/classes/ezini.php:53	### EXP-MULTI-SITE-OVERRIDE-SETTINGS ### - lib/ezutils/classes/ezini.php - new ini setting ext-siteaccess-override - - new ini setting ext-siteaccess...	settings/kernelservices.ini [Service_ini.i18n] Class; settings/kernelservices.ini [Service_ini.site] Class
eZSendmailTransport	class extends eZMailTransport	lib/ezutils/classes/ezsendmailtransport.php:20	–	settings/site.ini [MailSettings] TransportAlias[sendmail]
eZSMTPTransport	class extends eZMailTransport	lib/ezutils/classes/ezsmtptransport.php:18	–	settings/site.ini [MailSettings] TransportAlias[smtp]

INI plugin points (842)

extension/AdminAid (18)

Setting	Class	Set in
[SearchDatabase] ClassList[]	eZContentObject	extension/AdminAid/settings/aid.ini.append.php:26
[SearchDatabase] ClassList[]	eZContentObjectTreeNode	extension/AdminAid/settings/aid.ini.append.php:30
[SearchDatabase] ClassList[]	eZContentObjectAttribute	extension/AdminAid/settings/aid.ini.append.php:34
[SearchDatabase] ClassList[]	eZContentObjectVersion	extension/AdminAid/settings/aid.ini.append.php:38
[SearchDatabase] ClassList[]	eZContentClass	extension/AdminAid/settings/aid.ini.append.php:41
[SearchDatabase] ClassList[]	eZContentClassAttribute	extension/AdminAid/settings/aid.ini.append.php:45
[SearchDatabase] ClassList[]	eZUser	extension/AdminAid/settings/aid.ini.append.php:49
[SearchDatabase] ClassList[]	eZContentObjectState	extension/AdminAid/settings/aid.ini.append.php:53
[SearchDatabase] ClassList[]	eZContentObjectStateGroup	extension/AdminAid/settings/aid.ini.append.php:57
[SearchDatabase] ClassList[]	eZContentObjectStateLanguage	extension/AdminAid/settings/aid.ini.append.php:61
[SearchDatabase] ClassList[]	eZContentObjectStateGroupLanguage	extension/AdminAid/settings/aid.ini.append.php:65
[SearchDatabase] ClassList[]	eZContentLanguage	extension/AdminAid/settings/aid.ini.append.php:69

Setting	Class	Set in
[SearchDatabase] ClassList[]	eZContentBrowseBookmark	extension/AdminAid/settings/aid.ini.append.php:73
[SearchDatabase] ClassList[]	eZImageFile	extension/AdminAid/settings/aid.ini.append.php:77
[SearchDatabase] ClassList[]	eZInformationCollectionAttribute	extension/AdminAid/settings/aid.ini.append.php:81
[SearchDatabase] ClassList[]	eZNodeAssignment	extension/AdminAid/settings/aid.ini.append.php:85
[SearchDatabase] ClassList[]	eZURL	extension/AdminAid/settings/aid.ini.append.php:88
[SearchDatabase] ClassList[]	eZWorkflow	extension/AdminAid/settings/aid.ini.append.php:96

extension/bccie (44)

Setting	Class	Set in
[CieSettings] ExportOutputFormatHandlers[utf8]	bccieExportFormatOutputHandlerUtf8	extension/bccie/settings/cie.ini.append.php:90
[CieSettings] ExportOutputFormatHandlers[utf8bom]	bccieExportFormatOutputHandlerUtf8Bom	extension/bccie/settings/cie.ini.append.php:91
[CieSettings] ExportOutputFormatHandlers[utf16le]	bccieExportFormatOutputHandlerUtf16Le	extension/bccie/settings/cie.ini.append.php:92
[CieSettings] ExportOutputFormatHandlers[cp1252]	bccieExportFormatOutputHandlerCP1252	extension/bccie/settings/cie.ini.append.php:93
[ezboolean] HandlerClass	eZBooleanHandler	extension/bccie/settings/export.ini:31
[ezcountry] HandlerClass	eZCountryHandler	extension/bccie/settings/export.ini:35
[ezdate] HandlerClass	eZDateHandler	extension/bccie/settings/export.ini:39
[ezdatetime] HandlerClass	eZDateTimeHandler	extension/bccie/settings/export.ini:43
[ezemail] HandlerClass	eZEmailHandler	extension/bccie/settings/export.ini:47
[ezenhancedobjectrelation] HandlerClass	ezenhancedobjectrelationHandler	extension/bccie/settings/export.ini:51
[ezfloat] HandlerClass	eZFloatHandler	extension/bccie/settings/export.ini:58
[ezidentifier] HandlerClass	eZIdentifierHandler	extension/bccie/settings/export.ini:62

Setting	Class	Set in
[ezinteger] HandlerClass	eZIntegerHandler	extension/bccie/settings/export.ini:66
[ezobjectrelation] HandlerClass	eZObjectRelationHandler	extension/bccie/settings/export.ini:70
[ezoption] HandlerClass	eZOptionHandler	extension/bccie/settings/export.ini:77
[ezselection] HandlerClass	eZSelectionHandler	extension/bccie/settings/export.ini:81
[ezstring] HandlerClass	eZStringHandler	extension/bccie/settings/export.ini:85
[eztext] HandlerClass	eZTextHandler	extension/bccie/settings/export.ini:89
[eztime] HandlerClass	eZTimeHandler	extension/bccie/settings/export.ini:93
[ezurl] HandlerClass	eZURLHandler	extension/bccie/settings/export.ini:97
[ezxmltext] HandlerClass	eZXMLTextHandler	extension/bccie/settings/export.ini:101
[owenhancedselection] HandlerClass	OWEnhancedSelectionHandler	extension/bccie/settings/export.ini:105
[smileobjectrelationlist] HandlerClass	smileobjectrelationlistHandler	extension/bccie/settings/export.ini:109
[ezbirthday] HandlerClass	eZBirthdayHandler	extension/bccie/settings/export.ini:113
[ezstring] HandlerClass	eZStringHandler	extension/bccie/settings/export.ini.append.php:32
[ezinteger] HandlerClass	eZIntegerHandler	extension/bccie/settings/export.ini.append.php:36
[ezxmltext] HandlerClass	eZXMLTextHandler	extension/bccie/settings/export.ini.append.php:40
[ezboolean] HandlerClass	eZBooleanHandler	extension/bccie/settings/export.ini.append.php:44
[ezidentifier] HandlerClass	eZIdentifierHandler	extension/bccie/settings/export.ini.append.php:48
[ezfloat] HandlerClass	eZFloatHandler	extension/bccie/settings/export.ini.append.php:52
[ezemail] HandlerClass	eZEmailHandler	extension/bccie/settings/export.ini.append.php:56
[ezurl] HandlerClass	eZURLHandler	extension/bccie/settings/export.ini.append.php:60
[eztext] HandlerClass	eZTextHandler	extension/bccie/settings/export.ini.append.php:64
[ezenhancedobjectrelation] HandlerClass	ezenhancedobjectrelationHandler	extension/bccie/settings/export.ini.append.php:68

Setting	Class	Set in
[ezselection] HandlerClass	eZSelectionHandler	extension/bccie/settings/export.ini.append.php:75
[ezoption] HandlerClass	eZOptionHandler	extension/bccie/settings/export.ini.append.php:79
[ezcountry] HandlerClass	eZCountryHandler	extension/bccie/settings/export.ini.append.php:83
[ezdatetime] HandlerClass	eZDateTimeHandler	extension/bccie/settings/export.ini.append.php:87
[eztime] HandlerClass	eZTimeHandler	extension/bccie/settings/export.ini.append.php:91
[ezdate] HandlerClass	eZDateHandler	extension/bccie/settings/export.ini.append.php:95
[smileobjectrelationlist] HandlerClass	smileobjectrelationlistHandler	extension/bccie/settings/export.ini.append.php:99
[ezbirthday] HandlerClass	eZBirthdayExportHandler	extension/bccie/settings/export.ini.append.php:103
[JobType_bccie.export] Handler	expKernelTransferQueueHandler	extension/bccie/settings/expqueue.ini.append.php:9
[Service_transfer.bccie] Class	expKernelTransferTool	extension/bccie/settings/kernelservices.ini.append.php:9

extension/birthday (1)

Setting	Class	Set in
[ezbirthday] HandlerClass	eZBirthdayCsvHandler	extension/birthday/settings/csv.ini.append.php:19

extension/cjw_newsletter (21)

Setting	Class	Set in
[AuditEventSettings] Branches[cjw_newsletter]	cjwNewsletterAuditBranch	extension/cjw_newsletter/settings/audit.ini.append.php:6
[NewsletterFilterSettings] AvailableFilterTypeClassArray[]	CjwNewsletterFilterTypeSalutation	extension/cjw_newsletter/settings/cjw_newsletter.ini:128
[NewsletterFilterSettings] AvailableFilterTypeClassArray[]	CjwNewsletterFilterTypeEmail	extension/cjw_newsletter/settings/cjw_newsletter.ini:129
[ExtensionPointSettings] Handlers[]	CjwNewsletterDeliverabilityHooks	extension/cjw_newsletter/settings/cjw_newsletter.ini:186
[ExtensionPointSettings] Handlers[]	CjwNewsletterEditorialHooks	extension/cjw_newsletter/settings/cjw_newsletter.ini:256
[ScheduleSettings] ConditionHandlers[]	CjwNewsletterScheduleConditionNewArticles	extension/cjw_newsletter/settings/cjw_newsletter.ini:269

Setting	Class	Set in
[ExtensionPointSettings] Handlers[]	CjwNewsletterRenderingHooks	extension/cjw_newsletter/settings/cjw_newsletter.ini:306
[ExtensionPointSettings] Handlers[]	CjwNewsletterStatisticsHooks	extension/cjw_newsletter/settings/cjw_newsletter.ini:381
[ExtensionPointSettings] Handlers[]	CjwNewsletterSmsHooks	extension/cjw_newsletter/settings/cjw_newsletter.ini:423
[SmsTransport_file] Class	CjwNewsletterSmsTransportFile	extension/cjw_newsletter/settings/cjw_newsletter.ini:469
[SmsTransport_http] Class	CjwNewsletterSmsTransportHttp	extension/cjw_newsletter/settings/cjw_newsletter.ini:481
[SmsTransport_twilio] Class	CjwNewsletterSmsTransportTwilio	extension/cjw_newsletter/settings/cjw_newsletter.ini:504
[ExtensionPointSettings] Handlers[]	CjwNewsletterImportExportHooks	extension/cjw_newsletter/settings/cjw_newsletter.ini:513
[CjwNewsletterListFilter] ClassName	CjwNewsletterListFilter	extension/cjw_newsletter/settings/extendedattributefilter.ini.append.php:23
[CjwNewsletterEditionFilter] ClassName	CjwNewsletterEditionFilter	extension/cjw_newsletter/settings/extendedattributefilter.ini.append.php:34
[Service_transfer.newsletter] Class	expKernelTransferTool	extension/cjw_newsletter/settings/kernelservices.ini.append.php:10
[Category_newsletter] HandlerClass	CjwNewsletterMailCategoryHandler	extension/cjw_newsletter/settings/mailpreferences.ini.append.php:8
[SuppressionSettings] Listeners[]	CjwNewsletterMailPreferences	extension/cjw_newsletter/settings/mailpreferences.ini.append.php:13
[BounceSettings] MessageListeners[]	CjwNewsletterMailin	extension/cjw_newsletter/settings/mailpreferences.ini.append.php:24
[Category_newsletter_statistics] HandlerClass	CjwNewsletterStatisticsCategoryHandler	extension/cjw_newsletter/settings/mailpreferences.ini.append.php:35
[Category_sms] HandlerClass	CjwNewsletterSmsCategoryHandler	extension/cjw_newsletter/settings/mailpreferences.ini.append.php:49

extension/cjw_themes_jumper (2)

Setting	Class	Set in
[cjwImagine] Handler	cjwJumperImagineImageFactory	extension/cjw_themes_jumper/settings/image.ini.append.php:40
[BlockDefinition_ezcontent_field] Handler	expLayoutsTitleBlockHandler	extension/cjw_themes_jumper/settings/siteaccess/cjw_starter/explayouts.ini.append.php:50

extension/cjw_tmv (1)

Setting	Class	Set in
[BlockDefinition_tmv_events] Handler	cjwTmvEventsBlockHandler	extension/cjw_tmv/settings/siteaccess/cjw_starter/explayouts.ini.append.php:10

extension/enhancedselection2 (1)

Setting	Class	Set in
[SolrFieldMapSettings] CustomMap[sckenhancedselection]	ezfSolrDocumentFieldSckEnhancedSelection	extension/enhancedselection2/settings/ezfind.ini.append.php:4

extension/expai (69)

Setting	Class	Set in
[AuditEventSettings] Branches[expai]	expAiAuditBranch	extension/expai/settings/audit.ini.append.php:12
[AuditSourceSettings] Sources[expai]	expAiAuditSource	extension/expai/settings/audit.ini.append.php:28
[Tool_get_node] Class	expAiToolGetNode	extension/expai/settings/expai.ini.append.php:670
[Tool_list_children] Class	expAiToolListChildren	extension/expai/settings/expai.ini.append.php:673
[Tool_get_tree_context] Class	expAiToolGetTreeContext	extension/expai/settings/expai.ini.append.php:676
[Tool_list_creatable_classes] Class	expAiToolListCreatableClasses	extension/expai/settings/expai.ini.append.php:679
[Tool_get_class_definition] Class	expAiToolGetClassDefinition	extension/expai/settings/expai.ini.append.php:682
[Tool_search_content] Class	expAiToolSearchContent	extension/expai/settings/expai.ini.append.php:685
[Tool_create_draft] Class	expAiToolCreateDraft	extension/expai/settings/expai.ini.append.php:688
[Tool_update_draft] Class	expAiToolUpdateDraft	extension/expai/settings/expai.ini.append.php:691
[QueueSettings] Appliers[chain]	expAiChainApplier	extension/expai/settings/expai.ini.append.php:719
[ChainSettings] TranslateHandler	expAiChainTranslateSync	extension/expai/settings/expai.ini.append.php:739
[FieldAction_write] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:860
[FieldAction_rewrite] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:869
[FieldAction_shorten] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:878

Setting	Class	Set in
[FieldAction_translate] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:886
[FieldAction_suggest] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:895
[QueueSettings] Appliers[vector_plan_item]	expAiPlanItemApplier	extension/expai/settings/expai.ini.append.php:1328
[Tool_web_fetch] Class	expAiToolWebFetch	extension/expai/settings/expai.ini.append.php:1358
[Tool_web_search] Class	expAiToolWebSearch	extension/expai/settings/expai.ini.append.php:1361
[Tool_project_history] Class	expAiToolProjectHistory	extension/expai/settings/expai.ini.append.php:1364
[SearchProvider_brave] Class	expAiWebSearchBrave	extension/expai/settings/expai.ini.append.php:1400
[DiffSettings] Segmenters[ezstring]	expAiSegmenterString	extension/expai/settings/expai.ini.append.php:1451
[DiffSettings] Segmenters[ezemail]	expAiSegmenterString	extension/expai/settings/expai.ini.append.php:1452
[DiffSettings] Segmenters[ezisbn]	expAiSegmenterString	extension/expai/settings/expai.ini.append.php:1453
[DiffSettings] Segmenters[eztext]	expAiSegmenterText	extension/expai/settings/expai.ini.append.php:1454
[DiffSettings] Segmenters[ezxmltext]	expAiSegmenterRichText	extension/expai/settings/expai.ini.append.php:1455
[DiffSettings] Segmenters[ezrichtext]	expAiSegmenterRichText	extension/expai/settings/expai.ini.append.php:1456
[DiffSettings] Segmenters[ezkeyword]	expAiSegmenterKeyword	extension/expai/settings/expai.ini.append.php:1457
[DiffSettings] FallbackSegmenter	expAiSegmenterGeneric	extension/expai/settings/expai.ini.append.php:1458
[QueueSettings] Appliers[translation_sync]	expAiTranslationSyncApplier	extension/expai/settings/expai.ini.append.php:1515
[FieldAction_alt_text] Handler	expAiAltTextFieldAction	extension/expai/settings/expai.ini.append.php:1531
[FieldAction_preset_title] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1640
[FieldAction_preset_summary] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1648
[FieldAction_preset_meta_description] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1657
[FieldAction_preset_keywords] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1666
[FieldAction_improve_shorten] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1675

Setting	Class	Set in
[FieldAction_improve_expand] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1681
[FieldAction_improve_clarify] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1687
[FieldAction_improve_grammar] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1693
[FieldAction_improve_simplify] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1699
[FieldAction_improve_formal] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1705
[FieldAction_improve_casual] Handler	expAiPromptFieldAction	extension/expai/settings/expai.ini.append.php:1711
[JobType_expai.request] Handler	expAiRequestHandler	extension/expai/settings/expqueue.ini.append.php:9
[JobType_expai.batch.submit] Handler	expAiBatchSubmitHandler	extension/expai/settings/expqueue.ini.append.php:19
[JobType_expai.batch.poll] Handler	expAiBatchPollHandler	extension/expai/settings/expqueue.ini.append.php:29
[JobType_expai.thread.turn] Handler	expAiThreadTurnHandler	extension/expai/settings/expqueue.ini.append.php:63
[JobType_expai.thread.item] Handler	expAiThreadItemHandler	extension/expai/settings/expqueue.ini.append.php:74
[JobType_expai.translation.check] Handler	expAiTranslationCheckHandler	extension/expai/settings/expqueue.ini.append.php:85
[JobType_expai.alttext] Handler	expAiAltTextJobHandler	extension/expai/settings/expqueue.ini.append.php:97
[JobType_expai.model.test] Handler	expAiModelTestHandler	extension/expai/settings/expqueue.ini.append.php:110
[JobType_expai.exchange.rates] Handler	expAiExchangeRatesHandler	extension/expai/settings/expqueue.ini.append.php:120
[ezjscServer_expai] Class	expAiServerFunctions	extension/expai/settings/ezjscore.ini.append.php:11
[ezjscServer_expaivector] Class	expAiVectorServerFunctions	extension/expai/settings/ezjscore.ini.append.php:17
[ezjscServer_expaitranslation] Class	expAiTranslationSyncServerFunctions	extension/expai/settings/ezjscore.ini.append.php:24
[ezjscServer_expaialttext] Class	expAiAltTextServerFunctions	extension/expai/settings/ezjscore.ini.append.php:31
[ezjscServer_expaipreset] Class	expAiPresetServerFunctions	extension/expai/settings/ezjscore.ini.append.php:37
[ezjscServer_expaimodel] Class	expAiModelServerFunctions	extension/expai/settings/ezjscore.ini.append.php:43
[ezjscServer_expairevert] Class	expAiDraftRevertServerFunctions	extension/expai/settings/ezjscore.ini.append.php:50

Setting	Class	Set in
[ezjscServer_expaiwatch] Class	expAiRunWatch	extension/expai/settings/ezjscore.ini.append.php:56
[Registry_expai_provider_types] Implements	expAiProvider	extension/expai/settings/rad.ini.append.php:35
[Registry_expai_batch_apis] Implements	expAiBatchApi	extension/expai/settings/rad.ini.append.php:61
[Registry_expai_tools] Entries[Class]	expAiTool	extension/expai/settings/rad.ini.append.php:79
[Registry_expai_search_providers] Entries[Class]	expAiWebSearchProvider	extension/expai/settings/rad.ini.append.php:88
[Registry_expai_field_actions] Entries[Handler]	expAiFieldAction	extension/expai/settings/rad.ini.append.php:145
[Registry_expai_presets] Entries[Handler]	expAiFieldAction	extension/expai/settings/rad.ini.append.php:156
[Registry_expai_appliers] Entries[Appliers]	expAiRequestApplier	extension/expai/settings/rad.ini.append.php:165
[Registry_expai_segmenters] Entries[Segmenters]	expAiSegmenter	extension/expai/settings/rad.ini.append.php:174
[Registry_expai_segmenters] Entries[FallbackSegmenter]	expAiSegmenter	extension/expai/settings/rad.ini.append.php:175

extension/expchangeclass (3)

Setting	Class	Set in
[ezstring] Class	expChangeClassConverters	extension/expchangeclass/settings/changeclass.ini.append.php:39
[eztext] Class	expChangeClassConverters	extension/expchangeclass/settings/changeclass.ini.append.php:48
[ezobjectrelationlist] Class	expChangeClassConverters	extension/expchangeclass/settings/changeclass.ini.append.php:55

extension/explayouts (85)

Setting	Class	Set in
[ReverseRelationSettings] ProviderClassList[]	expLayoutsReverseRelationProvider	extension/explayouts/settings/content.ini.append.php:6
[Panel_explayouts] Class	expLayoutsDebugBarPanel	extension/explayouts/settings/debugbar.ini.append.php:10
[BlockDefinition_two_columns] Handler	expLayoutsContainerBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:61
[BlockDefinition_column] Handler	expLayoutsContainerBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:77
[BlockDefinition_tpl_block] Handler	expLayoutsTplBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:85

Setting	Class	Set in
[BlockDefinition_text] Handler	expLayoutsTextBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:92
[BlockDefinition_title] Handler	expLayoutsTitleBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:99
[BlockDefinition_html] Handler	expLayoutsHtmlBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:107
[BlockDefinition_rich_text] Handler	expLayoutsRichTextBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:114
[BlockDefinition_image] Handler	expLayoutsImageBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:121
[BlockDefinition_list] Handler	expLayoutsListBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:130
[BlockDefinition_single] Handler	expLayoutsSingleBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:148
[BlockDefinition_button] Handler	expLayoutsButtonBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:155
[BlockDefinition_spacer] Handler	expLayoutsSpacerBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:165
[BlockDefinition_divider] Handler	expLayoutsDividerBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:171
[BlockDefinition_card] Handler	expLayoutsCardBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:177
[BlockDefinition_accordion] Handler	expLayoutsAccordionBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:188
[BlockDefinition_tabs] Handler	expLayoutsTabsBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:195
[BlockDefinition_grid] Handler	expLayoutsGridBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:202
[BlockDefinition_gallery] Handler	expLayoutsGalleryBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:209
[BlockDefinition_slider] Handler	expLayoutsGalleryBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:231
[BlockDefinition_thumb_gallery] Handler	expLayoutsGalleryBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:247
[BlockDefinition_grid_gallery] Handler	expLayoutsGalleryBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:263
[BlockDefinition_sushi_bar] Handler	expLayoutsGalleryBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:279
[BlockDefinition_list_zigzag] Handler	expLayoutsListBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:295
[BlockDefinition_list_accordion] Handler	expLayoutsListBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:302
[BlockDefinition_quote] Handler	expLayoutsQuoteBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:309

Setting	Class	Set in
[BlockDefinition_alert] Handler	expLayoutsAlertBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:318
[BlockDefinition_video] Handler	expLayoutsVideoBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:325
[BlockDefinition_badge] Handler	expLayoutsBadgeBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:335
[BlockDefinition_progress] Handler	expLayoutsProgressBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:343
[BlockDefinition_map] Handler	expLayoutsMapBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:351
[BlockDefinition_carousel] Handler	expLayoutsCarouselBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:363
[BlockDefinition_markdown] Handler	expLayoutsMarkdownBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:370
[BlockDefinition_full_view] Handler	expLayoutsFullViewBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:377
[BlockDefinition_hero] Handler	expLayoutsComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:386
[BlockDefinition_about] Handler	expLayoutsComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:398
[BlockDefinition_features] Handler	expLayoutsFeaturesBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:410
[BlockDefinition_lead] Handler	expLayoutsComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:423
[BlockDefinition_logos] Handler	expLayoutsGalleryBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:435
[BlockDefinition_three_columns] Handler	expLayoutsContainerBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:442
[BlockDefinition_four_columns] Handler	expLayoutsContainerBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:460
[BlockDefinition_exp_component_hero] Handler	expLayoutsContentComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:485
[BlockDefinition_exp_component_features] Handler	expLayoutsContentComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:494
[BlockDefinition_exp_component_about] Handler	expLayoutsContentComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:507
[BlockDefinition_exp_component_logos] Handler	expLayoutsContentComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:518
[BlockDefinition_exp_component_quote] Handler	expLayoutsContentComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:526
[BlockDefinition_exp_component_lead] Handler	expLayoutsContentComponentBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:533
[QueryType_children] Handler	expLayoutsChildrenQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:555

Setting	Class	Set in
[QueryType_parent] Handler	expLayoutsParentQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:559
[QueryType_subtree] Handler	expLayoutsSubtreeQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:563
[QueryType_siblings] Handler	expLayoutsSiblingsQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:567
[QueryType_latest] Handler	expLayoutsLatestQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:571
[QueryType_random] Handler	expLayoutsRandomQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:575
[QueryType_manual] Handler	expLayoutsManualQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:579
[QueryType_exp_content_relation_list] Handler	expLayoutsRelationListQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:583
[QueryType_exp_content_reverse_relation_list] Handler	expLayoutsReverseRelationListQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:587
[QueryType_exp_content_tags] Handler	expLayoutsTagsQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:591
[QueryType_exponential_content_search] Handler	expLayoutsExponentialContentSearchQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:595
[QueryType_content_by_topic] Handler	expLayoutsContentByTopicQueryHandler	extension/explayouts/settings/explayouts.ini.append.php:599
[BlockDefinition_admin_logo] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:632
[BlockDefinition_admin_search] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:639
[BlockDefinition_admin_theme_switch] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:646
[BlockDefinition_admin_menu_button] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:653
[BlockDefinition_admin_sidebar_controls] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:660
[BlockDefinition_admin_sidebar_toggles] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:669
[BlockDefinition_admin_tab_menu] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:676
[BlockDefinition_admin_left_menu] Handler	expLayoutsAdminLeftMenuBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:683
[BlockDefinition_admin_content_tree] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:690
[BlockDefinition_admin_clear_cache] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:697
[BlockDefinition_admin_bookmarks] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:704

Setting	Class	Set in
[BlockDefinition_admin_ui_switch] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:711
[BlockDefinition_admin_current_user] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:718
[BlockDefinition_admin_preferences] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:725
[BlockDefinition_admin_quick_settings] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:732
[BlockDefinition_admin_toolbar_right] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:739
[BlockDefinition_admin_toolbar_developer] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:746
[BlockDefinition_admin_breadcrumb] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:753
[BlockDefinition_admin_module_result] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:760
[BlockDefinition_admin_footer] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:767
[BlockDefinition_admin_popup_menu] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:774
[BlockDefinition_admin_overlay] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:781
[BlockDefinition_admin_debug_area] Handler	expLayoutsAdminPartBlockHandler	extension/explayouts/settings/explayouts.ini.append.php:788
[ezjscServer_expajaxloadmore] Class	expLayoutsAjaxLoadMoreServer	extension/explayouts/settings/ezjscore.ini.append.php:7
[OutputSettings] HandlerClass	ExplBlockXHTMLXMLOutput	extension/explayouts/settings/ezxml.ini.append.php:4

extension/explayouts_content_browser_core (1)

Setting	Class	Set in
[explayouts_content_browser_search] ClassName	expLayoutsContentBrowserCoreSearchFilter	extension/explayouts_content_browser_core/settings/extendedattributefilter.ini.append.php:7

extension/explayouts_core (1)

Setting	Class	Set in
[AuditEventSettings] Branches[explayouts_core]	expLayoutsCoreAuditBranch	extension/explayouts_core/settings/audit.ini.append.php:6

extension/expqueue (5)

Setting	Class	Set in
[AuditEventSettings] Branches[expqueue]	expQueueAuditBranch	extension/expqueue/settings/audit.ini.append.php:5
[JobType_expqueue.noop] Handler	expQueueNoopHandler	extension/expqueue/settings/expqueue.ini.append.php:167
[JobType_expqueue.sleep] Handler	expQueueSleepHandler	extension/expqueue/settings/expqueue.ini.append.php:173
[JobType_expqueue.fail] Handler	expQueueFailHandler	extension/expqueue/settings/expqueue.ini.append.php:178
[Registry_expqueue_job_types] Entries[Handler]	expQueueHandler	extension/expqueue/settings/rad.ini.append.php:21

extension/expservices (69)

Setting	Class	Set in
[AuditEventSettings] Branches[expservices]	expServicesAuditBranch	extension/expservices/settings/audit.ini.append.php:5
[ezjscServer_expservices] Class	expServicesCatalog	extension/expservices/settings/ezjscore.ini.append.php:7
[ezjscServer_expsession] Class	expSessionServices	extension/expservices/settings/ezjscore.ini.append.php:10
[ezjscServer_expsystem] Class	expSystemServices	extension/expservices/settings/ezjscore.ini.append.php:13
[ezjscServer_expini] Class	expIniServices	extension/expservices/settings/ezjscore.ini.append.php:16
[ezjscServer_expcache] Class	expCacheServices	extension/expservices/settings/ezjscore.ini.append.php:19
[ezjscServer_expcronjob] Class	expCronjobServices	extension/expservices/settings/ezjscore.ini.append.php:22
[ezjscServer_expextension] Class	expExtensionServices	extension/expservices/settings/ezjscore.ini.append.php:25
[ezjscServer_exppackage] Class	expPackageServices	extension/expservices/settings/ezjscore.ini.append.php:28
[ezjscServer_expworkflow] Class	expWorkflowServices	extension/expservices/settings/ezjscore.ini.append.php:31
[ezjscServer_expvelocity] Class	expVelocityServices	extension/expservices/settings/ezjscore.ini.append.php:34
[ezjscServer_exprad] Class	expRadServices	extension/expservices/settings/ezjscore.ini.append.php:37
[ezjscServer_expdebug] Class	expDebugServices	extension/expservices/settings/ezjscore.ini.append.php:40
[ezjscServer_expuser] Class	expUserServices	extension/expservices/settings/ezjscore.ini.append.php:44

Setting	Class	Set in
[ezjscServer_expusergroup] Class	expUserGroupServices	extension/expservices/settings/ezjscore.ini.append.php:47
[ezjscServer_exprole] Class	expRoleServices	extension/expservices/settings/ezjscore.ini.append.php:50
[ezjscServer_exppolicy] Class	expPolicyServices	extension/expservices/settings/ezjscore.ini.append.php:53
[ezjscServer_expsessionadmin] Class	expSessionAdminServices	extension/expservices/settings/ezjscore.ini.append.php:56
[ezjscServer_exppreferences] Class	expPreferencesServices	extension/expservices/settings/ezjscore.ini.append.php:59
[ezjscServer_expnotification] Class	expNotificationServices	extension/expservices/settings/ezjscore.ini.append.php:62
[ezjscServer_expcollaboration] Class	expCollaborationServices	extension/expservices/settings/ezjscore.ini.append.php:65
[ezjscServer_expbookmark] Class	expBookmarkServices	extension/expservices/settings/ezjscore.ini.append.php:68
[ezjscServer_expaccount] Class	expAccountServices	extension/expservices/settings/ezjscore.ini.append.php:71
[ezjscServer_expimage] Class	expImageServices	extension/expservices/settings/ezjscore.ini.append.php:75
[ezjscServer_expfile] Class	expFileServices	extension/expservices/settings/ezjscore.ini.append.php:78
[ezjscServer_expmedia] Class	expMediaServices	extension/expservices/settings/ezjscore.ini.append.php:81
[ezjscServer_exptags] Class	expTagsServices	extension/expservices/settings/ezjscore.ini.append.php:84
[ezjscServer_explayout] Class	expLayoutServices	extension/expservices/settings/ezjscore.ini.append.php:87
[ezjscServer_expaudit] Class	expAuditServices	extension/expservices/settings/ezjscore.ini.append.php:90
[ezjscServer_expsubitems_svc] Class	expSubitemsServices	extension/expservices/settings/ezjscore.ini.append.php:93
[ezjscServer_expnewsletter] Class	expNewsletterServices	extension/expservices/settings/ezjscore.ini.append.php:96
[ezjscServer_expsitemap] Class	expSitemapServices	extension/expservices/settings/ezjscore.ini.append.php:99
[ezjscServer_expstats] Class	expStatsServices	extension/expservices/settings/ezjscore.ini.append.php:102
[ezjscServer_expdesign] Class	expDesignServices	extension/expservices/settings/ezjscore.ini.append.php:105
[ezjscServer_explanguage] Class	expLanguageServices	extension/expservices/settings/ezjscore.ini.append.php:108
[ezjscServer_expurl] Class	expUrlServices	extension/expservices/settings/ezjscore.ini.append.php:111

Setting	Class	Set in
[ezjscServer_exppdf] Class	expPdfServices	extension/expservices/settings/ezjscore.ini.append.php:114
[ezjscServer_expproduct] Class	expProductServices	extension/expservices/settings/ezjscore.ini.append.php:118
[ezjscServer_expbasket] Class	expBasketServices	extension/expservices/settings/ezjscore.ini.append.php:121
[ezjscServer_exporder] Class	expOrderServices	extension/expservices/settings/ezjscore.ini.append.php:124
[ezjscServer_expvat] Class	expVatServices	extension/expservices/settings/ezjscore.ini.append.php:127
[ezjscServer_expcurrency] Class	expCurrencyServices	extension/expservices/settings/ezjscore.ini.append.php:130
[ezjscServer_expdiscount] Class	expDiscountServices	extension/expservices/settings/ezjscore.ini.append.php:133
[ezjscServer_expwishlist] Class	expWishlistServices	extension/expservices/settings/ezjscore.ini.append.php:136
[ezjscServer_expshipping] Class	expShippingServices	extension/expservices/settings/ezjscore.ini.append.php:139
[ezjscServer_exppayment] Class	expPaymentServices	extension/expservices/settings/ezjscore.ini.append.php:142
[ezjscServer_expinfocollection] Class	expInfoCollectionServices	extension/expservices/settings/ezjscore.ini.append.php:145
[ezjscServer_exppoll] Class	expPollServices	extension/expservices/settings/ezjscore.ini.append.php:148
[ezjscServer_expforum] Class	expForumServices	extension/expservices/settings/ezjscore.ini.append.php:151
[ezjscServer_exptopic] Class	expTopicServices	extension/expservices/settings/ezjscore.ini.append.php:154
[ezjscServer_expreply] Class	expReplyServices	extension/expservices/settings/ezjscore.ini.append.php:157
[ezjscServer_expcomment] Class	expCommentServices	extension/expservices/settings/ezjscore.ini.append.php:160
[ezjscServer_expfeed] Class	expFeedServices	extension/expservices/settings/ezjscore.ini.append.php:163
[ezjscServer_expnode] Class	expNodeServices	extension/expservices/settings/ezjscore.ini.append.php:167
[ezjscServer_expobject] Class	expObjectServices	extension/expservices/settings/ezjscore.ini.append.php:170
[ezjscServer_expclass] Class	expClassServices	extension/expservices/settings/ezjscore.ini.append.php:173
[ezjscServer_expclassgroup] Class	expClassGroupServices	extension/expservices/settings/ezjscore.ini.append.php:176
[ezjscServer_expattribute] Class	expAttributeServices	extension/expservices/settings/ezjscore.ini.append.php:179

Setting	Class	Set in
[ezjscServer_expversion] Class	expVersionServices	extension/expservices/settings/ezjscore.ini.append.php:182
[ezjscServer_exptranslation] Class	expTranslationServices	extension/expservices/settings/ezjscore.ini.append.php:185
[ezjscServer_exprelation] Class	expRelationServices	extension/expservices/settings/ezjscore.ini.append.php:188
[ezjscServer_explocation] Class	expLocationServices	extension/expservices/settings/ezjscore.ini.append.php:191
[ezjscServer_exptrash] Class	expTrashServices	extension/expservices/settings/ezjscore.ini.append.php:194
[ezjscServer_expsection] Class	expSectionServices	extension/expservices/settings/ezjscore.ini.append.php:197
[ezjscServer_expstate] Class	expStateServices	extension/expservices/settings/ezjscore.ini.append.php:200
[ezjscServer_expurlalias] Class	expUrlAliasServices	extension/expservices/settings/ezjscore.ini.append.php:203
[ezjscServer_expsearch] Class	expSearchServices	extension/expservices/settings/ezjscore.ini.append.php:206
[ezjscServer_expcontentjob] Class	expContentJobServices	extension/expservices/settings/ezjscore.ini.append.php:209
[ezjscServer_expeditor] Class	expEditorServices	extension/expservices/settings/ezjscore.ini.append.php:212

extension/expui (1)

Setting	Class	Set in
[ezjscServer_exp] Class	expUIServerFunctions	extension/expui/settings/ezjscore.ini.append.php:5

extension/exp_oe_tiptap (3)

Setting	Class	Set in
[ezjscServer_expoetiptap] Class	expOETiptapServerFunctions	extension/exp_oe_tiptap/settings/ezjscore.ini.append.php:7
[EditorSettings] Engines[tiptap]	expOETiptapEngine	extension/exp_oe_tiptap/settings/ezoe.ini.append.php:8
[InputSettings] AliasClasses[eZSimplifiedXMLInput]	expOETiptapXMLInput	extension/exp_oe_tiptap/settings/ezxml.ini.append.php:7

extension/ezautosave (1)

Setting	Class	Set in

Setting	Class	Set in
[ezjscServer_ezautosave] Class	ezjscServerFunctionsAutosave	extension/ezautosave/settings/ezjscore.ini.append.php:4

extension/ezfind (8)

Setting	Class	Set in
[SolrFieldMapSettings] CustomMap[dummy_example]	ezfSolrDocumentFieldDummyExample	extension/ezfind/settings/ezfind.ini:118
[SolrFieldMapSettings] CustomMap[ezobjectrelation]	ezfSolrDocumentFieldObjectRelation	extension/ezfind/settings/ezfind.ini:119
[SolrFieldMapSettings] CustomMap[ezobjectrelationlist]	ezfSolrDocumentFieldObjectRelation	extension/ezfind/settings/ezfind.ini:120
[SolrFieldMapSettings] CustomMap[ezxmltext]	ezfSolrDocumentFieldXML	extension/ezfind/settings/ezfind.ini:121
[SolrFieldMapSettings] CustomMap[ezmatrix]	ezfSolrDocumentFieldXML	extension/ezfind/settings/ezfind.ini:122
[ExtendedAttributeFilters] FiltersList[geodist]	eZFindGeoDistExtendedAttributeFilter	extension/ezfind/settings/ezfind.ini:337
[ExtendedAttributeFilters] FiltersList[ezfindallwords]	eZFindAllWordsExtendedAttributeFilter	extension/ezfind/settings/ezfind.ini:341
[ezjscServer_ezfind] Class	eZFindServerCallFunctions	extension/ezfind/settings/ezjscore.ini.append.php:4

extension/ezflow (6)

Setting	Class	Set in
[Dynamic3Items] FetchClass	eZFlowLatestObjects	extension/ezflow/settings/block.ini:151
[Keyword] FetchClass	eZFlowKeywordsFetch	extension/ezflow/settings/block.ini:246
[MultimediaCarousel] FetchClass	eZFlowMCFetch	extension/ezflow/settings/block.ini:275
[LatestContent] FetchClass	eZFlowLatestContent	extension/ezflow/settings/block.ini:302
[ezjscServer_ezflow] Class	eZFlowServerCallFunctions	extension/ezflow/settings/ezjscore.ini.append.php:4
[HTTPCacheHandlers] Handlers[]	eZSquidCacheManager	extension/ezflow/settings/http.ini:5

extension/ezgmaplocation (1)

Setting	Class	Set in
[ezgmlLocationFilter] ClassName	ezgmlLocationFilter	extension/ezgmaplocation/settings/extendedattributefilter.ini.append.php:5

extension/ezjscore (11)

Setting	Class	Set in
[eZJSCore] JavaScriptOptimizer[]	ezjscJavascriptOptimizer	extension/ezjscore/settings/ezjscore.ini:12
[eZJSCore] CssOptimizer[]	ezjscCssOptimizer	extension/ezjscore/settings/ezjscore.ini:15
[ezjscServer_ezjsc] Class	ezjscServerFunctionsJs	extension/ezjscore/settings/ezjscore.ini:116
[ezjscServer_ezjscnode] Class	ezjscServerFunctionsNode	extension/ezjscore/settings/ezjscore.ini:122
[ezjscServer_expsubitems] Class	expSubitemsServerFunctions	extension/ezjscore/settings/ezjscore.ini:149
[ezjscServer_expdebugbar] Class	expDebugBarServerFunctions	extension/ezjscore/settings/ezjscore.ini:167
[ezjscServer_ezpublishingqueue] Class	ezjscServerFunctionsPublishingQueue	extension/ezjscore/settings/ezjscore.ini:178
[ezjscServer_ezajaxuploader] Class	ezjscServerFunctionsAjaxUploader	extension/ezjscore/settings/ezjscore.ini:181
[AjaxUploader] AjaxUploadHandler[ezobjectrelationlist]	ezpRelationListAjaxUploader	extension/ezjscore/settings/ezjscore.ini:190
[AjaxUploader] AjaxUploadHandler[ezobjectrelation]	ezpRelationAjaxUploader	extension/ezjscore/settings/ezjscore.ini:191
[Cache_ezjscore] class	ezjscCacheManager	extension/ezjscore/settings/site.ini.append.php:41

extension/ezodf (14)

Setting	Class	Set in
[JobType_ezodf.install] Handler	expOdfQueueHandler	extension/ezodf/settings/expqueue.ini.append.php:5
[JobType_ezodf.server] Handler	expOdfQueueHandler	extension/ezodf/settings/expqueue.ini.append.php:12
[JobType_ezodf.test] Handler	expOdfQueueHandler	extension/ezodf/settings/expqueue.ini.append.php:19
[JobType_ezodf.import] Handler	expOdfQueueHandler	extension/ezodf/settings/expqueue.ini.append.php:26
[JobType_ezodf.export] Handler	expOdfQueueHandler	extension/ezodf/settings/expqueue.ini.append.php:33
[RESTSettings] HandlerList[]	eZRESTODFHandler	extension/ezodf/settings/ezrest.ini.append.php:4
[Service_transfer.ezodf] Class	expKernelTransferTool	extension/ezodf/settings/kernelservices.ini.append.php:9

Setting	Class	Set in
[Source_documents] Class	expOdfImportDocumentSource	extension/ezodf/settings/sqliimport.ini.append.php:16
[Source_document_urls] Class	expOdfImportDocumentUrlsSource	extension/ezodf/settings/sqliimport.ini.append.php:19
[Source_document_feed] Class	expOdfImportDocumentFeedSource	extension/ezodf/settings/sqliimport.ini.append.php:22
[Source_webdav] Class	expOdfImportWebdavSource	extension/ezodf/settings/sqliimport.ini.append.php:25
[Source_google_drive] Class	expOdfImportGoogleDriveSource	extension/ezodf/settings/sqliimport.ini.append.php:28
[Source_onedrive] Class	expOdfImportOneDriveSource	extension/ezodf/settings/sqliimport.ini.append.php:31
[Source_mailbox_documents] Class	expOdfImportMailboxDocumentsSource	extension/ezodf/settings/sqliimport.ini.append.php:34

extension/ezoe (7)

Setting	Class	Set in
[AuditEventSettings] Branches[ezoe]	expOEAuditBranch	extension/ezoe/settings/audit.ini.append.php:6
[ezjscServer_ezoe] Class	ezoeServerFunctions	extension/ezoe/settings/ezjscore.ini.append.php:6
[EditorSettings] Engines[tinymce3]	expOETinyMCE3Engine	extension/ezoe/settings/ezoe.ini:30
[EditorSettings] Engines[tinymce8]	expOETinyMCE8Engine	extension/ezoe/settings/ezoe.ini:31
[SpellChecker] config[general.engine]	GoogleSpell	extension/ezoe/settings/ezoe.ini:336
[InputSettings] AliasClasses[eZSimplifiedXMLInput]	eZOEXMLInput	extension/ezoe/settings/ezxml.ini.append.php:11
[Registry_ezoeengines] Entries[Engines]	expOEEditorEngine	extension/ezoe/settings/rad.ini.append.php:17

extension/ezoracle (3)

Setting	Class	Set in
[SchemaSettings] SchemaHandlerClasses[oracle]	eZOracleSchema	extension/ezoracle/settings/dbschema.ini.append.php:4
[DatabaseSettings] ImplementationAlias[oracle]	eZOracleDB	extension/ezoracle/settings/site.ini.append.php:3
[DatabaseSettings] ImplementationAlias[ezoracle]	eZOracleDB	extension/ezoracle/settings/site.ini.append.php:4

extension/ezownerchange (1)

Setting	Class	Set in
[AuditEventSettings] Branches[ezownerchange]	expOwnerChangeAuditBranch	extension/ezownerchange/settings/audit.ini.append.php:6

extension/ezprestapi (2)

Setting	Class	Set in
[ApiProvider] ProviderClass[ezp]	ezp7xRestApiProvider	extension/ezprestapi/settings/rest.ini.append.php:8
[ApiProvider] ProviderClass[ezpl]	ezp7xRestApiProvider	extension/ezprestapi/settings/rest.ini.append.php:9

extension/ezprestapiprovider (2)

Setting	Class	Set in
[ApiProvider] ProviderClass[ezp]	ezp7xRestApiProvider	extension/ezprestapiprovider/settings/rest.ini.append.php:7
[ApiProvider] ProviderClass[ezpl]	ezp7xRestApiProvider	extension/ezprestapiprovider/settings/rest.ini.append.php:8

extension/ezstarrating (2)

Setting	Class	Set in
[ezsrRatingFilter] ClassName	ezsrRatingFilter	extension/ezstarrating/settings/extendedattributefilter.ini.append.php:6
[ezjscServer_ezstarrating] Class	ezsrServerFunctions	extension/ezstarrating/settings/ezjscore.ini.append.php:11

extension/eztags (7)

Setting	Class	Set in
[TagsAttributeFilter] ClassName	eZTagsAttributeFilter	extension/eztags/settings/extendedattributefilter.ini.append.php:4
[TagsAttributeAndFilter] ClassName	eZTagsAttributeFilter	extension/eztags/settings/extendedattributefilter.ini.append.php:8
[TagsAttributeAndMultipleFilter] ClassName	eZTagsAttributeFilter	extension/eztags/settings/extendedattributefilter.ini.append.php:12
[TagsTreeAttributeFilter] ClassName	eZTagsTreeAttributeFilter	extension/eztags/settings/extendedattributefilter.ini.append.php:16
[SolrFieldMapSettings] CustomMap[eztags]	ezfSolrDocumentFieldeZTags	extension/eztags/settings/ezfind.ini.append.php:5
[ezjscServer_ezjsctags] Class	ezjscTags	extension/eztags/settings/ezjscore.ini.append.php:8

Setting	Class	Set in
[ezjscServer_ezjsctagschildren] Class	ezjscTagsChildren	extension/eztags/settings/ezjscore.ini.append.php:11

extension/ezurlmultisite (4)

Setting	Class	Set in
[DataTypeSettings] HandlerList[ezurl]	eZURLMultisiteURLHandler	extension/ezurlmultisite/settings/ezurlmultisite.ini:79
[DataTypeSettings] HandlerList[ezstring]	eZURLMultisiteURLHandler	extension/ezurlmultisite/settings/ezurlmultisite.ini:80
[DataTypeSettings] HandlerList[ezbinaryfile]	eZURLMultisiteBinaryFileHandler	extension/ezurlmultisite/settings/ezurlmultisite.ini:81
[DataTypeSettings] HandlerList[ezobjectrelation]	eZURLMultisiteObjectRelationHandler	extension/ezurlmultisite/settings/ezurlmultisite.ini:82

extension/ezwt (1)

Setting	Class	Set in
[ezjscServer_ezwt] Class	ezwtServerCallFunctions	extension/ezwt/settings/ezjscore.ini.append.php:4

extension/git_manager (1)

Setting	Class	Set in
[AuditEventSettings] Branches[git_manager]	gitManagerAuditBranch	extension/git_manager/settings/audit.ini.append.php:5

extension/sevenx_authentication_2fa (1)

Setting	Class	Set in
[SignInSecondFactorSettings] Handlers[]	sevenxAuthentication2faSignIn	extension/sevenx_authentication_2fa/settings/site.ini.append.php:23

extension/sevenx_themes_media (3)

Setting	Class	Set in
[BlockDefinition_product_highlight] Handler	expLayoutsListBlockHandler	extension/sevenx_themes_media/settings/explayouts.ini.append.php:16
[OutputSettings] HandlerClass	sevenxThemesMediaXHTMLXMLOutput	extension/sevenx_themes_media/settings/ezxml.ini.append.php:4
[ezjscServer_expajaxloadmore] Class	expLayoutsAjaxLoadMoreServer	extension/sevenx_themes_media/settings/siteaccess/site/ezjscore.ini.append.php:15

extension/sevenx_themes_simple (16)

Setting	Class	Set in
[eZJSCore] JavaScriptOptimizer[]	ezjscJavascriptOptimizer	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:12
[eZJSCore] CssOptimizer[]	ezjscCssOptimizer	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:15
[ezjscServer_ezjsc] Class	ezjscServerFunctionsJs	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:88
[ezjscServer_ezjscnode] Class	ezjscServerFunctionsNode	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:94
[ezjscServer_ezpublishingqueue] Class	ezjscServerFunctionsPublishingQueue	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:112
[ezjscServer_ezajaxuploader] Class	ezjscServerFunctionsAjaxUploader	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:115
[AjaxUploader] AjaxUploadHandler[ezobjectrelationlist]	ezpRelationListAjaxUploader	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:119
[AjaxUploader] AjaxUploadHandler[ezobjectrelation]	ezpRelationAjaxUploader	extension/sevenx_themes_simple/settings/siteaccess/sevenx_site_user/ezjscore.ini:120
[eZJSCore] JavaScriptOptimizer[]	ezjscJavascriptOptimizer	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:12
[eZJSCore] CssOptimizer[]	ezjscCssOptimizer	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:15
[ezjscServer_ezjsc] Class	ezjscServerFunctionsJs	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:88
[ezjscServer_ezjscnode] Class	ezjscServerFunctionsNode	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:94
[ezjscServer_ezpublishingqueue] Class	ezjscServerFunctionsPublishingQueue	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:112
[ezjscServer_ezajaxuploader] Class	ezjscServerFunctionsAjaxUploader	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:115
[AjaxUploader] AjaxUploadHandler[ezobjectrelationlist]	ezpRelationListAjaxUploader	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:119

Setting	Class	Set in
[AjaxUploader] AjaxUploadHandler[ezobjectrelation]	ezpRelationAjaxUploader	extension/sevenx_themes_simple/settings/siteaccess/site/ezjscore.ini:120

extension/sqliimport (135)

Setting	Class	Set in
[AuditEventSettings] Branches[sqliimport]	expImportAuditBranch	extension/sqliimport/settings/audit.ini.append.php:6
[JobType_sqliimport.run] Handler	expImportJobHandler	extension/sqliimport/settings/expqueue.ini.append.php:6
[JobType_sqliimport.chunk] Handler	expImportJobHandler	extension/sqliimport/settings/expqueue.ini.append.php:13
[JobType_sqliimport.finish] Handler	expImportJobHandler	extension/sqliimport/settings/expqueue.ini.append.php:20
[ezjscServer_sqliimport] Class	expImportServerFunctions	extension/sqliimport/settings/ezjscore.ini.append.php:10
[Service_sqliimport.registry] Class	expImportRegistry	extension/sqliimport/settings/kernelservices.ini.append.php:9
[Service_transfer.sqliimport] Class	expKernelTransferTool	extension/sqliimport/settings/kernelservices.ini.append.php:15
[Service_sqliimport.source.csv] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:108
[Service_sqliimport.source.csv] Arguments[]	expImportCsvSource	extension/sqliimport/settings/kernelservices.ini.append.php:110
[Service_sqliimport.source.tsv] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:116
[Service_sqliimport.source.tsv] Arguments[]	expImportCsvSource	extension/sqliimport/settings/kernelservices.ini.append.php:118
[Service_sqliimport.source.spreadsheet] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:125
[Service_sqliimport.source.spreadsheet] Arguments[]	expImportSpreadsheetSource	extension/sqliimport/settings/kernelservices.ini.append.php:127
[Service_sqliimport.source.json] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:133
[Service_sqliimport.source.json] Arguments[]	expImportJsonSource	extension/sqliimport/settings/kernelservices.ini.append.php:135
[Service_sqliimport.source.ndjson] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:141
[Service_sqliimport.source.ndjson] Arguments[]	expImportJsonSource	extension/sqliimport/settings/kernelservices.ini.append.php:143
[Service_sqliimport.source.avro] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:150

Setting	Class	Set in
[Service_sqliimport.source.avro] Arguments[]	expImportAvroSource	extension/sqliimport/settings/kernelservices.ini.append.php:152
[Service_sqliimport.source.arrow] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:158
[Service_sqliimport.source.arrow] Arguments[]	expImportArrowSource	extension/sqliimport/settings/kernelservices.ini.append.php:160
[Service_sqliimport.source.elasticsearch] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:166
[Service_sqliimport.source.elasticsearch] Arguments[]	expImportSearchSource	extension/sqliimport/settings/kernelservices.ini.append.php:168
[Service_sqliimport.source.duckdb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:174
[Service_sqliimport.source.duckdb] Arguments[]	expImportDuckDbSource	extension/sqliimport/settings/kernelservices.ini.append.php:176
[Service_sqliimport.source.google_sheets] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:182
[Service_sqliimport.source.google_sheets] Arguments[]	expImportGoogleSheetsSource	extension/sqliimport/settings/kernelservices.ini.append.php:184
[Service_sqliimport.source.yaml] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:190
[Service_sqliimport.source.yaml] Arguments[]	expImportYamlSource	extension/sqliimport/settings/kernelservices.ini.append.php:192
[Service_sqliimport.source.toml] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:198
[Service_sqliimport.source.toml] Arguments[]	expImportYamlSource	extension/sqliimport/settings/kernelservices.ini.append.php:200
[Service_sqliimport.source.xml] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:207
[Service_sqliimport.source.xml] Arguments[]	expImportXmlSource	extension/sqliimport/settings/kernelservices.ini.append.php:209
[Service_sqliimport.source.rss] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:216
[Service_sqliimport.source.rss] Arguments[]	expImportRssSource	extension/sqliimport/settings/kernelservices.ini.append.php:218
[Service_sqliimport.source.opml] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:224
[Service_sqliimport.source.opml] Arguments[]	expImportOpmlSource	extension/sqliimport/settings/kernelservices.ini.append.php:226
[Service_sqliimport.source.wxr] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:232
[Service_sqliimport.source.wxr] Arguments[]	expImportWxrSource	extension/sqliimport/settings/kernelservices.ini.append.php:234
[Service_sqliimport.source.markdown] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:240

Setting	Class	Set in
[Service_sqliimport.source.markdown] Arguments[]	expImportMarkdownSource	extension/sqliimport/settings/kernelservices.ini.append.php:242
[Service_sqliimport.source.podcast] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:248
[Service_sqliimport.source.podcast] Arguments[]	expImportRssSource	extension/sqliimport/settings/kernelservices.ini.append.php:250
[Service_sqliimport.source.video_feed] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:257
[Service_sqliimport.source.video_feed] Arguments[]	expImportRssSource	extension/sqliimport/settings/kernelservices.ini.append.php:259
[Service_sqliimport.source.imap] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:266
[Service_sqliimport.source.imap] Arguments[]	expImportImapSource	extension/sqliimport/settings/kernelservices.ini.append.php:268
[Service_sqliimport.source.xrowextract] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:275
[Service_sqliimport.source.xrowextract] Arguments[]	expImportXrowextractSource	extension/sqliimport/settings/kernelservices.ini.append.php:277
[Service_sqliimport.source.sql] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:283
[Service_sqliimport.source.sql] Arguments[]	expImportSqlSource	extension/sqliimport/settings/kernelservices.ini.append.php:285
[Service_sqliimport.source.mongodb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:291
[Service_sqliimport.source.mongodb] Arguments[]	expImportMongoDbSource	extension/sqliimport/settings/kernelservices.ini.append.php:293
[Service_sqliimport.source.redis] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:299
[Service_sqliimport.source.redis] Arguments[]	expImportRedisSource	extension/sqliimport/settings/kernelservices.ini.append.php:301
[Service_sqliimport.source.couchdb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:307
[Service_sqliimport.source.couchdb] Arguments[]	expImportCouchDbSource	extension/sqliimport/settings/kernelservices.ini.append.php:309
[Service_sqliimport.source.couchbase] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:315
[Service_sqliimport.source.couchbase] Arguments[]	expImportCouchbaseSource	extension/sqliimport/settings/kernelservices.ini.append.php:317
[Service_sqliimport.source.cosmosdb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:323
[Service_sqliimport.source.cosmosdb] Arguments[]	expImportCosmosDbSource	extension/sqliimport/settings/kernelservices.ini.append.php:325
[Service_sqliimport.source.dynamodb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:331

Setting	Class	Set in
[Service_sqliimport.source.dynamodb] Arguments[]	expImportDynamoDbSource	extension/sqliimport/settings/kernelservices.ini.append.php:333
[Service_sqliimport.source.firestore] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:339
[Service_sqliimport.source.firestore] Arguments[]	expImportFirestoreSource	extension/sqliimport/settings/kernelservices.ini.append.php:341
[Service_sqliimport.source.bigquery] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:347
[Service_sqliimport.source.bigquery] Arguments[]	expImportBigQuerySource	extension/sqliimport/settings/kernelservices.ini.append.php:349
[Service_sqliimport.source.firebase_rtdb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:355
[Service_sqliimport.source.firebase_rtdb] Arguments[]	expImportFirebaseSource	extension/sqliimport/settings/kernelservices.ini.append.php:357
[Service_sqliimport.source.cassandra] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:363
[Service_sqliimport.source.cassandra] Arguments[]	expImportCassandraSource	extension/sqliimport/settings/kernelservices.ini.append.php:365
[Service_sqliimport.source.neo4j] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:371
[Service_sqliimport.source.neo4j] Arguments[]	expImportNeo4jSource	extension/sqliimport/settings/kernelservices.ini.append.php:373
[Service_sqliimport.source.arangodb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:379
[Service_sqliimport.source.arangodb] Arguments[]	expImportArangoDbSource	extension/sqliimport/settings/kernelservices.ini.append.php:381
[Service_sqliimport.source.clickhouse] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:387
[Service_sqliimport.source.clickhouse] Arguments[]	expImportClickHouseSource	extension/sqliimport/settings/kernelservices.ini.append.php:389
[Service_sqliimport.source.snowflake] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:395
[Service_sqliimport.source.snowflake] Arguments[]	expImportSnowflakeSource	extension/sqliimport/settings/kernelservices.ini.append.php:397
[Service_sqliimport.source.influxdb] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:403
[Service_sqliimport.source.influxdb] Arguments[]	expImportInfluxDbSource	extension/sqliimport/settings/kernelservices.ini.append.php:405
[Service_sqliimport.source.ldap] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:411
[Service_sqliimport.source.ldap] Arguments[]	expImportLdapSource	extension/sqliimport/settings/kernelservices.ini.append.php:413
[Service_sqliimport.source.cie] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:419

Setting	Class	Set in
[Service_sqliimport.source.cie] Arguments[]	expImportCieSource	extension/sqliimport/settings/kernelservices.ini.append.php:421
[Service_sqliimport.source.exponential_rss] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:427
[Service_sqliimport.source.exponential_rss] Arguments[]	expImportRssSource	extension/sqliimport/settings/kernelservices.ini.append.php:429
[Service_sqliimport.source.sitemap] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:436
[Service_sqliimport.source.sitemap] Arguments[]	expImportSitemapSource	extension/sqliimport/settings/kernelservices.ini.append.php:438
[Service_sqliimport.source.webpage] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:444
[Service_sqliimport.source.webpage] Arguments[]	expImportWebPageSource	extension/sqliimport/settings/kernelservices.ini.append.php:446
[Service_sqliimport.source.exponential_site] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:452
[Service_sqliimport.source.exponential_site] Arguments[]	expImportExponentialSiteSource	extension/sqliimport/settings/kernelservices.ini.append.php:454
[Service_sqliimport.source.ezpkg] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:460
[Service_sqliimport.source.ezpkg] Arguments[]	expImportEzpkgSource	extension/sqliimport/settings/kernelservices.ini.append.php:462
[Service_sqliimport.source.drupal] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:468
[Service_sqliimport.source.drupal] Arguments[]	expImportDrupalSource	extension/sqliimport/settings/kernelservices.ini.append.php:470
[Service_sqliimport.source.joomla] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:476
[Service_sqliimport.source.joomla] Arguments[]	expImportJoomlaSource	extension/sqliimport/settings/kernelservices.ini.append.php:478
[Service_sqliimport.source.airtable] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:484
[Service_sqliimport.source.airtable] Arguments[]	expImportAirtableSource	extension/sqliimport/settings/kernelservices.ini.append.php:486
[Service_sqliimport.source.notion] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:492
[Service_sqliimport.source.notion] Arguments[]	expImportNotionSource	extension/sqliimport/settings/kernelservices.ini.append.php:494
[Service_sqliimport.source.supabase] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:500
[Service_sqliimport.source.supabase] Arguments[]	expImportSupabaseSource	extension/sqliimport/settings/kernelservices.ini.append.php:502
[Service_sqliimport.source.baserow] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:508

Setting	Class	Set in
[Service_sqliimport.source.baserow] Arguments[]	expImportBaserowSource	extension/sqliimport/settings/kernelservices.ini.append.php:510
[Service_sqliimport.source.salesforce] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:516
[Service_sqliimport.source.salesforce] Arguments[]	expImportSalesforceSource	extension/sqliimport/settings/kernelservices.ini.append.php:518
[Service_sqliimport.source.hubspot] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:524
[Service_sqliimport.source.hubspot] Arguments[]	expImportHubSpotSource	extension/sqliimport/settings/kernelservices.ini.append.php:526
[Service_sqliimport.source.youtube] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:532
[Service_sqliimport.source.youtube] Arguments[]	expImportYouTubeSource	extension/sqliimport/settings/kernelservices.ini.append.php:534
[Service_sqliimport.source.youtube_page] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:540
[Service_sqliimport.source.youtube_page] Arguments[]	expImportYouTubePageSource	extension/sqliimport/settings/kernelservices.ini.append.php:542
[Service_sqliimport.source.rest_api] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:548
[Service_sqliimport.source.rest_api] Arguments[]	expImportRestApiSource	extension/sqliimport/settings/kernelservices.ini.append.php:550
[Service_sqliimport.source.media] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:556
[Service_sqliimport.source.media] Arguments[]	expImportMediaSource	extension/sqliimport/settings/kernelservices.ini.append.php:558
[Service_sqliimport.source.ical] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:563
[Service_sqliimport.source.ical] Arguments[]	expImportIcalSource	extension/sqliimport/settings/kernelservices.ini.append.php:565
[Service_sqliimport.source.vcard] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:571
[Service_sqliimport.source.vcard] Arguments[]	expImportVcardSource	extension/sqliimport/settings/kernelservices.ini.append.php:573
[Service_sqliimport.source.google_merchant] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:580
[Service_sqliimport.source.google_merchant] Arguments[]	expImportGoogleMerchantSource	extension/sqliimport/settings/kernelservices.ini.append.php:582
[Service_sqliimport.source.shopify] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:588
[Service_sqliimport.source.shopify] Arguments[]	expImportShopifyCsvSource	extension/sqliimport/settings/kernelservices.ini.append.php:590
[Service_sqliimport.source.woocommerce] Class	expImportSourceEntry	extension/sqliimport/settings/kernelservices.ini.append.php:596

Setting	Class	Set in
[Service_sqliimport.source.woocommerce] Arguments[]	expImportWooCommerceCsvSource	extension/sqliimport/settings/kernelservices.ini.append.php:598
[Service_datatable.field_source.sqliimport] Class	expImportDataTableFieldSource	extension/sqliimport/settings/kernelservices.ini.append.php:606
[Service_sqliimport.handler.datatable] Class	expImportDataTableHandler	extension/sqliimport/settings/kernelservices.ini.append.php:614
[ContentSettings] DiffHandlerMap[ezimage]	SQLIImageDiffHandler	extension/sqliimport/settings/sqliimport.ini:60
[ContentSettings] DiffHandlerMap[ezbinaryfile]	SQLIBinaryFileDiffHandler	extension/sqliimport/settings/sqliimport.ini:61
[ContentSettings] DefaultDiffHandler	SQLIDefaultDiffHandler	extension/sqliimport/settings/sqliimport.ini:66
[rssimporthandler-HandlerSettings] ClassName	SQLIRSSImportHandler	extension/sqliimport/settings/sqliimport.ini.append.php:12

extension/syndication (1)

Setting	Class	Set in
[Service_transfer.syndication] Class	expKernelTransferTool	extension/syndication/settings/kernelservices.ini.append.php:10

extension/xrowextract (35)

Setting	Class	Set in
[ezstring] HandlerClass	XroweZStringHandler	extension/xrowextract/settings/csv.ini.append.php:67
[ezenhancedselection] HandlerClass	XroweZStringHandler	extension/xrowextract/settings/csv.ini.append.php:71
[ezinteger] HandlerClass	XroweZIntegerHandler	extension/xrowextract/settings/csv.ini.append.php:75
[ezxmltext] HandlerClass	XroweZXMLTextHandler	extension/xrowextract/settings/csv.ini.append.php:79
[ezidentifier] HandlerClass	XroweZIdentifierHandler	extension/xrowextract/settings/csv.ini.append.php:83
[ezfloat] HandlerClass	XroweZFloatHandler	extension/xrowextract/settings/csv.ini.append.php:87
[ezemail] HandlerClass	XroweZEmailHandler	extension/xrowextract/settings/csv.ini.append.php:91
[ezurl] HandlerClass	XroweZURLHandler	extension/xrowextract/settings/csv.ini.append.php:95
[eztext] HandlerClass	XroweZTextHandler	extension/xrowextract/settings/csv.ini.append.php:99
[ezenhancedobjectrelation] HandlerClass	XroweZenhancedobjectrelationHandler	extension/xrowextract/settings/csv.ini.append.php:103

Setting	Class	Set in
[ezselection] HandlerClass	XroweZSelectionHandler	extension/xrowextract/settings/csv.ini.append.php:109
[ezenum] HandlerClass	XroweZEnumHandler	extension/xrowextract/settings/csv.ini.append.php:113
[ezuser] HandlerClass	XroweZUserHandler	extension/xrowextract/settings/csv.ini.append.php:117
[ezdate] HandlerClass	XroweZDateHandler	extension/xrowextract/settings/csv.ini.append.php:121
[ezboolean] HandlerClass	XroweZBooleanHandler	extension/xrowextract/settings/csv.ini.append.php:125
[ezcountry] HandlerClass	XroweZSelectionHandler	extension/xrowextract/settings/csv.ini.append.php:129
[ezimage] HandlerClass	XroweZImageExportHandler	extension/xrowextract/settings/csv.ini.append.php:133
[ezmedia] HandlerClass	XroweZMediaExportHandler	extension/xrowextract/settings/csv.ini.append.php:137
[ezbinaryfile] HandlerClass	XroweZBinaryfileExportHandler	extension/xrowextract/settings/csv.ini.append.php:141
[ezmatrix] HandlerClass	XroweZMatrixExportHandler	extension/xrowextract/settings/csv.ini.append.php:145
[ezobjectrelationlist] HandlerClass	XroweZObjectRelationListHandler	extension/xrowextract/settings/csv.ini.append.php:149
[hmregexpline] HandlerClass	XrowhmregexplineHandler	extension/xrowextract/settings/csv.ini.append.php:153
[ezprice] HandlerClass	XroweZPriceHandler	extension/xrowextract/settings/csv.ini.append.php:157
[ezdatetime] HandlerClass	XroweZDateTimeHandler	extension/xrowextract/settings/csv.ini.append.php:161
[eztime] HandlerClass	XroweZTimeHandler	extension/xrowextract/settings/csv.ini.append.php:165
[ezkeyword] HandlerClass	XroweZKeywordHandler	extension/xrowextract/settings/csv.ini.append.php:169
[eztags] HandlerClass	XroweZKeywordHandler	extension/xrowextract/settings/csv.ini.append.php:173
[ezobjectrelation] HandlerClass	XroweZObjectRelationHandler	extension/xrowextract/settings/csv.ini.append.php:177
[xrowmetadata] HandlerClass	XrowxrowmetadataHandler	extension/xrowextract/settings/csv.ini.append.php:181
[JobType_xrowextract.run] Handler	expKernelTransferQueueHandler	extension/xrowextract/settings/expqueue.ini.append.php:13
[XrowExtractTranslation] ClassName	XrowExtractTranslationFilter	extension/xrowextract/settings/extendedattributefilter.ini.append.php:8

Setting	Class	Set in
[XrowExtractHasChildren] ClassName	XrowExtractHasChildrenFilter	extension/xrowextract/settings/extendedattributefilter.ini.append.php:15
[XrowExtractRelation] ClassName	XrowExtractRelationFilter	extension/xrowextract/settings/extendedattributefilter.ini.append.php:23
[XrowExtractUserStatus] ClassName	XrowExtractUserStatusFilter	extension/xrowextract/settings/extendedattributefilter.ini.append.php:30
[Service_transfer.xrowextract] Class	expKernelTransferTool	extension/xrowextract/settings/kernelservices.ini.append.php:10

extension/xrowmetadata (1)

Setting	Class	Set in
[SolrFieldMapSettings] CustomMap[xrowmetadata]	ezfSolrDocumentFieldxrowMetadata	extension/xrowmetadata/settings/ezfind.ini.append.php:4

settings (254)

Setting	Class	Set in
[AuditSinkSettings] SinkClasses[syslog]	expAuditSyslogSink	settings/audit.ini:298
[AuditSinkSettings] SinkClasses[webhook]	expAuditWebhookSink	settings/audit.ini:299
[AuditSinkSettings] SinkClasses[mail]	expAuditMailSink	settings/audit.ini:300
[AuditAlertSettings] RuleClasses[threshold]	expAuditThresholdRule	settings/audit.ini:377
[AuditAlertSettings] RuleClasses[match]	expAuditMatchRule	settings/audit.ini:378
[AuditAlertSettings] RuleClasses[schedule]	expAuditScheduleRule	settings/audit.ini:379
[AuditArchiveSettings] FormatHandlers[gzip]	expAuditGzipFormat	settings/audit.ini:523
[AuditArchiveSettings] FormatHandlers[bzip2]	expAuditBzip2Format	settings/audit.ini:524
[AuditArchiveSettings] FormatHandlers[xz]	expAuditXzFormat	settings/audit.ini:525
[AuditArchiveSettings] FormatHandlers[zstd]	expAuditZstdFormat	settings/audit.ini:526
[AuditArchiveSettings] FormatHandlers[zip]	expAuditZipFormat	settings/audit.ini:527
[ContentJobSettings] JobTypes[remove]	expContentJobRemoveSubtree	settings/content.ini:547

Setting	Class	Set in
[ContentJobSettings] JobTypes[copy]	expContentJobCopySubtree	settings/content.ini:548
[ContentJobSettings] JobTypes[move]	expContentJobMoveSubtree	settings/content.ini:549
[ContentJobSettings] JobTypes[hide]	expContentJobHideSubtree	settings/content.ini:550
[ContentJobSettings] JobTypes[reveal]	expContentJobRevealSubtree	settings/content.ini:551
[ContentJobSettings] JobTypes[section]	expContentJobSectionSubtree	settings/content.ini:552
[ContentJobSettings] JobTypes[state]	expContentJobStateSubtree	settings/content.ini:553
[ContentJobSettings] JobTypes[addlocation]	expContentJobAddLocation	settings/content.ini:554
[ContentJobSettings] JobTypes[removelocation]	expContentJobRemoveLocation	settings/content.ini:555
[ContentJobSettings] JobTypes[packageinstall]	expContentJobPackageInstall	settings/content.ini:557
[ContentJobSettings] JobTypes[auditexport]	expContentJobAuditExport	settings/content.ini:559
[ContentJobSettings] JobTypes[helpmanuals]	expContentJobHelpManuals	settings/content.ini:561
[ContentJobSettings] JobTypes[transfer]	expContentJobTransfer	settings/content.ini:564
[PublishingSettings] AsynchronousPublishingQueueReader	ezpContentPublishingQueue	settings/content.ini:690
[TestingSettings] MultivariateTestingHandlerClass	ezpMultivariateTestHandler	settings/content.ini:709
[MissingFileSettings] Handlers[ezimage]	expContentCheckFileImage	settings/contentcheck.ini:175
[MissingFileSettings] Handlers[ezbinaryfile]	expContentCheckFileTable	settings/contentcheck.ini:176
[MissingFileSettings] Handlers[ezmedia]	expContentCheckFileTable	settings/contentcheck.ini:177
[SchemaSettings] SchemaHandlerClasses[mysql]	eZMysqlSchema	settings/dbschema.ini:22
[SchemaSettings] SchemaHandlerClasses[mysqli]	eZMysqlSchema	settings/dbschema.ini:23
[SchemaSettings] SchemaHandlerClasses[postgresql]	eZPgsqlSchema	settings/dbschema.ini:24
[SchemaSettings] SchemaHandlerClasses[sqlite]	eZSQLiteSchema	settings/dbschema.ini:25
[SchemaSettings] SchemaHandlerClasses[sqlite3]	eZSQLiteSchema	settings/dbschema.ini:26
[SchemaSettings] SchemaHandlerClasses[mongo]	expMongoSchema	settings/dbschema.ini:27

Setting	Class	Set in
[ContextHelp] Providers[]	expHelpContentProvider	settings/exphelp.ini:1429
[InputSettings] HandlerClass	eZSimplifiedXMLInput	settings/ezxml.ini:14
[OutputSettings] HandlerClass	eZXHTMLXMLOutput	settings/ezxml.ini:40
[OutputSettings] AliasClasses[ezpdf]	eZPDFXMLOutput	settings/ezxml.ini:43
[BinaryFileSettings] Handler	eZFilePassthroughHandler	settings/file.ini:13
[ClusteringSettings] FileHandler	eZFSFileHandler	settings/file.ini:57
[eZDFSClusteringSettings] DBBackend	eZDFSFileHandlerMySQLiBackend	settings/file.ini:91
[eZDFSClusteringSettings] DFSBackend	eZDFSFileHandlerDFSBackend	settings/file.ini:92
[GD] Handler	eZImageGDFactory	settings/image.ini:277
[ImageMagick] Handler	eZImageShellFactory	settings/image.ini:305
[IniCommandSettings] Actions[get]	expIniActionGet	settings/ini.ini:21
[IniCommandSettings] Actions[set]	expIniActionSet	settings/ini.ini:22
[IniCommandSettings] Actions[add]	expIniActionAdd	settings/ini.ini:23
[IniCommandSettings] Actions[rem]	expIniActionRem	settings/ini.ini:24
[IniCommandSettings] Actions[clear]	expIniActionClear	settings/ini.ini:25
[IniCommandSettings] Actions[toggle]	expIniActionToggle	settings/ini.ini:26
[IniCommandSettings] Actions[copy]	expIniActionCopy	settings/ini.ini:27
[IniCommandSettings] Actions[move]	expIniActionMove	settings/ini.ini:28
[IniCommandSettings] Actions[move-all]	expIniActionMoveAll	settings/ini.ini:29
[IniCommandSettings] Actions[where]	expIniActionWhere	settings/ini.ini:30
[IniCommandSettings] Actions[list]	expIniActionList	settings/ini.ini:31
[IniCommandSettings] Actions[scopes]	expIniActionScopes	settings/ini.ini:32
[IniCommandSettings] Actions[actions]	expIniActionActions	settings/ini.ini:33
[IniCommandSettings] ScopeProviders[]	expIniCoreScopeProvider	settings/ini.ini:50
[IniCommandSettings] ScopeProviders[]	expIniExtensionScopeProvider	settings/ini.ini:51
[Service_db] Class	eZDBInterface	settings/kernelservices.ini:76
[Service_http] Class	eZHTTPTool	settings/kernelservices.ini:85
[Service_ini.site] Class	eZINI	settings/kernelservices.ini:92

Setting	Class	Set in
[Service_ini.i18n] Class	eZINI	settings/kernelservices.ini:102
[Service_extensions.overrides] Class	expKernelExtensionOverrideList	settings/kernelservices.ini:113
[Service_transfer.registry] Class	expKernelTransferRegistry	settings/kernelservices.ini:157
[Service_transfer.package] Class	expKernelTransferTool	settings/kernelservices.ini:164
[Service_transfer.rss_import] Class	expKernelTransferTool	settings/kernelservices.ini:193
[Service_transfer.rss_export] Class	expKernelTransferTool	settings/kernelservices.ini:214
[Service_transfer.infocollector] Class	expKernelTransferTool	settings/kernelservices.ini:237
[Service_transfer.audit] Class	expKernelTransferTool	settings/kernelservices.ini:258
[Service_transfer.datatable] Class	expKernelTransferTool	settings/kernelservices.ini:280
[Service_transfer.pdf] Class	expKernelTransferTool	settings/kernelservices.ini:316
[GateSettings] EssentialSenders[]	expMailPreferencesService	settings/mailpreferences.ini:37
[Category_content] HandlerClass	expNotificationMailCategoryHandler	settings/mailpreferences.ini:91
[Category_collaboration] HandlerClass	expNotificationMailCategoryHandler	settings/mailpreferences.ini:103
[PackageSettings] HandlerAlias[ezcontentclass]	eZContentClassPackageHandler	settings/package.ini:89
[PackageSettings] HandlerAlias[ezcontentobject]	eZContentObjectPackageHandler	settings/package.ini:91
[PackageSettings] HandlerAlias[eziniaddon]	eZINIAddonPackageHandler	settings/package.ini:93
[PackageSettings] HandlerAlias[ezfile]	eZFilePackageHandler	settings/package.ini:95
[PackageSettings] HandlerAlias[ezini]	eZFilePackageHandler	settings/package.ini:96
[PackageSettings] HandlerAlias[ezdesign]	eZFilePackageHandler	settings/package.ini:97
[PackageSettings] HandlerAlias[eztemplate]	eZFilePackageHandler	settings/package.ini:98
[PackageSettings] HandlerAlias[ezthumbnail]	eZFilePackageHandler	settings/package.ini:99
[PackageSettings] HandlerAlias[ezsql]	eZDBPackageHandler	settings/package.ini:101

Setting	Class	Set in
[PackageSettings] HandlerAlias[ezextension]	eZExtensionPackageHandler	settings/package.ini:103
[PackageSettings] HandlerAlias[ezinstallscript]	eZInstallScriptPackageHandler	settings/package.ini:104
[CreationSettings] HandlerAlias[ezcontentclass]	eZContentClassPackageCreator	settings/package.ini:144
[CreationSettings] HandlerAlias[ezstyle]	eZStylePackageCreator	settings/package.ini:145
[CreationSettings] HandlerAlias[ezcontentobject]	eZContentObjectPackageCreator	settings/package.ini:146
[CreationSettings] HandlerAlias[ezextension]	eZExtensionPackageCreator	settings/package.ini:147
[InstallerSettings] HandlerAlias[ezcontentobject]	eZContentObjectPackageInstaller	settings/package.ini:159
[InstallerSettings] HandlerAlias[ezinstallscript]	eZInstallScriptPackageInstaller	settings/package.ini:160
[Registry_auditsources] Entries[Sources]	expAuditSource	settings/rad.ini:77
[System] PrefixFilterClass	ezpRestDefaultRegexpPrefixFilter	settings/rest.ini:13
[ApiProvider] ProviderClass[auth]	ezpRestAuthProvider	settings/rest.ini:18
[ApiProvider] ProviderClass[help]	expHelpRestProvider	settings/rest.ini:21
[OutputSettings] RendererClass[xhtml]	ezpContentXHTMLRenderer	settings/rest.ini:27
[Authentication] AuthenticationStyle	ezpRestOauthAuthenticationStyle	settings/rest.ini:76
[RouteSettings] RouteSettingImpl	ezpRestIniRouteFilter	settings/rest.ini:216
[MathSettings] MathHandler	eZPHPMath	settings/shop.ini:19
[Cache_restRoutes] class	ezpRestRoutesCacheClear	settings/site.ini:59
[Cache_restRoutes] purgeClass	ezpRestRoutesCacheClear	settings/site.ini:60
[Cache_exphelpcontent] class	expHelpContentRepository	settings/site.ini:70
[Cache_exphelpcontent] purgeClass	expHelpContentRepository	settings/site.ini:71
[DatabaseSettings] ImplementationAlias[mysql]	eZMySQLiDB	settings/site.ini:134
[DatabaseSettings] ImplementationAlias[mysqli]	eZMySQLiDB	settings/site.ini:135
[DatabaseSettings] ImplementationAlias[postgresql]	eZPostgreSQLDB	settings/site.ini:136
[DatabaseSettings] ImplementationAlias[ezmysql]	eZMySQLiDB	settings/site.ini:137
[DatabaseSettings] ImplementationAlias[ezmysqli]	eZMySQLiDB	settings/site.ini:138

Setting	Class	Set in
[DatabaseSettings] ImplementationAlias[ezpostgresql]	eZPostgreSQLDB	settings/site.ini:139
[DatabaseSettings] ImplementationAlias[pgsql]	eZPostgreSQLDB	settings/site.ini:140
[DatabaseSettings] ImplementationAlias[sqlite3]	eZSQLite3DB	settings/site.ini:141
[DatabaseSettings] ImplementationAlias[mongodb]	expMongoDB	settings/site.ini:142
[URLTranslator] FilterClasses[]	eZURLAliasFilterAppendNodeID	settings/site.ini:593
[SearchSettings] SearchEngine	eZSearchEngine	settings/site.ini:795
[ReauthSettings] CodeHandlers[]	expReauthTotpCode	settings/site.ini:1185
[SiteAccessSettings] MobileDeviceFilterClass	ezpMobileDeviceRegexpFilter	settings/site.ini:1484
[RegionalSettings] LanguageSwitcherClass	ezpLanguageSwitcher	settings/site.ini:1774
[ContentSettings] StaticCacheHandler	eZStaticCache	settings/site.ini:2101
[ContentSettings] ContentClassEditHandler	eZContentClassEditHandler	settings/site.ini:2110
[MailSettings] TransportAlias[file]	eZFileTransport	settings/site.ini:2141
[MailSettings] TransportAlias[sendmail]	eZSendmailTransport	settings/site.ini:2142
[MailSettings] TransportAlias[smtp]	eZSMTPTransport	settings/site.ini:2143
[Column_parentnodeid] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:172
[Column_depth] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:183
[Column_pathstring] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:194
[Column_pathidentification] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:205
[Column_mainnodeid] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:216
[Column_childsortfield] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:227
[Column_childsortorder] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:236
[Column_hidden] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:245
[Column_invisible] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:254

Setting	Class	Set in
[Column_iscontainer] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:264
[Column_childrencount] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:273
[Column_subtreecount] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:283
[Column_childclasses] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:293
[Column_newestchildname] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:302
[Column_classidentifier] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:314
[Column_classid] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:325
[Column_classgroups] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:336
[Column_sectionidentifier] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:345
[Column_sectionid] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:356
[Column_wordcount] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:367
[Column_textlength] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:377
[Column_readingtime] Class	expSubitemsReadingTimeColumn	settings/subitemscolumns.ini:387
[Column_namelength] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:397
[Column_rating] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:407
[Column_ratingcount] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:417
[Column_version] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:430
[Column_versioncount] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:440
[Column_draftcount] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:450
[Column_draftauthors] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:460
[Column_latestdraft] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:469
[Column_archivedcount] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:478

Setting	Class	Set in
[Column_versioncreated] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:488
[Column_parentname] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:500
[Column_ismain] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:509
[Column_locationcount] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:518
[Column_otherlocations] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:528
[Column_mainlocation] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:537
[Column_urlalias] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:550
[Column_allaliases] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:561
[Column_systemurl] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:571
[Column_publicpath] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:581
[Column_publicurl] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:593
[Column_urlslug] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:606
[Column_aliascount] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:616
[Column_customaliases] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:626
[Column_customaliascount] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:635
[Column_historycount] Class	expSubitemsURLColumn	settings/subitemscolumns.ini:645
[Column_pagetitle] Class	expSubitemsSEOColumn	settings/subitemscolumns.ini:658
[Column_titlelength] Class	expSubitemsSEOColumn	settings/subitemscolumns.ini:673
[Column_metatitle] Class	expSubitemsSEOColumn	settings/subitemscolumns.ini:685
[Column_metadescription] Class	expSubitemsSEOColumn	settings/subitemscolumns.ini:694
[Column_metakeywords] Class	expSubitemsSEOColumn	settings/subitemscolumns.ini:703
[Column_modifiedsubnode] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:715

Setting	Class	Set in
[Column_publishedage] Class	expSubitemsDateColumn	settings/subitemscolumns.ini:725
[Column_modifiedage] Class	expSubitemsDateColumn	settings/subitemscolumns.ini:735
[Column_dayssincepublished] Class	expSubitemsDateColumn	settings/subitemscolumns.ini:745
[Column_dayssincemodified] Class	expSubitemsDateColumn	settings/subitemscolumns.ini:756
[Column_publishediso] Class	expSubitemsDateColumn	settings/subitemscolumns.ini:767
[Column_modifiediso] Class	expSubitemsDateColumn	settings/subitemscolumns.ini:778
[Column_newestchild] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:789
[Column_owner] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:801
[Column_ownerid] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:810
[Column_initialcreator] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:821
[Column_contributors] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:830
[Column_relatedcount] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:842
[Column_relatednames] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:852
[Column_reverserelatedcount] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:863
[Column_reverserelatednames] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:873
[Column_tags] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:883
[Column_tagcount] Class	expSubitemsRelationColumn	settings/subitemscolumns.ini:892
[Column_initiallanguage] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:905
[Column_languagecount] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:914
[Column_languagecodes] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:924
[Column_missingtranslations] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:934
[Column_alwaysavailable] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:943

Setting	Class	Set in
[Column_locked] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:963
[Column_pendingcount] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:972
[Column_rejectedcount] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:982
[Column_workflowprocesses] Class	expSubitemsVersionColumn	settings/subitemscolumns.ini:992
[Column_canedit] Class	expSubitemsPermissionColumn	settings/subitemscolumns.ini:1002
[Column_canremove] Class	expSubitemsPermissionColumn	settings/subitemscolumns.ini:1011
[Column_canmove] Class	expSubitemsPermissionColumn	settings/subitemscolumns.ini:1020
[Column_canhide] Class	expSubitemsPermissionColumn	settings/subitemscolumns.ini:1029
[Column_cantranslate] Class	expSubitemsPermissionColumn	settings/subitemscolumns.ini:1038
[Column_cancreate] Class	expSubitemsPermissionColumn	settings/subitemscolumns.ini:1047
[Column_userlogin] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1060
[Column_useremail] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1072
[Column_userenabled] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1084
[Column_userlocked] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1095
[Column_userlastvisit] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1106
[Column_userlogincount] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1117
[Column_userfailedlogins] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1129
[Column_userroles] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1141
[Column_userrolecount] Class	expSubitemsUserColumn	settings/subitemscolumns.ini:1152
[Column_hasimage] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1167
[Column_imagecount] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1176
[Column_imagedimensions] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1186

Setting	Class	Set in
[Column_imagewidth] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1195
[Column_imageheight] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1205
[Column_imagesize] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1215
[Column_imagemime] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1225
[Column_imagealt] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1234
[Column_filename] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1243
[Column_filesize] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1253
[Column_filemime] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1263
[Column_filedownloads] Class	expSubitemsMediaColumn	settings/subitemscolumns.ini:1272
[Column_searchwords] Class	expSubitemsPermissionColumn	settings/subitemscolumns.ini:1285
[Column_viewcount] Class	expSubitemsNodeColumn	settings/subitemscolumns.ini:1295
[Column_languagemask] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:1305
[Column_attributecount] Class	expSubitemsObjectColumn	settings/subitemscolumns.ini:1315
[Providers] ProviderClasses[]	expSysCardExponentialProvider	settings/syscard.ini:17
[Providers] ProviderClasses[]	expSysCardHostProvider	settings/syscard.ini:18
[Providers] ProviderClasses[]	expSysCardPhpProvider	settings/syscard.ini:19
[Providers] ProviderClasses[]	expSysCardVelocityProvider	settings/syscard.ini:20
[Providers] ProviderClasses[]	expSysCardWebServerProvider	settings/syscard.ini:21
[Providers] ProviderClasses[]	expSysCardDatabaseProvider	settings/syscard.ini:22
[Providers] ProviderClasses[]	expSysCardSiteProvider	settings/syscard.ini:23
[Providers] ProviderClasses[]	expSysCardCacheProvider	settings/syscard.ini:24
[Providers] ProviderClasses[]	expSysCardHelpProvider	settings/syscard.ini:25
[Providers] ProviderClasses[]	expSysCardCronProvider	settings/syscard.ini:26
[Providers] ProviderClasses[]	expSysCardComposerProvider	settings/syscard.ini:27
[Providers] ProviderClasses[]	expSysCardExtensionsProvider	settings/syscard.ini:28

Setting	Class	Set in
[Providers] ProviderClasses[]	expSysCardSiteAccessProvider	settings/syscard.ini:29
[Providers] ProviderClasses[]	expSysCardSettingsProvider	settings/syscard.ini:30
[Providers] ProviderClasses[]	expSysCardQueueProvider	settings/syscard.ini:31
[Providers] ProviderClasses[]	expSysCardAboutProvider	settings/syscard.ini:32
[AttributeOperator] OutputFormatter[html]	ezpAttributeOperatorHTMLFormatter	settings/template.ini:111
[AttributeOperator] OutputFormatter[text]	ezpAttributeOperatorTextFormatter	settings/template.ini:112
[UISwitch_language] Class	expUISwitchLanguageProvider	settings/uiswitch.ini:25
[UISwitch_design] Class	expUISwitchDesignProvider	settings/uiswitch.ini:97

Exponential Copyright © 1998-2026 Exponential Foundation and 7x
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".
This documentation is free documentation, licensed under the GNU Free Documentation License 1.3 or later:
https://www.gnu.org/licenses/fdl-1.3.html.